

Queensland Manual of Uniform Traffic Control Devices (MUTCD)

Amendment register

Queensland MUTCD updates are released tri-annually: March, July and November.

The amendment table captures the respective changes including exceptions to the publication cycle.

Publication cycle

November 2023

Part	Section	Change type	Description of change
0	All sections	New	New part in Queensland harmonised to the recently published AS 1742.0:2023.
2	4.6.5.2	Amendment	Amended text to reflect that all signs for night-hand lane changes shall be modified as required.
	5.9.5.2	Amendment	Included additional requirement to place RRPMs outside bicycle lanes and sealed shoulders identified as part of the principal cycle network which are less than 1.5 m wide.
	5.11	Administrative	Included heading of 5.11 Pavement markings at entrance and exit ramps.
	Appendix H	Administrative	Included caption for sign W5-Q20.
3	1.3.2	Amendment	 Amendment type changed from a difference to an addition. Modified to just three additional notes to the AS 1742.3 definition.
	4.7.3(a)	Amendment	In note (i) change 150 vpd to 150 vph to match the changes made to QGTTM Part 2 Section 3.3.4 and QGTTM Part 3 Section 5.4.4.
	Table A.2	Amendment	 Renumber sign GM9-40-2-Q01_1 to RM9-Q01_1 Renumber sign GM9-40-2-Q01_2 to RM9-Q01_2 Moved TM1-Q01_2 to be included with TM1-Q01_1 Renumber TM1-Q05-Q01 to TM2-50-Q01 Renumber TC1261C to TC2361C.
13	All sections	Amendment	Harmonised to recently updated AS 1742.13 (2023). Note: restructure.

Part	Section	Change type	Description of change
1	1.3	Amendment	 Deleted Queensland addition to the definitions of May, Shall, and Should. Deleted Queensland definition of Running lane, and Travelled path. Clause renumbering due to the above deletions.
	1.12		Deleted guidance regarding uniformity of location, longitudinal placement, lateral placement, and mounting height for signs. This information is now contained in various other Parts of AS 1742 and have been accepted by the Queensland MUTCD.
			Clause 1.12.1 retained to direct readers to sign installation criteria in Appendix D of the Queensland MUTCD Part 2 for general signs, and Appendix D of the Queensland MUTCD Part 15 for direction signs.
			Clause 1.12.2 retained to provide specific requirements for sign clearance to electrical infrastructure.



Part	Section	Change type	Description of change	
	Various		Updated index of signs to reflect signs currently approved and included with the Queensland <u>Manual of Uniform Traffic Control</u> <u>Devices</u> (Queensland MUTCD).	
2	All	New	Harmonised Queensland MUTCD Part 2 released.	
	All	Withdrawn	Part 2 withdrawn, replaced by harmonised Queensland MUTCD Part 2.	
	Supplement	Withdrawn	Part 2 Supplement withdrawn, incorporated in harmonised Queensland MUTCD Part 2.	

Part	Section	Change type	Description of change	
1	Various	Amendment	Updated index of signs to reflect signs currently approved and included with the Queensland <u>Manual of Uniform Traffic Control</u> <u>Devices</u> (Queensland MUTCD).	
3	4.25	Amendment	Added requirement for devices to comply with new <u>Technical Specification</u> MRTS249 <i>Transportable Changeable Message Signs</i> published in March 2023.	
	Appendix A, Table A.2.		Size C added for TM2-30-Q01 Tractor / Slasher MOWING, sign notes updated and examples added.	
			Size B added for MERGE IN TURN sign.	
			New sign TM3-12-Q01 DO NOT OVERTAKE UNLESS SAFE added	
5	2.11.5	Amendment	Amended legend requirements for overhead signs on road structures over high-speed roads (G3-4-Q01).	
7	2.1	Amendment	Added sign names, numbers and dimensions for signs W7-13-Q01, W7-Q01, W7-Q02, W7-Q03 and R1-2-Q01.	
	2.2.6		Added diagrammatic warning sign W7-13-Q01.	
	5.4		Added signs W7-Q01, W7-Q02 and W7-Q03 which may be used to address short stacking.	
	7		Added sign R1-2-Q01 that may be used in Queensland at cane railway crossings.	
15	1.6.12	Amendment	Added guidance for the design and display of dual named places on direction	
	1.6.13		signs.	

Part	Section	Change type	Description of change
1, 5, 6, 7, 9, 10, 11, 12, 13, 14, 15	Various	Amendment	 Added definition of Registered Professional Engineer of Queensland (RPEQ) Added definition of Innovative Treatments New clause providing guidance on requirements to vary recommended and mandatory treatments
1	Various	Amendment	Included new signs to the index that have been approved, and those added to Parts 3 and 4 of the Queensland MUTCD in November 2022.
3	1.3.24	Administrative	Changed clause title to include 'RPEQ'.
	1.5	Administrative	Updated text to match text in other Parts of the Queensland MUTCD.
	1.9	Administrative	Updated text to match text in other Parts of the Queensland MUTCD.

Part	Section	Change type	Description of change
	Appendix A,	Amendment	Updated notes to TM1-Q03 PROBABLE DELAY 15 MIN.
	Table A.2.		Amended the ROADWORK sign panel number TM1-5-Q01 to include TM1-5-Q01A and TM1-5-Q01B for the two different sizes
			Added new multi-message sign panel TC2362_1 TURN ON HAZARD LIGHTS WHEN QUEUED.
			Added new multi-message sign panel TC2362_2 TURN OFF HAZARD LIGHTS.
			Added new multi-message sign panel TC2361C ROADWORK SPEED LIMITS ARE ENFORCED.
			Added new multi-message sign panel TC2361B Camera (symbolic).
			Added an orange target board TC2365 for use with multi-message frames.
	Appendix C, Table C.1.	Amendment	Amended the LINE MARKERS ON ROAD sign number from T1-Q08 to include the three size options (T1-Q08A, T1-Q08B and T1-Q08C).
			 Amended the WET PAINT sign number from T6-Q08 to include the two size options (T6-Q08A and T6-Q08B).
			Added new sign TC1992_1 TURN ON HAZARD LIGHTS WHEN QUEUED.
			Added new sign TC1992_2 TURN OFF HAZARD LIGHTS.
			Added new sign TC2320_1 SPEED CAMERAS USED AT ROADWORKS FOR ROAD SAFETY.
			 Added new sign TC2366 Orange Target Board to the standard Speed Restriction sign (R4-1) with a ROAD WORK supplementary plate (R4-3).
			Added new sign TC2367 Orange Target Board to the standard Speed limit AHEAD sign (G9-79) with a ROAD WORK supplementary plate (R4-3).
	Appendix D,	Administrative	Change LANE STATUS sign from TC1359 to TM10-Q01.
	Table D.1.		Change LINE MARKING AHEAD sign from TC1465 to TM1-40-Q01.
			Change ROAD CLOSED sign from TC1475 to TM2-4-Q01.
4	All	New	Harmonised Queensland MUTCD Part 4.
	All	Withdrawn	Part 4 withdrawn, replaced by harmonised Queensland MUTCD Part 4.
			Content of this Part has been relocated to the Queensland Guide to Road Safety and its supporting documents, released 30 November 2022.
10	7.2,	Amendment	Removed the word 'optional' for crosswalk lines in the Figure.
	Figure 7.2(a)		Changed the word 'may' to 'shall' for Note 2.
			Added the words 'at least' preceding 0.5 m to Note 2.
	7.2,	Amendment	Changed the word 'may' to 'shall' for Note 4.
	Figure 7.2(b)		Added the words 'at least' preceding 0.5 m to Note 2.

Part	Section	Change type	Description of change	
1	Various	Administrative	Converted Traffic Control (TC) signs to Q-series format (refer to TC Signs amendment register for details)	
	Various	Amended	Removed following Q-series TC signs that do not have associated guidance for use within a departmental publication, or have been previously deleted / superseded:	
			R4-Q03, R5-40-Q01_2, R5-40-Q01_3, R5-40-Q01_4, R6-Q03A, R6-13-Q01, R6-19-Q01, R6-20-Q01, R6-21-Q01, W4-Q01, W5-Q09, W8-5-Q01, W8-Q09, G9-11, T1-Q02, T1-Q05, T1-Q11, T1-Q15, T2-21-Q01, T4-6-Q01, T6-Q02, T6-Q06, T6-Q07, T5-3-Q01, T5-Q01	
	Various	Amended	Included principal reference document(s) for each Q-series sign approved for use in Queensland, where available.	

Part	Section	Change type	Description of change
	1.12.1	Amended	Updated guidance on the duplication of signs on the right side of the roadway.
	Appendix D	Amended	Converted TC signs to Q-series format (refer to TC Signs amendment register for details).
3	Definitions	Amended	Added definitions for QGTM and QGTTM.
	4.6.2	Amended	Updated the location requirements for the ROADWORK X km AHEAD sign.
	4.6.10	Amended	Added the option of using an END ROADWORK sign with the ROAD PLANT AHEAD or GRADER AHEAD signs.
	4.9.1	Amended	Added a recommended maximum spacing for repeater road condition signs and included the option of combining with a Speed Restriction sign.
	4.10.1	Amended	Added advance warning options for a road closure.
	4.12.3	Amended	Added requirement for road safety barrier systems used in Queensland to be on the current <u>list of products accepted</u> by Transport and Main Roads.
	4.14.1	Amended	Modified requirements for vehicle-mounted warning devices.
	4.24 Figure 4.24	Administrative	Converted sign numbers for <i>Electronic</i> series TC signs to Q-series format.
	Appendix A, Table A.2.	Administrative	Converted sign numbers and notes for <i>Multi-message</i> series TC signs to Q-series format.
			Deleted the X m AHEAD multi-message panels as it is included in AS 1742.3.
			Deleted references to END BRIDGEWORK signs and added END EVENT signs in note for DRIVE SAFELY multi-message panel.
			Deleted notes for KEEP INTERSECTION CLEAR multi-message panel.
	Appendix C, Table C.1.	Administrative	Converted sign numbers for <i>Special Roadwork</i> series TC signs to Q-series format.
6	2.2.2,	Administrative	Changed reference to TC1345 to G11-Q03.
	Figure 2.2.2(c)		Changed reference to TC2004 to G11-Q04.
	2.4, Figure 2.4	Administrative	Removed reference to TC1285 (deleted 11/17).
	3.10.4, Figure 3.10	Administrative	Added caption to G11-Q02 and G11-Q01_2.
	3.11, Figure 3.11	Administrative	Amended caption to G11-Q04 series.
	4.4, Figure 4.4	Administrative	Added caption to G8-9-9.
	4.7, Figure 4.7	Administrative	Amended caption from TC2029 to GE1-15-Q01_1.
	5.3.2, Figure 5.3.2	Administrative	Amended figures to align with correct caption.
	Appendix F	Amended	Clarified and presented electric vehicle signing guidance.
			Reinforced use of SQ07 on service signs in accordance with Section 5.
			• Deleted R5-40-Q01_2 to R5-40-Q01_4.
7	704	A managed of	Removed Figure F2.1.5(a), F2.1.5(b) and F2.1.5(c). Add denoted from the control of CANE DALL MAY (MO COS) complete and the cost of CANE DALL MAY (MO COS) cost of CANE DALL MAY
7	7.2.4	Amended	Added guidance for the use of CANE RAILWAY (W8-Q01) supplementary plate.
9	Various	Administrative	Converted TC signs to Q-series format (refer to TC Signs amendment register for details) (W series).
	2.2.1, 2.3.3, 2.4.1, 2.4.4	Amended	Changed name of reference document
	3.2	Amended	Added guidance on Queensland road rules.

Part	Section	Change type	Description of change	
14	6.1.1, Table 6.1.1	Amended	Added the following existing Q-series signs: GE9-Q02, GE9-Q03, GE9-Q04 and W3-Q01.	
	6.1.2	Amended	Added heading Application to Clause 6.1.2.	
			Added Item (j): guidance for the use of GE9-Q02, GE9-Q03 and GE9-Q04.	
	7.1	Amended	Added guidance for use of W3-Q01 to Item (a).	

Part	Section	Change type	Description of change		
3	4.2.2	Amendment	Varied the requirement in 4.2 NO LEFT or NO RIGHT turn	.2 c) for regulatory panels when using the prohibition panels.	
			Varied the requirement in 4.2 multimessage signs in specifi	.2 d) for text-only panels when using c circumstances.	
			Varied the requirements in 4. 1200 x 300 DETOUR + arrow		
			Added options and requirement location for opposing direction	ents for using multimessage signs at the same ns of travel.	
	4.6.7	Amendment	Added 1200 x 600 version of	Added 1200 x 600 version of ROAD WORK AHEAD.	
	4.6.10	Amendment	Added requirement for END ROA BRIDGEWORK NEXT X km sign	DWORK sign when BRIDGEWORK AHEAD or is used.	
	4.11.3	Amendment	 Clarified mounting height requirements for the different types of temporary hazard marker. Added option to substitute the KEEP LEFT narrow sign for a T5-7 temporary hazard marker. 		
	4.25	New	Added requirements for changeable message signs.		
	Appendix A.3, Table A.1	New	 New Table A.1 added. Added notes to the following multimessage sign panels listed in Table A.1 of the Standard. 		
			TM1-37C	SURVEYORS AHEAD	
			TM2-35B	SURVEYORS	
			TM5-9A and TM5-9B	ON SIDE ROAD	
			TM9-5B	ON SIDE ROAD + small arrow (for events)	
	Appendix A.3, Table A.3	Amendment	Table A.3 renamed Table A.2Adjusted note to TM1-37-Q01		
	Appendix C, Table C.1	Amendment	Added the vertical KEEP LEF weighted base as the T5-7 te	T sign (R2-3-Q01) that uses the same rubber mporary hazard marker.	
4	Various	Administrative	Updated and added references to other documents, including legislation and technical documents. Hyperlinks added where available.		
			 Revised language related to 0 Updated use of acronyms. 	cyclists, changed to people who ride bikes.	
	2.6, Table 2.6		Updated glossary of terms		
	3.2	Amendment	. ,	sponsibilities of the Responsible Officer.	
			'	peed Management Committee.	
	3.4, Table 3.4	Amendment		nimum length of speed zones, removed 'absolute om Section 3.4, and provide guidance for d zones in Table 3.4.	

Part	Section	Change type	Description of change	
	3.5.1	Amendment	 In line with Section 3.4 amendment, removed reference to 'absolute minimum lengths'. Added qualification that Item (d) may also include pre-existing buffer zones. 	
	3.5.6	Amendment	Added clarification that Stage 6 Engineer Recommendation is inclusive of Section 7.2 Other considerations.	
	4.2	Amendment	Included identification of Step 3 in Criteria Based Speed Limit process.	
	4.3.1	Amendment	Clarified applicable speed limits for a criteria based foreshore speed zone.	
	4.3.4	Amendment	Corrected upper limit of 15 km/h pace, that it is inclusive of 39 km/h, for selection of a 30 km/h speed limit.	
	4.3.5	Amendment	 Inclusion of criteria for selection of a 30 km/h speed limit. Definition of 'additional controls' clarified, may include a combination of controls. 	
	5.2.3, Table 5.2.3	Amendment	Inclusion of thresholds for selection of 30 km/h and 40 km/h speed limits.	
	6, Figure 6	Administrative	Correction of figure formatting.	
		Amendment	Clarity on speed management activities that can be considered, includes engineering, enforcement and education, to support a risk-based speed limit.	
	7	Amendment	 Engineer Recommendation includes a correlated speed limit from Stage 5. Corrected reference to the Infrastructure Risk Rating score calculation. 	
	7.2.3	Amendment	 Speed limits lower than 50 km/h may be selected. Removed major traffic route restriction for foreshore esplanades. 	
	7.2.4	Amendment	 Removed state-controlled designation from this consideration, updated to allow use on all arterial roads. Included provision for all speed limits less than 60 km/h. Included prompt to consider pedestrian movements and modification of road. 	
	7.2.5	Amendment	 Revised threshold for Crash Risk Rating criteria and removed requirement for both criteria to be met. Updated requirement for a new speed limit to be determined by a Speed Limit Review, a 'shall' (mandatory) condition. 	
	7.2.10	New	Included reference to guidance for speed limits associated with roundabouts with a raised pedestrian (zebra) crossing.	
	8.1.1	Amendment	Clarified role of the Speed Management Committee.	
	8.1.3	Amendment	Confirmed that school zones (speed limits) are to be considered at meetings of the Speed Management Committee. Confirmed road outhority which is responsible for decumentation of Speed.	
			 Confirmed road authority which is responsible for documentation of Speed Management Committee meetings. 	
	8.2	Amendment	Clarified how a Speed Limit Review is referred to the Speed Limit Review Panel.	
	8.3.1	Amendment	Updated membership of the Speed Limit Review Panel.	
	8.5	Amendment	Emphasised requirement for implementation of an approved Speed Limit Review once approved, 'may' condition changed to 'must' (mandatory).	
	10.1, Figure 10.1	Amendment	Figure added to relevant section of document.	
	10.1.5	Amendment	Clarified 'shall' (mandatory) and 'should' (recommended) conditions, removal of 'shall generally'.	
	10.1.6	Amendment	Clarified requirements for repeater signs in signed linear speed zones.	

Part	Section	Change type	Description of change
	10.4	Amendment	Item (d), removed erroneous reference to speed zone lengths.
			Figure relocated to relevant section of document (Section 10.1, Figure 10.1).
	10.5	Amendment	Item (b), allowance of offset speed limit on undivided roads removed, including allowance for offset of Speed Limit AHEAD (G9-79) signs as these are not speed restriction signs.
	11.1	Amendment	Provided additional circumstances for pavement markings.
	12.4, 12.4.1	Amendment	Added references to applicable signage of speed reduction for approaches to controlled high-speed rural intersections.
			Updated guidance for adjacent short speed zones, with reference to amended Section 3.4.
	12.5, 12.5.1, 12.5.2, 12.5.3,	Amendment	Removed state-controlled designation from guidance, and allowance for all speed limits less than 60 km/h. Updated to align with change to Section 7.2.4.
	Figure 12.5.3		Included reference to other guidance on Township Entry Treatments.
			 Revised minimum length of lower speed zone and aligned to change in terminology in Section 3.4.
			Figure 12.5.3 updated to reflect change to minimum length of lower speed zone.
	12.11	New	Included reference to guidance of speed limits associated with roundabouts with a raised pedestrian (zebra) crossing.
	12.12	New	Provided new guidance for the use of temporary 'NEW LIMIT' supplementary sign TC2352 and 'NEW SPEED LIMIT AHEAD' sign TC2353.
	Appendix A	Amendment	Updated to allow more representative data collection, including non-intrusive data collection, expected conditions, lower speed limits, and guidance on including vulnerable road users.
	Appendix C	Amendment	Corrected DCA Codes applicable to DCA Groups 15, 19 and 20.
			Clarified definition of Crash Risk Rating bands for roads with a semi-urban environmental context classification.
	Speed Limit	Amendment	Updated to include fillable form features.
	Review Checklist		Corrected DCA Group 18 Description.
	CHECKIST		Updated Stage 7 section, to include Speed Management Committee justification of non-endorsement, and include Responsible Officer approval signature.
	Speed Limit Review Case Study 1, 2 and 3	Amendment	Updated to reflect changes to Speed Limit Review Checklist.

November 2021

Part	Section	Change type		Description of change
2	Supplement 4.6.2-1	Amendment		on title changed to make it clear that this guideline by bridges only and is not to be used as a basis to actures.
			Figure 3a: Amended to	refer to new figure numbers in the document.
			Figure 3c: Corrected ti	tle for this figure from 'controlled' to 'uncontrolled'.
				le for figure; relocated TC sign in advance of the uded length of section B for various speeds to the
			Figure 3g: Amended till narrow bridge warning requirements of MUTC	tle for figure; distance A for the location of advance sign has been changed to comply with the D Part 1.
			Figure 3h: Amended til	tle for figure.
3			Added Item (g) for the max a single multi-message sign	imum number of blank retroreflective yellow panels in n.
	4.24	Administrative	Updated sign numbers in the Example table .	
	Appendix A.3, Table A.2		Updated sign numbers	in Table A.2.
			Updated the usage note panels	es for the REDUCE SPEED and DRIVE SAFELY
			Added new multi-mess:	age panels.
			TC1221	DRIVE SLOWLY
			TC1529	PLANT AHEAD
			TC1533	TREE WORK
			TC1821	ROAD WORK
			TC2287	m AHEAD
			TC2302	SITE ACCESS ONLY
			TC2303	WORK VEHICLES EXCEPTED
			TC2317	EXIT / EXIT No. / DIRECTIONAL ARROW
			TM5-5A	Hazard Marker
	Appendix D.1, Table D.1	Amendment	Added missing sign numbe	rs for TM4-8A and TM4-8B
11	3.3.4	Amendment	Addition of 'ON VERGE' indicating the method of parking on a parking sign panel.	

Part	Section	Change type	Description of change	
2	Supplement	New / Amendment	New section 2.6.1-1 Signage requirements for roundabouts with raised pedestrian (zebra) crossings	
			Section 4.6.2.5: Formatting correction to insert AS1742.2 heading and correct referencing	
3	1.9	Amendment	Added the requirement to notify the Department of Transport and Main Roads of variations to mandatory requirements	
	3.4.4	Amendment	Speed limit reduction to be in accordance with Queensland Guide to Temporary <u>Traffic Management</u> Part 3 Section 5.5.1.	
10	6.3	Amendment	Addition Item (b) re crossings on slip lanes and roundabouts	

Part	Section	Change type	Description of change	
1	Various	Amendment	Changes to <u>Traffic Control (TC) signs</u>	
	1.12.1.1	New	New Clause 1.12.1.1 Clearance to electrical infrastructure: iterates existing regulatory requirements on clearance zones surrounding electrical infrastructure	
3	1.7	Amendment	Amended Clause 1.7: Prescribed training: Item (d) to identify that Traffic Management Designer (TMD) training is required for persons that design, develop, review and inspect Traffic Management Plans (TMPs) and Traffic Guidance Schemes (TGSs) in accordance with Austroads' Guide to Temporary Traffic Management (AGTTM) Part 8 Table A3.	
	4.24	New	New Clause 4.24: <i>Display of electronic signs:</i> reinstates previous guidance from the unharmonized MUTCD Part 3 (November 2019) on the layout and requirements for electronic signs.	
6	1.17	New	New Clause 1.17: <i>Pictorial Images</i> : amended to permit the use of pictorial images on tourist and natural attraction signs to align with the existing guidance in the <i>Traffic and Road Use Management</i> (TRUM) manual Volume 3 Part 7.	
	6	Amendment	Amended Clause 6: <i>Trail route signing</i> : amended existing guidance on trail routes to identify the signage requirements for National and Local trails. Added diagrams identifying the relevant signage schemes.	
	Appendix F2	New	New Appendix F2: Electric vehicle charging station guidelines: Contains guidance previously contained in Technical Note TN177 Guidelines for the Installation of Electric Vehicle Charing Station Signs.	
10	9.2.4	New	New Clause 9.2.4 <i>Barrier lines</i> : Guidance on the use of double barrier lines on the approaches to refuge island relocated from TRUM Volume 3 Part 2.	
11	7.4	New	New Clause 7.4: Restricted parking zones: Guidance on discouraging parking via the use of pavement markings relocated from TRUM Volume 3 Part 2.	

Part	Section	Change type	Description of change	
N/a	Fact sheet	Amendment	Updated to reflect harmonisation of Part 3	
N/a	Frequently asked questions	Amendment	Updated to reflect harmonisation of Part 3.	
1	4.4.12.1	Amendment	Replace figure for GE1-Q09 and renumber as GE4-1-Q01	
2	1.6	Editorial	Correct reference from Appendix C to Appendix B	
3	All	New	Harmonised Queensland MUTCD Part 3 released	
	All	Withdrawn	Part 3 withdrawn, replaced by harmonised Queensland MUTCD Part 3	
	Supplement	Withdrawn	Incorporated in harmonised Queensland MUTCD Part 3	
5	Table of contents	Editorial	Table of contents added	
	1.2		Heading misalignment with relationship table corrected	
6	Relationship table	Editorial	Corrected duplication of 1.4.2 to 1.4.3	
	5.7.2	Amendment	Replace images, sign references in figure	
	5.7.3	Amendment	Replace images in figures	
9	About this document	Editorial	Reference to AS 1742.9 changed from 2008 to 2018	

Part	Section	Change type	Description of change
10	How to use this document	Editorial	Reference to AS 1742.10 changed from 2014 to 2009
11	Relationship table	Editorial	Align Section 2.2 heading
12	Appendix A	Editorial	Changed 'normative' to 'informative'

Part	Section	Change type	Description of change
1	1.12.5.2	Amendment	Paragraph added after Item (b) regarding the orientation of overhead signs.
	4.4.9	Amendment	Two signs added:
			 Depth indicator 0–1m (G9-22-1A) and
			Depth indicator 0–2m (G9-22-1A).
	7	New	New Section 7 <i>Target boards for signs</i> and subsections on size and colour, installation, removal and approval.
3	Supplement Section 1.4.3-1	New	Table 1.4.3-1: New Activity and Additional information provided for Competent Person Working in Proximity to Traffic Awareness – Part 1.
	Supplement Section 3.16-2	Amended	Technical Note TN185 Project recognition signs now available.
	Supplement Section 3.16.6-1	New	New guidance provided on variable message signs (VMSs) regarding alternating screens for regulatory signs and lane status signs.
	Supplement Section 4.10.2-2	New	Relocation and amendment of guidance previously located in Section 4.11-1.1 on Traffic Controllers operating portable traffic control devices (PTCDs).
	Supplement Section 4.10.3-1.1	Amended	Additional guidance provided regarding the number of lanes a traffic controller can control using STOP / SLOW control.
	Supplement Section 4.10.3-1.2	Amended	Clarification to third bullet point to identify that sight distance requirements are from the traffic control station (position of the STOP / SLOW control or the PTCD), not the location of the Traffic Controller.
	Supplement Section 4.10.3-1.2.1	New	New section on portable traffic signal systems to direct practitioners to the location of the operational guidance.
	Supplement Section 4.10.3-1.2.2	New	New section on boom barriers to clarify the operational guidance regarding their use.
	Supplement Section 4.11-1.1	Deletion	Last paragraph and commentary on portable traffic signal systems (PTSSs) relocated to Section 4.10.2-2.
	Supplement Section 4.11-1.2	Amended	Minor amendment to definition of PTCDs

Part	Section	Change type	Description of change
	Supplement Section 4.11-1.3.1	Amended	First paragraph changed from 'can only be' to 'are' to read 'The Type-1 units only work in manual mode and are used for shuttle flow, plant crossing and gating control.'
			Third paragraph, 'a PTSS' deleted to read 'managed two PTSUs paired with a single HRC under manual control for the prominent traffic flow path (normally the through leg movements under shuttle flow arrangements).'
			Fifth paragraph changed from 'Systems other than portable traffic signals' to 'PTCDs other than PTSS'.
			Fifth paragraph changed to 'These alternative systems shall be approved for use by the Department of Transport and Main Roads (Engineering and Technology) and may be supported by approvals from the ARRB Transport Infrastructure Product Evaluation Scheme.'
	Supplement	Amended	First paragraph
	Section 4.11-1.3.2		 First sentence deleted: 'A Type 1 PTSS shall only be used instead of Traffic Controllers manually controlling the STOP / SLOW bats when single lane operation is required'.
			 Amended to read 'Where used, Type 1 PTSS shall consist of either one PTSU, or two PTSUs if paired, with a single HRC operated by a Traffic Controller. When paired, control is limited to shuttle flow operations.'
			Minor correction: PTU to PTSU

Part	Section	Change type	Description of change
N/a	Fact sheet	Amendment	Updated to reflect harmonisation of Part 15
N/a	Frequently asked questions	Amendment	Updated to reflect harmonisation of Part 15.
1	4.4.12.2	Deletion	GE2-6-Q01 EXIT(No.) Supplement Plate deleted
	5.4.1	Deletion	 T1-Q12 STOP HERE WHEN DIRECTED deleted, published in AS1742.3 T1-Q13 PILOT VEHICLE IN USE deleted, published in AS1742.3 T1-Q15 QUEUED TRAFFIC AHEAD deleted, published in AS1742.3 T1-Q17 Boom Barrier Ahead deleted, published in AS1742.3
	5.4.2	Deletion	 T2-4-Q01 ROAD CLOSED deleted, published in AS1742.3 T2-Q03 END ROADWORK deleted, published in AS1742.3 T2-Q06 SURVEYORS AHEAD deleted, published in AS1742.3
	5.4.5	Deleted	Section comprising signs T5-Q02 Temporary Collapsible Chevron Delineator and T5-Q03 DETOUR REASSURANCE deleted, published in AS1742.3
	5.4.8	Deleted	Section comprising sign T8-4-Q01 FOOTPATH CLOSED deleted, published in AS1742.3
2	2.11.2	Administrative	Reference corrected from D4-1-1 to D4-1-1-Q03

Part	Section	Change type	Description of change
	4.4.4	Administrative	References corrected: from Clause 3.4.8 to Clause 4.4.7 from Clause 3.4.8.7 to Clause 4.4.7.7 from Clause 3.4.7 to Clause 4.4.7 from Clause 3.4.6 to Clause 4.4.6
	4.4.7.1	Administrative	References corrected: • from Figure 3.5 to Figure 4.5 • from Clause 3.4.4 to Clause 4.4.4
	4.4.7.4		Reference corrected from Clause 3.4.1 to Clause 4.4.1
	4.4.7.6	Administrative	Reference corrected from Figure 3.5 to Figure 4.5
	4.4.7.10	Administrative	Reference corrected from Appendix E to Appendix C
	4.6.6.1	Administrative	Reference corrected from R9-6 to R9-6-1
	4.6.7.2	Administrative	Sign D4-5 changed
	4.7.2	Administrative	Reference corrected from Figure 3.16 (a) to Figure 4.16 (a)
	4.8.2 (f)	Administrative	Reference corrected from Clause 5.8.1(a) to Clause 4.8.1(a)
	4.11.2.6	Administrative	Reference corrected from Clause 4.11.2.15 to Clause 4.11.2.13
	4.11.3.2	Administrative	 Reference corrected from 3.11.3.2 Smoke hazard (T4-6) to 4.11.3.2 Smoke hazard (T4-6) Signface T4-6 replaced
	4.11.3.6	Administrative	Clause 4.11.3.6 - Sign T2-4 black on yellow replaced with Clause 4.11.3.6 - Sign T2-4 black on white
	4.11.3.7	Administrative	Reference corrected from 3.11.3.7 TRAFFIC HAZARD (T1-10) to 4.11.3.7 TRAFFIC HAZARD (T1-10)
	5.2.4	Administrative	Reference corrected: • from Clause 5.4.2 to Clause 5.4.3 • from Clause 5.4.3 to Clause 5.4.2
	5.3.3.3	Administrative	Reference corrected from Table 45.1 to Table 5.1
	5.6.3	Administrative	Reference corrected from Table 45.1 to Table 5.1 Reference corrected from Clause 5.6.5.4 to Clause 5.6.5.3
15	5.6.5.3	Administrative	Reference corrected from Clause 5.6.5.4 to Clause 5.6.5.3
15	All	Harmonisation	Part 15 Direction signs, information signs and route numbering harmonised to Australian Standard AS1742.15

Part	Section	Change type	Description of change
N/a	Fact sheet	Amendment	Removed reference to SAI Global as Standards Australia agent.
N/a	Frequently asked questions	Amendment	Removed reference to SAI Global as Standards Australia agent.
3	1.4.9	Amendment	Clause was added to provide a definition for a 'portable traffic control device' which has been added in successive amendments to the document. References to successive clauses throughout the document were also updated.
	3.17	Amendment	Added requirement that all electronic signs must also be in compliance with the relevant MRTS documents.
	4.1.4(b)	Amendment	Clarified the requirements and limitations for traffic control devices within the transition zone.

Part	Section	Change type	Description of change
	4.8.2(a)	Amendment	Clarified the requirements regarding the use of PTCDs to align with Clause 4.1.4(b).
	Figure 4.9	Amendment	Amended to align with changes to Clause 4.11.3.
	4.10.2	Editorial	Editorial change to final paragraph.
	4.11.3	Amendment	Clarified requirements on the use of traffic cones, temporary stop lines and signage when using portable traffic signals.
	4.14.6(b)(i)	Amendment	Amended clause to align with the delineator requirements in the MUTCD Part 2.
	Appendix D	Amendment	Updates to usage notes for multi-message signage to improve consistency of terms and readability.
	Appendix H, Figure H1	Amendment	Figure has been amended to align with current MUTCD Part 3 requirements.
3	Supplement: Figure 1.4.21-1	Amendment	Updated Figure 1.4.21-1 to better outline the process of selecting a TGS.
	Supplement: Section 3.5.5-1, Clause 4.1.2	Amendment	Deleted requirement to comply with MRTS218. The devices being referenced in this clause, speed awareness signage, are proprietary and compliance with MRTS2018 is not practical for the industry.
	Supplement: Section 4.11-1, Clause 6.1	Amendment	Added additional requirements for the positioning of portable traffic signal units.
	Supplement: Section 5.1, Clause 3	Amendment	Added additional information to clarify the example traffic guidance diagrams within the MUTCD Part 3 Supplement are not to be used or implemented in the field.
	Supplement: Section 5, Clause 3	Amendment	Amended existing watermark on example diagrams to 'EXAMPLE ILLUSTRATION ONLY, NOT FOR USE' to further outline that these diagrams are not to be used or implemented in the field. Minor edits to contents of example diagrams to align with changes to the MUTCD Part 3.
4	3.2	Amendment	Amended text to read 'responsible officer is assigned to the appropriate Department of Transport and Main Roads' District Director, or Regional Director if there is no District Director'.
	10.1.5	Amendment	Add new Item a) to read 'a) The Speed Limit AHEAD (G9-79 sign shall be installed generally along linear speed zones only and not for speed limit areas'.
			Previous items a), b), c) amended to items b), c) and d).
	Appendix C	Amendment	DCA Group 16, DCA Code 708 added to align to current definition of DCA Group 16
	Speed Limit Review Checklist	Amendment	Updated
	Speed Limit Review Checklist Case Study 1	Amendment	Updated
	Speed Limit Review Checklist Case Study 2	Amendment	Updated
	Speed Limit Review Checklist Case Study 3	Amendment	Updated

Part	Section	Change type	Description of change
1	6.4	Amendment	Added D4-1-1-Q03 Sight board and Note 1.
3	4.1.4 c) and d)	Amendment	Editorial change: relocate information on location of primary positional signs or devices from subclause d) to subclause c).
	4.1.5	Amendment	Note added to clarify determination of dimension D when work is undertaken within 200 m of a change in permanent posted speed.
	4.1.6	Amendment	Editorial change: relocate information on tolerances from first paragraph to last paragraph.
	4.3.8	Deletion	Delete reference at item c) to MUTCD Part 3 supplement; no longer applicable.
	4.4.8	Deletion	Delete reference at item c) to MUTCD Part 3 supplement; no longer applicable.
	4.8.2	Amendment	Added sentence at Item a) about location for placement of traffic control devices relative to the start of a merge taper to align with Traffic Management Implementation training material.
	4.9	Amendment	At Figure 4.9(a), dimension added to indicate the placement of traffic control device relative to the start of the merge taper.
	4.9.6	Amendment	Added a sentence to provide a section reference for the installation of signs.
	4.9.9	Amendment	Changed 'shall be permitted' to 'are permitted'.
			 Added sentence to item b) about buffer speed zones to align with AS1742.3.
	Appendix D	Amendment	Added notes for the use of multi-message signs.
	Appendix E	Amendment	Editorial change: Table E1, changed '260 to 500' to '>250 to 500' in the heading under "Depth of excavation".
	Supplement: 1.4.3-1	Amendment	Editorial change: Table 1.4.3-1: Traffic Management Implementation Selection and Implementation, add 'determine site suitable'.
			Add Competent Person: Authorised Person(s) and associated TGS task, activity and additional information.
	Figure 5-1.4 (A)	Amendment	Position of Traffic Controller in advance of the taper.
	Figure 5-1.4 (B)	Amendment	Position of Traffic Controller in advance of the taper.
	Figure 5-1.12	Amendment	Position of Traffic Controller in advance of the taper.
	Figure 5-1.22	Amendment	Location of 4 cones in centreline in advance of Traffic Controller.
13	Relationship table	Amendment	Editorial change: deleted 'Signs' erroneously included in section 4.2.11 title
			Change applicability of section 4.5 from 'accepted' to accepted with amendments'.
			Deleted reference to accepted section 4.5.1 erroneously included.
			Deleted reference to new section 4.5.2 incorporated in section 4.5.
	4.5	Amendment	Changed applicability to Accepted with amendments: Addition and added information on obstruction marker.
	4.5.2	Deletion	• Deleted section 4.5.2 <i>Obstruction marker (D4-5)</i> as this was incorporated at amended section 4.5.

Part	Section	Change type	Description of change
1	All	Amendment	Images added to all sign tables and reference to TC signs webpage removed from all sections with sign tables.
	1.8	Amendment	Editorial. Last sentence reworded.
	2.4.2	Amendment	R2-3-Q01_1, R2-3-Q01_2 and R2-3-Q01_3 added.
	2.4.5	Amendment	R5-Q04 and R5-Q05 replaced by R5-23-Q01.
	2.4.6	Amendment	R6-Q01 replaced by R6-13-Q01. R6-19-Q01, R6-20-Q01, R6-21-Q01_1, R6-21-Q01_2 added.
	3.4.5	Amendment	W5-Q01 and W5-Q02 deleted. W5-49-Q01 added.
	3.4.8	Amendment	W8-5-Q01 added.
	4.4.3	Amendment	G3-4-Q01 added.
	4.4.9	Amendment	G9-32 Q01 and G9-32 Q02 added. G9-Q10 changed to G9-Q10_1 and G9-Q10_2.
	4.4.12.4	Amendment	Changed 'Freeway' to 'Motorway'.
	5.4.1	Amendment	T1 Q02 and T1-Q17 added.
	5.4.2	Amendment	W8-5-Q01, T1-Q02, T1-Q17, T5-Q02, T6-Q02, T6-Q06 and T6-Q07 deleted.
	5.4.4	Amendment	T4-6-Q01 added to sign table and sentence under table deleted.
	5.4.5	Amendment	T5 3-Q01 and T5 Q01 deleted.
	5.4.6	Amendment	T6-Q02, T6-Q06, T6-Q07 and T6-Q08 added.
	Appendix D	Amendment	Stop bat sign number changed to R6-8-Q01 and edits to description in table.
3	Traffic Management Plan Preparation	Amendment	Corrected referencing under Method of Control Temporary traffic signals and Traffic Controller; Road user convenience and delays; Existing traffic control devices;
	All	Administration	Title of Part and Part Supplement corrected to align with AS1742.3: <i>Traffic control for works on roads</i> . No material changes made otherwise.
7	2.3.1; 2.3.7	Amendment	Guidelines for the use of RX-5-Q01 and RX-11-Q01 signs added.
	1.4; 2.3.1; Appendix D2	Amendment	Amendment 1-2019 to AS1742.7 incorporated in this Part.

Part	Section	Change type	Description of change
All	Legal authority	Republish	Republish updated legal authorisation previously contained in Issues Notes
3	1.4.3 2.2.3 3.5.2 (b) Appendix K1(a)	Amendment	 Add "Awareness" to title of WPT training course Added Standard number to referenced Standard Updated sheeting classification for retroreflective sheeting material. Add "Awareness" to title of WPT training course
3	Supplement; 1.4.3-1; 1.4.21-1; 3.5.5-1; 3.9.1-1; 3.12.5-1	Amendment	Amendments to sections: 1.4.3-1 Competent person roles and tasks, Table 1.4.3-1, changes to: The title of the training course to 'Working in Proximity to Traffic Awareness — Part 1' and replace 'or' in the Activity-Modification cell to 'and'. The title of the training course to 'Working in Proximity to Traffic Awareness — Part 2' Text in Activity-Modification cell for TMI froman emergency 'or' to 'and'. Traffic Controller (TC), added new table row to address action under TMI supervision. Traffic Controller (TC) Modify TGS on site, first activity listed, replaced 'or' with 'and'. 1.4.21-1 Traffic Guidance Scheme, Generic TGS, restructured last paragraph for transition of Generic TGS to Site Suitable. Figure 1.4.21-1 Stages of Traffic Guidance Schemes replaced with new Figure. 3.5.5-1, 4.2.2, Added note to highlight effective set up of rumble strips. 3.9.1-1 Added new clause about marking of logos on cones and bollards. 3.12.5-1 1, 6.4, amended text 'Class 1W' to 'Class 400 (1W)' to outline new retroreflective class and to align with AS1906. 7, restructured clause to simplify and provide clarity on the Qualification criteria for TMA operators in Queensland. 8.1, added new sub-clause i) relating to TMA operation's requirement when operating the vehicle during different road work operations.
4	All	Major update	New November 2018 edition released
-	Supplement	Withdrawn	Incorporated in MUTCD Part 4 November 2018
	Form F1	Withdrawn	QLIMITS replaced
	Form F3	Withdrawn	Replaced by Speed Limit Review Checklist, Appendix D, MUTCD Part 4 November 2018
	QLIMITS	Withdrawn	QLIMITS replaced

Part	Section	Change type	Description of change
5	1.4.3, 2.11.5	Amendment	Amendments to sections: Changed to accepted with amendments, additional Queensland exception defining 'should'
			Changed to accepted with amendments, different Queensland exception on cross street naming at grade separations
9	All	Harmonisation	Part 9 Bicycle facilities harmonised to Australian Standard AS1742.9

Part	Section	Change type	Description of change
1	4.4.3	Amendment	Difference necessitated by changes to MUTCD Pt 5 re sign G3-4-Q01
2	2.5.3	Amendment	Section 2.5.3 Warning signs for STOP and GIVE WAY signs, Figure 2.2 Sight distance restrictions requiring use of STOP signs, Note 5 amended to improve the appropriate selection, credibility and compliance of traffic control devices (STOP and GIVE WAY signs) and improve safety for cyclists
3	TMP Ready Reckoner, 1.3.1, 1.3.3, 1.4, 1.4.3, 1.4.4, 1.4.22, 2.2.4, 2.2.5(d), 2.3.7, 2.3.8, 2.3.8(d), 2.4.3, 2.6.7, 3.2.4, 3.3.3, Table 3.1, 3.4.4, 3.4.7, 3.4.8, Table 3.2 and 3.5.4(c), Table 3.2 and 3.5.2(d), 3.5.2(c), 3.5.4, 3.6.10, 3.6.11, Table 3.5 and 3.8.2, 3.9.1, Table 3.7, 3.10.2, 3.12.3, 3.14.4, 3.16.6, 3.16.7, 3.16.9(e), 3.16.11, Figure 4.1, 4.1.4, 4.2(iii), Table 4.2, 4.3.2, 4.3.5, 4.3.9, 4.4.7, 4.4.9, 4.5.2, 4.5.3(a) and (b), 4.6.2(c), 4.8.2, Figure 4.8(f), Figure 4.9, Table 4.7, 4.9.5, 4.9.9(b), 4.10.2, 4.10.4, 4.10.5, 4.11.2(c), 4.11.3, Table 4.9, Figure 4.12, Table 4.10, 4.13.1 and Table 4.9, Table 4.10, 4.13.1, Appendices A2, D2, D3, Table D1,	Amendment	Amendment details are: TMP Ready Reckoner: Change reference to Levels of training to TMD and TMI 1.3.1: Correct references, new references to Australian Standards and MRTS 1.3.3: Add references 1.4: Change reference from AS1348 to Austroads Glossary of terms 1.4.3: Delete Note 2, added reference to Supplement 1.4.4: Delete reference to AS1348 1.4.10 Delete reference to Part 4 1.4.21 Added reference to additional information about Traffic Guidance Schemes in the Supplement.1.4.22: Add definition of Traffic management plan 1.4.22 Added definition of Traffic Management Plan 1.7 Added reference to Supplement on Competent Persons. 2.2.3 Added reference to AS/NZS 4360 2.2.4: Delete reference to TMI and TMD 2.2.5(d): New sub-clause regarding the use of options 2.3.7, 2.3.8: Better guidance for the requirements for pedestrians and cyclists at roadwork sites and referencing the Austroads Guide to Road Design Pt 6 2.3.8(d): Amend reference to Australian Standard for street lighting 2.4.3: Make clause consistent with Australian Standards
	Figure D1, Appendix G, G(f). Figures H1, H4, Appendices J1, K, K1, K2, K3, L, Index and General		 2.6.7: Amend reference to Austroads Guide to Road safety by deleting the publishing date 3.2.2 Amended classification for sign sheeting for temporary signs to comply

Part	Section	Change type	Description of change
			3.2.4: New clause providing sign sizes for multi- message signs
			3.3.3: Change 'multiple' to 'multi'
			Table 3.1: Add SURVEYOR AHEAD sign
			3.4.4: Add SURVEYOR AHEAD sign (T2-Q06)
			 3.4.5 Added "T1-3-2" to Clause title.
			 3.4.7: Amend Clause title to NEXT X km and delete T1- Q03 multi-message sign
			 3.4.8: Clarify clause about which sign is being referenced by adding the words 'END ROADWORK'
			 Table 3.2, 3.5.4(c): Add W8-5-Q01 supplementary plate
			Table 3.2, 3.5.2(d): Add Boom barrier sign (T1-Q17)
			• Table 3.2, 3.5.3 (c) Addition of R2-3-Q01 sign
			 3.5.2(c): New STOP HERE WHEN DIRECTED (T1-Q12) sign for use when traffic controller is operating
			 3.5.3 (b) Added NEXT x m sign to Clause title
			 3.5.4(a): Add reference to AS2144 for requirement for traffic signal lanterns
			3.5.4 (e): Editorial changes to table
			3.6.8: Editorial change to title
			 3.6.10: Add new regulatory signs for NO LEFT/RIGHT turn and NO ENTRY
			• 3.6.11: Renumber 3.6.10 to 3.6.11
			 Table 3.5, 3.8.2 (d): Delete T2-20 and T2-21 and replace with T2-20-Q01 and T2-21-Q01
			3.8.2 (a) & (b): Amend Clause for the use of T2-6-1 sign
			 3.8.3: Added reference to TC9215 and TC9224
			3.9.3: Restructured Clause
			 3.9.1: Delete last sentence relating to speed in relation to spacing of cones and bollards and amendment to Note 3, added Class 400T for sign sheeting class
			 Table 3.7: Add spacing for cones at taper for traffic control station, close delineation for excavation and separating opposing flow on contraflow sections of divided multilane roads and closed lane on a two way road under shuttle flow, clarify the speed limit requirements
			 3.10.2: Rename 'barricades' to 'devices', amend requirement for marking of barricades that are not a safety barrier
			3.12.3: Change reference to Clause 4.6, amended (ii) to align with Australian Standard
			Table 3.10: Addition of FOOTPATH CLOSED sign
			3.14.4: Delete T8-4 sign and replaced by T8-4-Q01
			 Table 3.12 & 3.16.9: Relocate table giving sign from Clause 3.16.9 to Table 3.12
			3.16.6: Clarify when VMS can be used, remove requirement for RPEQ sign-off to allow TMDs to make the decision, amend compliance requirements from MRTS262 to AS4852.2

Part	Section	Change type	Description of change
			3.16.7: Add reference to the Austroads Supplement for the use of variable Speed Limit Signs and MRTS262 for Temporary Variable Message Signs
			3.16.9(e): Amend text for the use of the QUEUED TRAFFIC AHEAD sign arrangement, add text to reference TC2232 and supplement 4.7.8-1
			3.17: New clause about the display of electronic signs in lieu of static signs, add new electronic sign examples
			 Figure 4.1: Revise Figure showing components of a typical work site
			 4.1.4: Revise Components of a typical work site, clarified installation of the signs at the end of termination area
			4.2(iii): Restructure paragraph where workers are less than 1.2 m clear of traffic
			Table 4.2: Add units for speed to table
			4.3.2: Add provision to dispense with lookout person
			4.3.5: Amend reference to T1-24 sign
			4.3.9: Add reference to the SURVEYORS AHEAD sign
			4.4.7: Add provision to dispense with lookout person
			4.4.9: Add reference to the SURVEYORS AHEAD sign
			4.5.2: Amend reference to T1-24 sign
			4.5.3(a), (b): Editorial change to simplify clause
			 Figure 4.3: Amended Figure. The shadow vehicle has the attenuator unit instead of the work vehicle.
			4.6.2(c): Amend requirement for the use of TMA when workers are on foot undertaking mobile works, editorial change to make clause consistent with Clause 4.2
			4.6.3 (f)(i): Restructured the paragraph.
			 Figure 4.7: Updated Figure to include other signs for traffic control devices.
			4.8.2: Add text to clarify the minimum distance between successive tapers should be D
			Figure 4.8(f): Amend distance between successive tapers
			Figure 4.9: Add dimension between the traffic controller and the four cones on centreline in advance of traffic control station
			 Table 4.7: Amend text for workers safety to keep passage consistent with Clause 4.2
			4.9.5: Rearrange paragraphs in this clause
			4.9.9(b): Add note to clarify that WCLT are not medians
			4.10.2: Add new signs for operation of portable traffic signals and portable boom barrier by a traffic controller, clarify use of 4 cones on centreline in advance of a traffic controller and use of narrow KEEP LEFT sign
			4.10.4: Delete bold text from sentence and rearrange sentence to place emphasis on the need to control traffic speeds through use of devices rather than rely on speed limit signs alone
			4.10.5: Add reference to TCASAP
			4.11.2(c): Amend 1st sentence

Part	Section	Change type	Description of change
			4.11.3: Rearrange clause, add information about placement of STOP line from Figure 4.12 to this Clause
			Table 4.9: Amend traffic volume bands, Table title
			 Figure 4.12: Add note about placement of STOP line in advance of signals, amend distance between successive tapers
			 Table 4.10: Amend traffic volume bands, add note to clarify when intersection requirement is to be applied
			 4.13.1, Table 4.9: add text 'shuttle' to title
			Table 4.10: Add note to clarify situation of intersection
			 4.13.4: Change 'shall' to 'should' for the application of edge clearances.
			• 5: Delete section 5
			Appendix A2: Delete reference to Section 5 diagrams
			 Appendix A3.5: Added reference to Part 3 Supplement and Technical Note TN109
			 Appendix B2: Editorial change to first paragraph.
			 Appendix D2: Clarify note regarding 'speed' panels not being used with ON SIDE ROAD
			 Appendix D3: Change requirement of multi-message frame and panel requirements
			Table D1: Restructure and update multi-message signs
			 Figure D1: Update T5-Q02 delineators and amend dimensions for sign spacing, amend Figure D1 to fix sign placement of 40 km/h temporary speed zone, add Note 3
			Appendix G: Delete extra signs library
			 Appendix G(f): Delete SURVEYORS AHEAD sign and renumbered other signs
			Figure H1: Amend Figure
			H4: Changed reference from I2(b) to H3(b)
			Appendix J1: Change 'roadwork site' to 'road'
			 Appendix K: Rename Appendix, 'Courses in Traffic Management'
			Appendix K1: Renamed 'General'
			Appendices K2, K3: Delete these clauses
			 Appendix L: Relocate Clauses L1–L4 of this Appendix as Supplement 4.7.2-1 to MUTCD Part 3
			Index: Delete index.
			General: Document reformatted to the current Transport and Main Roads publication standard

Part	Section	Change type	Description of change
3	Supplement; 1.4.3-1, 1.4.21-1, 2.2-1, 2.2.3-1, 2.6.1-1, 3.10.3-1,	Amendment	Amendments to sections: • 1.4.3-1 Competent person roles and tasks: New content
	4.7.2-1, 4.7.8- 1,4.10.2-1, 4.10.3-1,		1.4.21-1 <i>Traffic Guidance Scheme</i> : New content
	4.11-1, 4.13-1, 5-1, Appendix K, all Figures		 2.2-1 Use of permanent variable speed limit and lane control signs in construction and maintenance work areas on motorways: Table 2.2-1(A)- Added definition of "STREAMS®".
			2.2.3-1 Risk management and Exception process for traffic control at road work sites section 2 Backgrounds: Update reference
			2.6.1-1 Frequency of after-hours inspections: New content.
			3.10.3-1 Road safety barrier systems: new section
			4.7.2-1 Quick reference guides: new section
			 4.7.8-1 Avoiding end of queue collisions: formatting change to list
			4.10.2-1 Advance signs: new content.
			4.10.3-1 Location of the Traffic Controller: New content.
			 4.11-1 Portable traffic signals: update content, formatting change to lists
			4.13-1 Traffic operations level of service for roadworks sites: formatting change to lists
			5-1 Examples of traffic guidance schemes: new content, new figures 5-1.1–5-1.37
			Appendix K: New appendix
			Figures: replace and re-reference all Figures
4	1.1, 2.2.4, 2.3.5,	Amendment	Amendments to sections:
	2.3.6, 3.5.1, 4.5.1, 4.5.4, 5.1.5,		• 1.1 Introduction
	Appendix B and		2.2.4 Variable speed limits Item (e)
	Appendix L		2.3.5 Hospital zone
			2.3.6 High pedestrian active transport use zone
			• 3.5.1 40 km/h speed limit
			 Section 4.5.1 Linear speed zones Table 4.1 Minimum lengths of speed zones
			 Section 4.5.4 50 km/h speed zones on state-controlled roads through rural towns
			Section 5.1.5 Signs for speed limits for particular classes of vehicles Item (c) Truck Speed Limit (TC2255)
			 Appendix B Typical speed limits, Notes to Tables B1, B2 and B3; Table B1 Typical speed limits for roads in urban environments; and Table B2 Typical speed limits for roads in rural environments.
			Appendix L, Glossary of Terms: Active Transport and High active transport user area (HATUA) added and EAU and High pedestrian activity area deleted
4	Supplement	Amendment	Amendments to Section 4.5.3-1 Speed limit reductions in high crash zones
5	2.11.5	Amendment	Deleted the Australian Standard clause and replaced it with Queensland-specific amendment: difference

Part	Section	Change type	Description of change
9	3.2	Amendment	Section 3.3 Pavement markings, new item (i) to prevent use of a treatment not currently authorised

Part	Section	Change type	Description of change
7	6.5.4	Amendment	Amendment to delete mandatory requirement to install CYCLISTS DISMOUNT sign from pedestrian mazes across railway tracks and make this optional.
11	Appendices	New	Addition of new Appendix F providing guidelines for the application of parking controls. This information was provided in the Queensland MUTCD and was inadvertently removed during harmonisation of Part 11.
13	3.4	Amendment	Addition of Note 3 to Figure 3.4 replacing Note 3 in Figure 11 of AS1742.13
	4.5.2	New	Rearrangement of Section 4.5

Part	Section	Change type	Description of change
1	1.7	Amendment	Amended to reflect changes to signs in MUTCD Pt 12
	2.4.7	Amendment	Amended to reflect changes to signs in MUTCD Pt 12
	2.4.9	Amendment	Amended to reflect changes to signs in MUTCD Pt 12
	3.4.8	Amendment	Amended to reflect changes to signs in MUTCD Pt 12
	4.4.12.2	Amendment	Amended to reflect changes to signs in MUTCD Pt 12
4	2.1.2(e)	Amendment	Paragraph reworded and references to section 3.5.1 and Appendix B added
	5.2.12(d), Appendix L	Amendment	Introduces terms 'buffer zone' and 'speed transition' for improved guidance
	6.3	Amendment	TRUM Note reference redirected to section 2.5.5 of TRUM Volume 3: Guide to Pavement Markings
5	None	Harmonisation	Part 5 Street name and community facility name signs harmonised to Australian Standard AS1742.5
10	Definitions table	Amendment	 Added definition of TRUM in Definitions table
	Relationship table	Amendment	Changed 5.1 to Accepted, with amendments
			Changed 6.3 to Accepted, with amendments
	5.1	Amendment	Additional information
	6.2	Amendment	Deleted additional text and added Figure 6.2
	6.3	Amendment	Different information
12	None	Harmonisation	Part 12 Bus, transit and truck lanes harmonised to Australian Standard AS1742.12
15	Supplement 1.6-1	Amendment	Added new clause 2.2.2(b), comprising relocation of Traffic and Road Use Management Manual Supplement Volume 1 Part 6 Clause 4.5.7-1 Advance signing of multi-lane roundabouts including figure Special advance guide sign.

May 2017

Part	Supplement	Change type	Description of change
1	Not Applicable	Amendment	Addition of new signs: GE2-3-Q01 Freeway exit number S14-Q03 – Parking area – Ferry S14-Q04 Parking Area – Light Rail SQ04 – Visitor information centre SQ06 – Unsuitable for caravans SQ07 – Electric vehicle charging station SQ08 – Light rail
3	4.11-1	Amendment	 Amended implementation timeframes for the rollout of portable traffic control devices. Amended the guidelines to allow type-1 portable traffic signal systems (PTSS) to be operated independently to align with stop/slow control. Amended clause around visibility to device with regard to the background environment to make it clearer that a target board should be used if necessary. Clarified the role and obligations of the Traffic Management Designer. Recognised the use of alternative devices that fulfil the same function
4	Not applicable	Amendment	 Amendment on signage requirements of VSLs installed for the purpose of managing congestion and safety. Reference to Australian Standards requirements for VSL signs. Clarifying the application of repeater as well as regular speed restriction signs and their size including the location of repeater (or regular speed restriction) signs. References to new editions of Guide to Road Safety, Traffic Managements and their Queensland Supplements Addressing some of the minor inconsistencies resulting from proof reading oversights in earlier versions Introduction of truck speed limit sign
6	Not Applicable	Amendment	 Update Sign G7-5-2 Delete Clause 3.7 Reassurance tourist signs: now adopting Standard Move information from Clause 3.8.1.2 to Clause 3.8.1.3 Add Clause 3.10.4 Special tourist area sign and Figure 3.10.4 Add new Figure 3.11 to replace Figure 3.7 in the Standard Sign G8.9.11 removed Add new Figure 4.7 to replace Figure 4.3 in the Standard Add information to Clause 5.3.2 and Figure 5.3.2 Add Sign S14-Q04 to Figure 5.5.2 Add Clauses 5.7.2 and 5.7.3 Split Figure 6.3.2.2 into Figures 6.3.2.1 and 6.3.2.2 Add Signs SQ06, SQ07 and SQ08 to Appendix B
7	Not applicable	Harmonisation	Part 7 Railway crossings harmonised to Australian Standard AS1742.7
10	Not applicable	Amendment	Figures 7.2(a) and 7.2(b) have been amended to show the use of the red/orange target board with signs at schools.

Part	Supplement	Change type	Description of change
11	Not applicable	Harmonisation	 Part 11 Parking controls harmonised to Australian Standard AS1742.11
14	Not applicable	Harmonisation	 Part 14 Traffic signals harmonised to Australian Standard AS1742.14

Exceptions to the publication cycle – February 2017

Part	Supplement	Change type	Description of change
1	Not applicable	Amendment (Exception)	Part 1 General introduction and sign illustrations Clause 1.2 Referenced documents and Clause 1.11 Variable message signs include additional information on Australian Standards with which VMS shall comply.

November 2016

Part	Supplement	Change type	Description of change
1	Not applicable	Harmonisation	Part 1 <i>General introduction and sign illustrations</i> harmonised to Australian Standard AS1742.1
3	4.11-1	Amendment	Whole Supplement has been replaced.
			Introduces new type of PTSS in Queensland to improve safety outcomes during road work.
6	Not applicable	Harmonisation	Part 6 <i>Tourist and services signs</i> harmonised to Australian Standard AS1742.6
10	Not applicable	Harmonisation	Part 10 <i>Pedestrian control and protection</i> harmonised to Australian Standard AS1742.10
13	Not applicable	Harmonisation	Part 13 <i>Local area traffic management</i> harmonised to Australian Standard AS1742.13
	2.4.2-1	Withdrawn	Supplement Part 13 Local area traffic management withdrawn following harmonisation of Part 13 to Australian Standard AS1742.13.

Exceptions to the publication cycle – August 2016

Part	Supplement	Change type	Description of change
3	3.5.5-1	Amendment	Clause 4.3 deleted
	3.12.5-1	Amendment	Clause 7 Updated reference to include currently accepted equivalent course 'Operate a Truck or Trailer Mounted Attenuator – RIIRTM301D'.
	4.7.8-1	New	Additional information relates to Avoiding end of queue collisions: Use of hazard lights by last vehicle in queue and Use of enhanced queued traffic warning signs (TC2232) and Signage options

May 2016

Part	Supplement	Change type	Description of change
2	4.6.6.4-1	Amendment	Amendments include:
4	3.7-1		New Traffic Control "Bridge Damage Control" speed limit sign (TC 2224), developed to communicate speed reduction
			Use of target boards to increase conspicuity
			Length of reduced speed zone has been shortened
			On two lane two way roads, signs shall be duplicated on both sides of the road
			Use of supplementary pavement marking (Wide Centre Line Treatment) to narrow the lane and influence the speed changes

Exceptions to the publication cycle – September 2015

Part	Supplement	Change type	Description of change
13	2.4.2-1	New	New supplement regarding Hump Profiles for Bus Routes

April 2015 - Initial release

Part	Supplement	Change type	Description of change
2	4.6.2-1	Initial release	Formerly TRUM Note 1.44 - Signing and Line marking of Narrow Bridges/Structures
3	2.2-1	Initial release	Formerly TRUM Notes 2.20 and 7.6 – Use of Permanent Variable Speed Limit and Lane Control Signs in Construction and Maintenance Work Areas on Motorways
	2.2.3-1	Initial release	Formerly TRUM Note 7.8 – Risk Management and Exceptions Process for Traffic Control at Road Work Sites
	3.5.5-1	Initial release	Formerly TRUM Notes 3.20 and 7.4 – Guidelines for Temporary Speed Humps at Work Sites
	3.12.5-1	Initial release	Formerly Interim Note – Application and use of Truck and Trailer Mounted Attenuators at Roadworks
	3.16-1	Initial release	Formerly TRUM Notes 3.21 and 7.5 – Anti Gawking Screens
	3.16-2	Initial release	Formerly TRUM Notes 1.17 and 7.7 – Project Signage
	4.11-1	Initial release	Formerly TRUM Note 2.8 – Portable Traffic Signals
	4.13-1	Initial release	Formerly TRUM Note 7.9 – Traffic Operations Level of Service for Roadwork Sites
4	3.5.3-1	Initial release	Formerly TRUM Note 1.38 – Advisory Notes for Setting Speed Limits on Foreshores
	4.5.2-1	Initial release	Formerly TRUM Note 3.22 – Speed Reduction on Approaches to Controlled High Speed Rural Intersections
	4.5.3-1	Initial release	Formerly TRUM Note 3.18 – Speed Limit Reductions in High Crash Zones
	4.5.4-1	Initial release	Formerly TRUM Note 3.19 – Guidelines for the Application of Signed 50km/hr Speed Limit on State Controlled Roads through Rural Towns
	5.2-1	Initial release	Formerly TRUM Note 1.35 – Placement of Speed Limit Awareness Signs on Local Streets
	5.2.6-1	Initial release	Formerly TRUM Note 1.22 – Speed Limit Signing on Ramps

Part	Supplement	Change type	Description of change
15	1.6-1	Initial release	Formerly TRUM Note 1.21 – Direction Signs – Legends and Layout