

Main Roads Specification

MRS71

Reinforcing Steel

June 09

IMPORTANT INFORMATION

The requirements of this document represent Technical Policy of the department and contain Technical Standards. Compliance with the department's Technical Standards is mandatory for all applications for the design, construction, maintenance and operation of road transport infrastructure in Queensland by or on behalf of the State of Queensland.

This document will be reviewed from time to time as the need arises and in response to improvement suggestions by users. Please send your comments and suggestions to the feedback email given below.

FEEDBACK

Your feedback is welcomed. Please send to mr.techdocs@tmr.qld.gov.au.

COPYRIGHT

© State of Queensland (Department of Transport and Main Roads) 2009

Copyright protects this publication. Except for the purposes permitted by and subject to the conditions prescribed under the Copyright Act, reproduction by any means (including electronic, mechanical, photocopying, microcopying or otherwise) is prohibited without the prior written permission of the department. Enquiries regarding such permission should be directed to the Road & Delivery Performance Division, Queensland Department of Transport and Main Roads.

DISCLAIMER

This publication has been created for use in the design, construction, maintenance and operation of road transport infrastructure in Queensland by or on behalf of the State of Queensland.

Where the publication is used in other than the department's infrastructure projects, the State of Queensland and the department gives no warranties as to the completeness, accuracy or adequacy of the publication or any parts of it and accepts no responsibility or liability upon any basis whatever for anything contained in or omitted from the publication or for the consequences of the use or misuse of the publication or any parts of it.

If the publication or any part of it forms part of a written contract between the State of Queensland and a contractor, this disclaimer applies subject to the express terms of that contract.

June 09

Table of Contents

	Page
1 INTRODUCTION.....	1
2 MEASUREMENT OF WORK.....	1
2.1 Standard Work Items.....	1
2.2 Reinforcing Steel Not Always Measured Separately.....	1
2.3 Calculation of Quantities	1

Reinforcing Steel

1 INTRODUCTION

This Specification applies to the supply, fabrication and placing of reinforcing bar and welded reinforcing mesh used in concrete road and bridge structures, concrete pavements and incidental concrete construction.

This Specification shall be read in conjunction with MRS01 *Introduction to Specifications* and other Specifications as appropriate.

This Specification forms part of the Main Roads Specifications and Technical Standards Manual.

2 MEASUREMENT OF WORK

2.1 *Standard Work Items*

This Specification contains no Standard Work Items. Subject to the provisions of Clause 2.1, supply and installation of steel reinforcing shall be measured by Standard Work Items associated with particular elements of work contained in the following Specifications –

- a) MRS03 *Drainage, Retaining Structures and Protective Treatments;*
- b) MRS40 *Concrete Pavements – Base;*
- c) MRS62 *Bridge Substructure;*
- d) MRS63 *Cast-In-Place Piles;* and
- e) MRS77 *Bridge Deck.*

2.2 *Reinforcing Steel Not Always Measured Separately*

The supply and installation of steel reinforcing bars shall be measured under a separate Standard Work Item only when incorporated in the following elements of work –

- a) bored and cast-in-place piles;
- b) bridge abutment and pier footings;
- c) bridge abutments;
- d) bridge piers;
- e) bridge deck;
- f) bridge cross girders;
- g) bridge parapets, in situ kerbs and medians;
- h) bridge relieving slabs;
- i) retaining walls; and
- j) concrete pavements.

The supply and installation of welded reinforcing mesh shall be measured under a separate Standard Work Item only when incorporated in concrete pavements.

In all structures, slabs, footings and precast elements other than those listed above, payment for steel reinforcing bar and welded reinforcing mesh shall be deemed to be included in the rate or lump sum amount for the relevant Standard Work Item(s) for that structure, slab, footing or precast element.

2.3 *Calculation of Quantities*

The quantity of steel reinforcing bar represented by any Standard Work Item included in the Specifications referred to in Clause 2.1, shall be the mass calculated from the actual lengths shown in the Drawings and the unit mass of each bar size as shown in Table 2.3-A. Where a continuous bar or welded or other type of splice is used instead of a lapped splice, the mass shall be calculated as for a lapped splice.

Table 2.3-A – Unit Mass of Steel Reinforcing Steel

Bar Size (mm)	Unit Mass (kg/m)
10	0.617
12	0.888
16	1.58
20	2.47
24	3.55
28	4.83
32	6.31
36	7.99
40	9.86

The quantity of welded reinforcing mesh represented by any Standard Work Item included in Specification MRS40 *Concrete Pavements - Base* shall be the mass calculated from the actual areas of mesh shown in the Drawings and the unit mass of each size of mesh as shown in Table 2.3-B. No allowance shall be made for laps.

When calculating quantities, no allowance shall be made for any additional steel reinforcing used –

- a) in cutting and/or bending processes; or
- b) by the Contractor to improve the rigidity of a reinforcing cage or to suit the proposed installation procedure.

Table 2.3-B – Unit Mass of Welded Reinforcing Mesh

Mesh Size	Mass (kg/m ²)
SL81	7.1
SL62	2.2
SL72	2.8
SL82	3.6
SL92	4.6
SL102	5.6
RL818	5.3
RL1018	7.3
RL1218	10.5