

# MUTCD Contents and Index

---

## 2003 Edition

First Issue 1st August, 2003

Second Issue 25th May, 2009

Third Issue 1st August, 2011



(Blank)

## Manual of Uniform Traffic Control Devices

# CONTENTS

### MUTCD INDEX

- PART 1 General Introduction and Sign Illustrations
- PART 2 Traffic Control Devices for General Use
- PART 3 Works on Roads
- PART 4 Speed Controls
- PART 5 Street Name and Community Facility Name Signs
- PART 6 Services and Tourist Signs
- PART 7 Railway Crossings
- PART 8 Freeways
- PART 9 Bicycle Facilities
- PART 10 Pedestrian Control and Protection
- PART 11 Parking Controls
- PART 12 Bus, Transit and Truck Lanes
- PART 13 Local Area Traffic Management
- PART 14 Traffic Signals
- PART 15 Direction Signs, Information Signs and Route Numbering

### AMENDMENTS

(Blank)

## MUTCD INDEX

**A**

## Abbreviations:

Letter Spacing 1/1.7.4

Sign legend 5/2.5

Access control - expressway 2/3.4.3

Accidents, see Safety

Added lane sign (W8-26) 2/3.5 (d)

Added lane (symbolic) (W5-35) 2/3.5 (d)

Advance direction signs (G1) 15/2.2

Advance exit signs (GE1-5 to GE1-14) (see Freeways)

Advance sign distances 1/1.12.2

Advance street name signs (G2-2, G2-5) 5/2.11.1

Advance warning of traffic control devices (W2-7, Series W3)  
2/2.9.3

Advance warning traffic signal sign assembly 14/7.4

Advisory speed signs (W8-2) 2/4.4.7.7

Advisory speed signing procedure 2/App. C

Advisory speeds 2/4.4.6

Aged supplementary plate (W8-18) 10/10.2.6

Ahead-arrow supplementary plate (R7-Q01) 12/5.6

Aircraft sign (W5-30) 2/3.11.2.8

Airport symbol (S-11) 6/App. B

Alignment series (W1) 2/3.4.7

All bicycles sign (G9-60) 9/2.2

All traffic turn sign (R2-14) 2/2.8.7

Alternative route signs (G9-3 to G9-6) 2/4.6.6.2

Alternative route for ... sign (G9-52) 2/4.9.2

Ambulance station sign (W5-36) 2/3.11.2.9

Ambulance station signals (see Emergency vehicle signals)

Arrows, pavement markings 2/5.5.2; 9/2.3, 3.3

## Arrows:

Curve and turn signs 2/3.4.7

Direction signs 15/2.2

Intersection direction signs 15/2.4

Parking control 11/3.3.5

Arrows, traffic signal 14/2.2.2

At all times sign (R9-1-3)(see Times of operation signs)

AT ... (street name) sign (R9-8) 2/2.8.10

Authorised buses only beyond this point (R6-Q03) 1/2.4

Authorised vehicles excepted sign (R9-4) 10/10.1.15

Authority to install traffic control devices 1/1.10

**B**

Ball bank indicator 2/App. C

Barrier lines 2/5.3.3

## Barriers:

Boom, railway crossing 7/2.3.8

Road block 2/4.11.1

B-Double medium combination vehicle sign (T6-Q03)  
2/4.11.3.3

## Black (see also Colours):

Gaps in broken line 2/4.2.6

Sign background 1/1.7.3, 4.3.2

Sign legend 1/1.7.3

Hazard markers 1/6.3

## Bicycle facilities:

Bicycle crossing signals 14/2.5, 3.6, 4.2.8

Bicycle lanes 9/2.4, 2.5

Bicycle paths 9/3.4, 3.5, 3.6

Bicycle routes 9/5

Pavement markings 9/2.3, 3.3, 4.4

Road crossings 9/3.7, 3.8

Separated path 9/3.5

Shared path 9/3.4

## Signs:

All bicycles (G9-60) 9/2.2

Bicycles (W6-7) 9/2.2, 3.2, 4.2

Bicycle direction signs 9/5

Bicycle lane (R7-1-4) 9/2.2

Bicycle path only (R8-1) 9/3.2

Bicycle route marker 9/5.5

Bicycles excepted sign (R9-3) 9/2.2, 4.2; 13/20.1.14

Bicycles must exit (G9-65) 9/4.2

Bicycles, Pedestrians (W6-9) 9/3.2

Bicycles use left shoulder (G9-64) 9/4.2

Bicycles use ramp (G9-62) 9/4.2

Cross here with care (G9-63) 9/4.2

Crossing arrows (W8-23) 9/3.2

Crossing ramp (W8-28) 9/4.2

Cyclists dismount (G9-58) 9/2.2

No bicycles (R6-10-3) 9/2.2, 3.2, 4.2

Road ahead (W6-8) 9/3.2

Rough surface (T3-15) 9/3.2

Separated path (R8-3) 9/3.2; 13/20.1.13

Shared path (R8-2) 9/3.2; 13/20.1.12

Supplementary Plates 9/2.2, 3.2, 4.2

Watch for bicycles (G9-57) 9/2.2

Blind supplementary plate (W8-19) 10/10.2.6

## Blue (see also Colours):

Bicycle direction signs 9/5

Service signs 1/4.3.2; Part 6

State route markers 1/4.3.2; 15/4.2.5

Boggy when wet sign (W8-21) 2/4.11.2.11

Boom barriers, railway crossings 7/2.3.8

## Bridge signs

Bridge ahead, low, ...m high vehicles detour (G9-3)  
2/4.6.6.2

Bridge, dimension limit sign (R6-33) 2/4.6.6.1

Bridge load limit (per axle group) sign (R6-17) 2/4.6.6.1  
 Bridge, load limit on bridge ahead X t gross, heavy vehicles detour (G9-4) 2/4.6.6.2  
 Bridge load limit signs (R6-3, R6-5, R6-17) 2/4.6.6.1  
 Bridge, low bridge ahead X m, high vehicles detour sign (G9-3) 2/4.6.6.2  
 Bridge, low level sign (W5-8) 2/4.10.6.5  
 Bridge, narrow sign (W4-1) 2/4.6.6.3  
 Bridge, no overtaking on, sign (R6-2) 2/4.6.6.1  
 Bridge, opening, sign (W5-2) 2/4.10.6.2  
 Bridge, speed limits on 2/4.6.6.4  
 On bridge sign (G9-49) 2/4.6.6.4  
 On bridge when frosty sign (W8-29) 2/4.11.2.10  
 Narrow bridge ahead X m, wide vehicles detour sign (G9-76) 2/4.6.6.2  
 Length limit ahead X m overall, long vehicles detour sign (G9-75) 2/4.6.6.2  
 Broken lines 2/5.3.2  
 Brown (see Colours)  
 Burning off sign (see Smoke Hazard)  
 Bus lane pavement markings 12/6  
 Bus lane signs (R7-1-1) 12/5.2  
 Bus lane signs, supplementary plates 12/5.6  
 Bus lanes on freeways 12/5.8  
 Bus only sign (R7-8) 12/5.2  
 Bus signals 14/2.6, 3.3  
 Buses excepted supplementary plates (R9-2) 2/2.8.10; 10/10.1.14  
 Buses must enter sign (R6-18) 2/3.13.8  
 Buses taxis excepted supplementary plates (R9-Q01) 2/2.8.10  
 Busway exit signing 12/5.10

## C

Camel sign (W5-44) 2/4.11.2.7  
 Cane railway crossings for ...km sign (W5-Q01) 7/7.2.1  
 Centre lane sign (R7-6-3) 2/4.6.6.1  
 Centre line, guidelines for (see Dividing lines)  
 Changed intersection sign (T1-33) 2/4.11.3.5  
 Changed signals sign (T1-22) 2/4.11.3.5  
 Changed traffic conditions sign (T1-23) 2/4.11.3.5  
 Changes in pavement width 2/4.7  
 Channelising islands (see Traffic islands)  
 Chevron alignment markers (D4-6) 2/4.4.8  
 Checking station entry signs 2/4.13.8  
 Chevron and diagonal pavement markings 2/5.5.1  
 Children sign (W6-3) (see School crossings) 10/10.2.4  
 Children's crossing flag (R3-3) (see School crossings)  
 Classes of traffic prohibition signs (R6-13, GE6-2, GE6-Q01) 2/3.4.3  
 Classification of signs 1/1.5, 2.1, 3.1, 4.1, 5.1  
 Clearance signs:  
 Clearance x m sign (R6-12) 2/4.6.6.1

Low bridge ahead x m high vehicles detour (G9-3) 2/4.6.6.2  
 Low clearance x m sign (R6-11) 2/4.6.6.1  
 Low clearance x m sign (W4-8) 2/4.6.6.3; 3  
 Clearing interval 14/3.9.2  
 Clearway signs (see Parking signs)  
 Climbing lanes 2/4.8  
 Colours:  
 Black 1/1.7.3, 2.3, 3.3, 4.3.2, 5.3.2  
 Blue 1/1.7.3, 4.3.2  
 Brown 1/1.7.3, 4.3.2; Part 6  
 Delineators 2/4.2.5.2  
 Green, standard 1/1.7.3, 4.3.2  
 Guide posts 2/4.2.4.2  
 Orange, retroreflective fluorescent 1/1.7.3, 5.3.2  
 Pavement bars 2/4.3  
 Pavement markings 2/5.2.6  
 Raised pavement markers 2/5.6.2  
 Red 1/1.7.3, 4.3.2, 5.3.2  
 Red or orange, fluorescent 1/1.7.3, 5.3.2  
 Safety bars (see Pavement bars)  
 Signs 1/1.7.3  
 Traffic signals 14/2.2 to 2.6  
 White 1/1.7.3, 2.3, 4.3.2, 5.3.2; 2/5.2.6  
 Yellow 1/1.7.3, 3.3, 4.3.2, 5.3.2; 2/5.2.6; 11/7.1, 7.2  
 Yellow/green retroreflective fluorescent 1/1.7.3

Community facility name signs 5/4  
 Continuity lines 2/5.3.6; 9/2.3  
 Crest sign (W5-11) 2/4.5.4.1  
 Criteria based speed limit 4/3  
 Cross here with care sign, bicycles (G9-63) 9/4.2  
 Cross road sign (W2-1) 2/2.9.2.2  
 Cross street naming (grade separations) 5/2.11.5  
 Cross with care, pedestrians sign (G9-Q10) 14/6.1  
 Crossing ahead supplementary plate (W8-22) 10/10.2.6  
 Crossing arrows sign (W8-23) 9/2.2, 3.2  
 Crossing ramp sign (W8-28) 9/4.2  
 Crosswalk markings (see Pedestrian crossings)  
 Culverts 2/4.6.4.3  
 Curve sign (W1-3) 2/4.4.7.3  
 Curve, reverse, sign (W1-4) 2/4.4.7.4  
 Curve warning signs - at intersections 2/2.9.2.1  
 Curves, substandard horizontal 2/4.4  
 Cyclist dismount sign (G9-58) 7/6.5.4

## D

Danger long/wide load signs (see Oversize signs)  
 Delineators 2/4.2.5  
 Depth indicator (G9-22-1 to G9-22-3) 2/4.10.6.10  
 Detour (see also Alternative route signs):  
 Length limit ahead X m overall, long vehicles detour sign (G9-75) 2/4.6.6.2

Narrow bridge ahead X m, wide vehicles detour sign (G9-76) 2/4.6.6.2

Road flooded beyond ...alternative route via ... sign (T5-3) 1/App. A

#### Detour for

High Vehicles (G9-5-1) 2/4.6.6.2

Heavy Vehicles (G9-5-2) 2/4.6.6.2

Long Vehicles (G9-5-3) 2/4.6.6.2

Wide Vehicles (G9-5-4) 2/4.6.6.2

Diagonal and chevron pavement marking 2/5.5.1

Diamond turns, signals 14/6.3

Dip sign (W5-9) 2/4.5.4.2

#### Direction signs:

Advance direction signs (G1) 15/2.2

Alphanumeric route numbering system 15/4.3

Design guidelines 15/1.6

Driving Instruction Direction sign (G9) 15/2.3

Fingerboards (G3) 15/2.4.4

Focal point map 15/1.3.2

Freeway direction signs (GE) 15/3

Information (G6) 15/5.1

Intersection direction signs (G2 and G3) 15/2.4

Legend selection 15/2.2.3

Lettering 15/1.6.8

Location 15/App. B

Reassurance direction signs (G4) 15/2.5

Service (G7) Part 6

Street name (G5) Part 5

Tourist (G1) 6/3

Disabled supplementary plate (W8-20) 10/10.2.6

Distance auxiliary sign (W8-5) 2/4.7.5.1

Distance plates 2/2.8.10

Divided road sign (W4-4) 2/4.7.5.4

Divided road, end, sign (W4-6) 2/4.7.5.4

Dividing lines 2/5.3.2

Don't walk signal (see Traffic signals, pedestrian)

Drift sand sign (W5-Q04) 2/4.11.5.3

## E

Edge lines 2/2.10, 4.2, 5.3.5

Emergency exit, push gate sign (G9-68) 7/6.5.6

Emergency median crossing sign (GE9-23) 2/4.13.7

Emergency stopping lane only sign (R5-58) 2/3.5

Emergency vehicle signals 14/2.6, 3.3, 7.1

Emergency vehicle signs (see Fire Station, Ambulance Station)

Emu sign (W5-45) 2/4.11.2.7

End sign (R7-4) 2/4.6.6.1, 4.13.6; 9/2.2, 3.2; 12/5.6

End cane railway crossings (W5-Q02) 7/7.2.2

End clearway sign (R5-51) 11/4.3.2

End divided road sign (W4-6) 2/4.7.5.4

End freeway 1 km sign (GE6-10) 2/3.6

End keep left unless overtaking sign (R6-32) 2/3.13.5

End local traffic area sign (see End speed limit area sign)

End no parking area sign (R5-83) 11/5.3.2

End no stopping area sign (R5-73) 11/5.3.2

End parking area sign (R5-63) 11/5.3.2

End road train speed limit sign (R4-Q05) 4/5.1.5

End rockfall area sign (G9-Q11) 1/App. A

End shared zone sign (R4-5) 10/10.1.7; 13/20.1.9

End speed limit sign (R4-12) 4/5.1.2

End speed limit area sign (R4-11) 4/5.1.3; 13/20.1.10

End traffic area sign (See End parking area sign)

End transit lane sign (R7-9-1, R7-9-2) 12/5.3

End truck & bus low gear area sign (R6-23) 2/4.9.2

Exception plates 2/2.8.10

Exclusive-use lane signs (see Bicycle lane, Bus lane, Transit lane, Truck lane signs)

#### Exit ramp markings:

Nose 2/5.7.2

Step-out 2/5.7.5

Exit signs (see Freeway direction signs)

Exit speed x km/h sign (W1-9) 2/3.5

#### Expressways

interchanges - arrangement diagrams 2/3.8

movement and access control 2/3.4

terminals - advance signs 2/3.6

traffic control and warning signs 2/3.5

## F

Fallen rocks sign (W5-42) 2/4.11.2.18

Farm machinery (W5-50) 2/4.11.2.20

Feature signs (G6-6) 15/5.1

Fee payment parking 11/App. C

Ferry sign (W5-1) 2/4.10.6.1

Fingerboards (G3) 15/2.4

Fire station sign (W5-36) 2/4.11.2.10

Fire station signals (see Emergency vehicle signals)

Flashing lights with warning signs 2/4.14; App. A

Flashing signals 14/2.3

Floods (see Road subject to flooding signs)

Floodway sign (W5-7-1) 2/4.10.6.4

Floodways sign (W5-7-2) 2/4.10.6.4

Fluorescent orange, retroreflective (see Colours)

Fluorescent red-orange (see Colours)

Fluorescent yellow/green, retroreflective (see Colours)

Ford sign (W5-6) 2/4.10.6.3

Form 1(X) lanes signs (G9-15, G9-16) 2/4.7.5.1

Frangible posts 1/1.12.1, 1.12.5

Freeway entrance sign (R6-20) 2/3.4.3

Freeway entry restricted when flashing sign (GE9-Q02) 14/7.5

#### Freeway direction signs:

Advance exit signs 15/3.4

Approach signs 15/3.7  
 Bypassed town signs (GE1-15) 15/3.5.2  
 Closely spaced exits 15/3.4.6  
 Definition (Expressway type roads) 15/1.3.1  
 Exit gore signs GE2-5) 15/3.4.4  
 Exit numbering 15/3.3.4  
 Exit signs (GE2-1 to GE2-5) 15/3.4.3  
 Interchange sequence signs 15/3.6.2  
 Legend selection 15/3.3  
 Lettering 15/1.6.8  
 Reassurance direction signs 15/3.6.1  
 Toll roads 15/3.8

#### Freeways:

Added lane (symbolic) sign (W5-35) 2/3.5  
 Added lane sign (W8-26) 2/3.5  
 Bicycle signing at interchanges 9/4.3  
 Busway exit signing 12/5.10  
 Classes of traffic prohibition sign (R6-13, GE6-2, GE6-Q01) 2/3.4.3  
 Definition 2/1.4.2  
 Delineators 2/4.2.5  
 Direction signs 15/3.7  
 Emergency median crossing sign (GE9-23) 2/3.13.7  
 Emergency stopping lane only sign (R5-58) 2/3.5  
 End freeway 1 km sign (GE6-10) 2/3.5  
 End freeway sign (GE6-9) 2/3.5  
 Exit speed x km/h sign (W1-9-1, W1-9-2) 2/3.5  
 Freeway entrance sign (R6-20) 2/3.5  
 Keep left unless overtaking sign (R6-29) 2/4.8.2; 4.15.5  
 Left lane must exit sign (R2-19) 2/3.5  
 Pavement marking 2/5  
 Prohibited on freeway sign (GE6-2, GE6-Q01) 2/3.5  
 Ramp metering 14/7.5  
 Reduce speed now sign (GE9-3) 2/3.6  
 Rest area signs 6/5.7.2  
 Service signs 6/5.7.3  
 Start freeway sign (R6-19) 2/3.4.3  
 Tourist signs 6/3.10  
 Wrong-way sign (GE9-15) 2/3.4.2  
 Wrong way-go back sign (G9-69) 2/3.4.2  
 Frosty, when, sign (W8-8) 2/4.11.2.12  
 Fruit inspection station sign (G9-29) 2/4.11.1.3

## G

Gate sign (W5-14) 2/4.6.6.3  
 Geographical feature signs (G6) 15/5.1  
 Give-way lines 2/5.4.2  
 Give way sign (R1-2) 2/2.5.5; 9/3.2; 13/20.1.2  
 Give way sign ahead sign (W3-2) 2/2.9.3  
 Give way to buses sign (R6-31) 2/4.11.3.3  
 Give way to pedestrians sign (R2-10) 14/6.1  
 Gravel road sign (W5-19) 2/4.11.2.3

Green, standard (see Colours)  
 Grid sign (W5-16) 2/4.6.6.3  
 Gross load limit x.t sign (R6-4) 2/3.6.6.1  
 Guardrail hazard marker (D4-Q02) 2/4.6.7.2  
 Guide posts 2/4.2.4  
 Guidelines:  
 Children's crossing 10/6.3.2  
 Clearways 11/4.2  
 Crosswalk (pedestrian) 10/6.7.2  
 Edge lines 2/4.2  
 Give way sign 2/2.5.3  
 No-overtaking zones 2/5.3.3.2  
 Parking control 11/App. C  
 Pedestrian signals (midblock) 10/6.4.2  
 Pelican signals 10/6.6  
 Refuge (pedestrian) 10/7.2.3  
 Road humps 13/7.1, App. B  
 Shared zones 13/10  
 Stop sign 2/2.5.5  
 Traffic signals 14/1.4.3, 1.4.4  
 Traffic signals (pedestrian volume) 10/6.5.2  
 Zebra (pedestrian) crossing 10/6.2.2  
 Zebra (pedestrian) crossing at schools 10/6.3.2

## H

Hairpin bend sign (W1-7) 2/4.4.7.6  
 Hand bats:  
 Stop (R6-7) 10/10.1.11  
 Stop (R6-Q02) 1/App. A  
 Hazard markers:  
 Bi-directional (D4-2-2, D4-2-3, D4-Q01) 1/6.4; 2/4.6.7.2; 13/20.4.2  
 Guardrail hazard marker (D4-Q02) 2/4.6.7.2  
 Uni-directional (D4-1-1, D4-1-2) 1/6.4; 2/11; 4.6.7.2; 13/20.4.1  
 Obstruction marker (D4-5) 1/6.4; 2/4.6.7.2; 13/20.4.4  
 T-intersection sight board (D4-4) 1/6.4; 2/2.11.2  
 Width marker (D4-3) 1/6.4; 2/4.6.7.2; 13/20.4.3  
 Hazardous wildlife signs 2/4.11.2.7  
 Heavy vehicle, detour for (see Alternative route signs)  
 Help phone (G7-13) 6/5.8  
 High vehicle, detour for (see Alternative route signs)  
 Highway numbering (see Route numbering)  
 Holding line 2/4.4.3; 9/3.3; 13/21.3  
 House number signs on kerbs 5/3  
 Hump sign (W5-10) (see Road hump sign)

## I

Illumination of signs 1/1.7.6  
 Installation of devices, authority for 1/1.10  
 Internally illuminated pavement markers 2/5.6.4

Intersection control, signs for 2/2.3  
 Intersection direction signs 15/2.4  
 Intersection warning signs  
   On major road 2/2.9.2.2  
   At T-intersections 2/2.9.2.3  
   At modified intersections 2/2.9.2.6  
   Advance signs for traffic control devices 2/2.9.3  
 Intersections:  
   Direction signs (G2-1 to G2-4) 15/2.4.2  
   Intersection signs (W2) 2/2.9.2.2  
   Roundabouts 2/2.6.2  
 Island sign (W4-5) 2/2.9.4; 13/20.2.4  
 Islands (see Traffic islands)

**J**

Jiggle bars (see Pavement bars)

**K**

Kangaroos sign (W5-29) 2/4.11.2.7  
 Keep clear marking 2/5.5.2.6  
 Keep left (right) sign (R2-3) 2/2.8.3; 10/10.1.1; 13/20.1.5  
 Keep left unless overtaking sign (R6-29) 2/4.8.2, 4.15.5  
 Keep right signs (R2-3) (see Keep left sign)  
 Kerb lane sign (R7-6-2) 2/4.6.6.1  
 Kerb markings 2/5.5.3; 13/21.8  
 Kilometre plate (G10-3) 15/5.2.2  
 Koala sign (W5-47) 2/4.11.2.7

**L**

Lane allocation ahead sign (W4-10) 2/3.8.2  
 Lane changes (at merges) 2/4.7.2  
 Lane control signals 14/3.1, 4.4  
 Lane designation (R7-Q04), buses 12/5.6  
 Lane guidance through intersections 2/5.6.5.4  
 Lane lines:  
   Broken lines 2/5.3.4  
   Continuous 2/5.3.4  
 Lane reductions 2/4.7.2  
 Lane signs, variable use 2/4.12  
 Lane under 'X' closed sign (G9-Q12) 14/6.1  
 Lantern mounting height, signals 14/5.2  
 Left lane sign (R7-6-1) 2/4.6.6.1  
 Left lane ends sign (W4-9) 2/4.7.5.2  
 Left lane must exit sign (R2-19) 2/3.5  
 Left (right) lane must turn left (right) sign (R2-9) 2/2.8.6  
 Left turn from service road only sign (G9-72) 2/2.8.11  
 Left turn on red 14/7.7  
 Legal authority to install signs 1/1.10; 4/5.2.10  
 Legal requirements, regulatory signs 1/2.2

## Legend:

Abbreviations 5/2.5  
 Amount on guide signs 15/1.6  
 Letter sizes for signs 2/App. B

## Lettering:

Pavement marking 2/5.5.2.2  
 Signs 15/1.6  
 Spacing 1/1.7.4

## Lighting (see Illumination)

## Linemarking (see Pavement marking)

## Load limit signs (see Bridge load limit signs)

## Load limitations 2/4.6.2.4

## Loading islands (see Traffic islands)

## Loading zones 11/App. C

## Local traffic area sign (see Speed limit area sign)

## Local government boundary signs (G6-5) 15/5.1

## Local traffic only sign (G9-40-1) 13/20.3.3

## Location of signs 1/1.12; 4.1.3

## Location of warning signs in advance of a hazard 2/1.12.2

## Location plates 2/

## Long load signs (see Oversize signs)

## Long steep descent next X km sign (G9-83) 2/4.9.2

## Louvres, signals 14/5.5.2

## Low clearance signs (see Clearance signs)

## Low level bridge sign (W5-8) 2/4.10.6.5

**M**

## Markers (see Raised pavement markers)

## Markings (see Pavement markings)

## Median crossing, emergency 2/4.13.7

## Median turning lane sign (R6-30) 2/4.13.4

## Merge - definition 2/1.4.4

## Merge right sign (G9-73) 2/4.7.5.2

## Merges 2/4.7.2

## Merging traffic sign (W5-34) 2/3.5

## Meter parking (see Fee payment parking)

## Modified intersection warning signs (W9-1 to W9-3) 2/2.9.2.6

## Movement control - ramp terminals 2/3.4

## Movement regulation, signs for 2/2.8

## Municipal boundary signs 15/5.1.9

**N**

## Narrow bridge sign (W4-1) 2/4.6.6.3

## Narrow bridges 2/4.6.2

## Narrow pavement widths 2/4.6.4.4

## National trail signs 6/23 to 25

## New roundabout sign (T1-21) 2/4.11.3.5

## Next exit sign (GE7-1-3) 6/5.7.3

## Next ...km sign (W8-17-1) 2/4.9.2, 4.11.2.13; 9/2.2

## Next X km sign (R9-7) 2/4.6.6.1

## Next x m sign (R9-6) 2/4.6.6.1

Next x m sign (W8-17-2) 9/2.2; 13/20.2.10  
 Next service ...km sign (GE6-8) 6/5.2.4  
 No bicycles sign (R6-10-3) 9/2.2, 3.2, 4.2  
 No bicycles symbol 9/2.3, 3.3  
 No buses sign (R6-10-1) 12/5.7  
 No entry sign (R2-4) 2/2.8.4; 11.4.1; 10/10.1.2; 13/20.1.6  
 No hook turn by bicycles sign (R2-22) 2/2.8.8  
 No left turn sign (see No right turn sign)  
 Non-retroreflective raised pavement markers 2/5.6.3  
 No overtaking on bridge sign (R6-2) 2/4.6.6.1  
 No overtaking or passing sign (R6-1) 2/4.6.6.1  
 No overtaking zones, barrier lines 2/5.3.3.2  
 No parking signs (see Parking signs)  
 No pedestrians sign (R6-15) 2/2.8.9  
 No ... beyond this point sign (R6-13, R6-Q01) 2/3.4.3  
 No right (left) turn sign (R2-6) 2/2.8.5; 13/20.1.7; 14/6.1  
 No stopping signs (see Parking signs)  
 No through road sign (G9-18, G5-10) 2/3.11.2.16; 5/2.3(b); 13/20.3.1  
 No trucks sign (R6-10-2) 12/5.7  
 No trucks supplementary plate (R7-Q03) 12/5.7  
 No turns sign (R2-7) 2/2.8.5; 14/6.1  
 No U-turn sign (R2-5) 2/2.8.5  
 Non-standard signs 1/1.8  
 (Number) tracks sign (see Railway crossings)  
 Numbering of signs 1/1.6  
 Numerals on pavements 2/5.5.2



Obstruction marker (D4-5) 2/4.6.7.2  
 Obstructions within roadway 2/4.6.5  
 OD route signs (Series G12) 15/4.2.3  
 On bridge sign (G9-49) 2/4.6.6.4  
 On freeway sign (R9-5) 9/4.2  
 On side road signs (W8-3) 2/4.10.6.6; 7/2.2.5, 2.3.5, 2.3.6; 10/10.2.6;  
 One lane sign (R9-9) 2/4.6.6.1  
 One lane sign (W8-16) 2/4.6.6.1; 13/20.2.9  
 One vehicle only on green signal sign (GE9-Q03) 14/7.5  
 One vehicle per lane on green signal sign (GE9-Q04) 14/7.5  
 One way sign (R2-2) 2/2.8.3; 13/20.1.4  
 On right sign (G9-80) 2/4.9.4  
 One way (repeater) sign (R2-17) 2/4.13.3  
 Opening bridge sign (W5-2) 2/4.10.6.2  
 Orange, retroreflective fluorescent (see Colours)  
 Outline markings 2/5.3.8  
 Overall length limit sign (R6-33) 2/4.6.6.1  
 Overdimensional load route signs (Series G8-12) 15/4.2.3  
 Overhead lane control, signals 14/3.1, 3.4, 3.5, 4.4  
 Overhead signal faces 14/4.1.4  
 Oversize signs (T6-Q03, T6-Q04) 2/4.11.3.3

Overtaking lane signs:

Keep left unless overtaking (R6-29) 2/4.8.2, 4.15.5  
 Overtaking lane ...m ahead (G9-37) 2/3.8.2  
 Overtaking lane ...km ahead (G9-38) 2/3.8.2



Painted islands (see Traffic islands)  
 Painted medians 2/5.5.1.4  
 Parkatarea parking (see Fee payment parking)  
 Parking and loading areas and markings 11/7, App. C  
 Parking direction signs 11/6  
 Parking meters 11/App. C  
 Parking signs - Series R5:  
 Classification:  
 Clearway (R5-45, R5-46) 11/3.2, 3.3 (R5-50, R5-51) 11/4.3.2  
 No parking (R5-40, R5-41) 11/3.3  
 No parking area (R5-80 to R5-83) 11/5.3  
 No stopping (R5-35, R5-36) 10/10.1.10; 11/3.3  
 No stopping area (R5-70 to R5-73) 11/5.3  
 Park in bays only (R5-65) 11/5.3.3  
 Parking (R5-1 to R5-17) 11/3.2  
 Parking area (R5-60 to R5-64) 11/5.3  
 Special loading zone (R5-Q04, R5-Q05) 11/App. A  
 Tow away plate (R5-39) 11/4.3.2  
 Tow away zone (R5-Q01) 11/3.3.2  
 Traffic area (see Parking area)  
 Zone (R5-20 to R5-26) 11/3.3

Colour 11/3.2

Design 11/3.2, 3.3, 3.4, App. A, App. B

Direction arrows 11/3.3.5

Plates:

Resident Permit Parking 11/3.3.4, App. C

Sizes 11/3.5

Times 11/3.3.3

User limitations 11/3.3.4

Part-time pedestrian crossing (see Pedestrian crossing)

Pavement bars 2/4.3

Pavement markers, internally illuminated 2/5.6.4

Pavement markings:

Arrows 2/5.5.2; 9/2.3, 3.3

At railway crossings 7/3

At traffic signals 14/6.2

Bicycle lane 9/2.3

Bicycle path 9/3.3

Bicycle symbol 9/2.3, 3.3, 4.4

Broken lines 2/5.3.2

Bus lanes 12/6,7

Classification 2/5.2.4

Colours 2/5.2.6

Continuous line 2/5.3.3

Diagonal and chevron 2/5.5.1

Lettering 2/5.5.2.2  
 Limitations 2/5.2.3  
 Longitudinal lines 2/5.3.1  
 Materials 2/5.2.5  
 Messages 2/2.10  
 No bicycles symbol 9/2.3, 3.3  
 On kerbs 2/5.5.3  
 Painted islands 2/5.5  
 Provisions for disabled 11/7.3  
 Purpose 2/5.2.1  
 Removal 2/5.2.2  
 Road hump 13/21.6  
 Separated path 9/3.3  
 Shared path 9/3.3  
 Transit lanes 12/6,7  
 Transverse lines 2/5.4; 14/6.2.1, 6.2.2  
 Truck lanes 12/6,7  
 Uses 2/2.10  
 Pavement messages:  
   Arrows 2/5.5.2.3  
   Numerals 2/5.5.2.2; 4/6.2  
   Parking areas 11/7  
   Words 2/5.5.2.2; 7/3.2; 9/8; 12/6.2  
 Pedestrian crossings (see also School crossings)  
   Lighting 10/14  
   Markings:  
     Children's crossing 10/6.3.1  
     Crossing at signals 10/6.7.1, 11.3; 14/6.2.2  
     Crosswalk (see crossing at signals)  
     Zebra 10/6.2.1, 11.2  
     Part-time crossing 10/6.3  
     Pedestrian refuge island 10/7.2  
     Provisions for disabled 10/12  
 Pedestrian crossing sign (R3-1) 10/10.1.3  
 Pedestrian crossing ahead sign (W6-2) 10/10.2.3  
 Pedestrian direction signs (G5-7, G5-8) 10/10.3  
 Pedestrian fencing 10/7.5  
 Pedestrian malls 10/8.2  
 Pedestrians prohibited sign (R6-15) 2/  
 Pedestrians sign (W6-1) 9/3.2; 10/10.2.2  
 Pedestrian signals 10/6.5.1; 14/2.4, 3.6  
 Pedestrian signs, supplementary plates 10/10.2.6  
 Pedestrians, cross with care, (G9-Q10) 14/6.1  
 Pedestrians, give way to, sign (R2-10) 14/6.1  
 Pedestrians may cross diagonally sign (R3-5) 14/6.1  
 Pelican crossing 10/6.6  
 Pilot sign (see Oversize signs)  
 Playground supplementary plate (W8-13) 10/10.2.6  
 Portable traffic signals 14/7.3.3  
 Prepare to stop sign, signals ahead (W8-27) 2/2.9.3; 14/6.1  
 Prohibited on freeway sign (GE6-2) 2/3.4.3  
 Puffin crossing 14/5.6

Push-buttons, pedestrian 10/6.7; 14/5.6

## Q

Quarantine stations 2/4.11.1.3

## R

Railway crossings:

  Boom barriers 7/2.3.8

  Signals 7/2.3.1; 2.3.9

  Signs:

    Do not cross while lights are displayed or alarm sounding (W7-14-6) 7/6.5.2

    Emergency exit, push gate (G9-68) 7/6.5.6

    Flashing signals ahead (W7-4) 7/2.3.3; 2.3.7

    Gates position (R6-8) 7/2.3.2; 2.3.4

    Keep tracks clear signs (G9-67-1, G9-67-2) 7/2.4.4

    Look for trains sign (G9-48) 7/2.2.2; 2.2.4

    (Number) tracks (W7-2) 7/2.2.1, 2.2.2, 2.3.1, 2.3.2

    Pedestrian signs W7-14-4 to W7-6) 7/6.5

    Rail crossing (W7-7) 7/2.2.3; 2.2.5

    Railway (G9-32) crossing (G9-33) 7/2.4.2

    Railway crossing position (R6-24, R6-25) 7/2.2.1, 2.2.2, 2.3.1, 2.3.2

    Railway crossing warning signs (W7-8, W7-9, W7-12, W7-13) 7/2.2.4, 2.2.6

    Railway gate (W7-15) 7/2.3.4; 2.3.6

    Stop on red signal (R6-9) 7/2.3.1

    Types of controls 7/2.1

Raised pavement markers:

  Colour 2/5.6.2

  Function 2/5.6.1

  Placement 2/5.6.5

Ramp sign (G9-28) 2/4.9.4

Ramps:

  Freeway signs 15/3.4

  Metering, signals 14/7.5

  Safety 2/4.9.4

Reassurance direction signs (G4) 15/2.5

Red (see Colours)

Reduce speed sign (G9-9) 2/3.11.2.14

Reduce speed now sign (GE9-3) 2/3.6

Reflectorisation:

  Pavement markings 2/5.2.5

  Signs 1/1.7.6

Regulatory signs:

  Bicycle/pedestrian (R8) Part 9

  Classification 1/2.1

  Colour 1/2.3

  Design 1/2.3

  Direction (R2) 2/2.8.4, 2.8.5, 3.4.2

  Erection 1/App. C

  Exclusive-use lane (R7) Part 9; Part 12

- Miscellaneous (R6) 2/4.6.6
- Movement (R1) 2/2.5.4, 2.6.2
- Parking (R5) Part 11
- Pedestrian (R3) 10/10.1.3, 10.1.4
- Reflectorisation 1/1.7.6
- Removal 1/App. C
- Speed (R4) Part 4
- Supplementary plates for general use (R9) 1/2.4
- Remote area, road in 2/1.4.5
- Rest area notice (G9-Q05) 6/5.3.2
- Rest area signs 6/5.3
- Retroreflective fluorescent orange (see Colours)
- Retroreflective fluorescent yellow/green (see Colours)
- Reverse curve sign (W1-4) 2/4.4.7.4
- Reverse turn sign (W1-2) 2/4.4.7.2
- Road ahead sign (see Bicycle facilities)
- Road block barriers (see Barriers)
- Road closed beyond ... alternative route via ... sign (T5-Q01) 1/App. A
- Road closed sign (G9-20) 2/4.11.2.14; 13/20.3.2
- Road ends sign (W5-18) 2/4.11.2.2
- Road flooded beyond ... alternative route via ... sign (T5-3) 1/App. A
- Road hump, guidelines 13/7
- Road hump sign (W5-10) 2/4.5.4.3; 13/20.2.5
- Road humps ahead sign (W3-4) 13/20.2.3
- Road narrows sign (W4-3) 2/4.7.5.3
- Road subject to flooding signs:
  - Depth indicator (G9-22) 2/4.10.6.10
  - Floodway (W5-7-1) 2/4.10.6.4
  - Floodways (W5-7-2) 2/
  - Ford (W5-6) 2/4.10.6.3
  - Road flooded beyond ...alternative route via ... (T5-3) 1/App. A
  - Road subject to flooding indicators show depth (G9-21-1, G9-21-2) 2/4.10.6.9
  - Water over road (T2-13) 2/4.11.3.1
- Road train sign (T6-Q01) 2/4.11.3.3
- Road train speed limit sign (R4-Q05) 4/5.1.5
- Rough surface (bicycles) sign (T3-15) 9/3.2
- Roundabout sign (R1-3) 2/2.6.2; 13/20.1.3
- Roundabout ahead sign (W2-7) 2/2.9.3; 13/20.2.2
- Roundabout, new, sign (T1-21) 2/4.11.3.5
- Roundabout metering 14/7.6
- Roundabouts 2/2.6
- Route markers, phase-out 15/4.2.5
- Route numbering 15/4
- Rumble strips (W5-Q09)
- Running interval, signals 14/3.9.1
- Safety bars (see Pavement bars)
- Safety fencing 10/7.5
- Safety ramp sign (G9-26 to G9-28, G9-35, G9-36) 2/4.9.4
- Safety ramp x km (G9-24) 2/4.9.4
- Safety ramp x m (G9-25) 2/4.9.4
- Safety zone sign (R3-2) 10/10.1.4
- Safety zones 10/7.4
- School bus sign (T6-4) 2/4.11.3.3
- School crossings:
  - Children's crossing flag (R3-3) 10/10.1.5
  - Children sign (W6-3) 10/10.2.4
  - Children's crossing markings 10/6.3
  - Crossing ahead auxiliary sign (W8-22) 10/10.2.6
  - Pedestrian crossing (zebra) at schools (see Pedestrian crossings)
  - School auxiliary sign (W8-14) 10/10.2.6
- School sign (W6-4) 10/10.2.5
- School zone sign (R4-8) 10/10.1.8
- School zone speed limit sign (R4-Q01) 4/5.1.4; 10/10.1.16
- School zone when flashing sign (R4-Q08) 10/10.1.9
- School zones 10/9.3
- Scramble crossing sign (R3-5) 14/6.1
- Separated path (see Bicycle facilities)
- Separation lines 9/3.3
- Service road entry sign (G9-71) 2/2.8.11
- Service road signs 2/2.8.12
- Service signing:
  - Advance signs 6/5.2.2
  - Bypassed towns 6/5.4.4
  - Commercial services 6/5.4
  - Community facilities (symbol) 6/5.5
  - Freeway services 6/5.7
  - Next service, sign (G7-9-1) 6/5.2.4
  - No service, sign (G7-10-1) 6/5.2.4
  - Position signs 6/5.2.3
  - Rest areas 6/5.3
  - Roadside stops 6/5.3
  - Symbols 6/1.10
  - Tourist "i" signs 6/2
  - Truck parking area 6/5.3.3
- Shared path (see Bicycle facilities)
- Shared zone sign (R4-4) 10/10.1.7; 13/20.1.9
- Shared zones 10/9.2; 13/10
- Side road junction sign (W2-4) 2/2.9.2.2
- Side road junction on a curve sign (W2-9, W2-10, W2-16) 2/2.9.2.4
- Sight board, T-intersection (D4-1-1) 2/2.11.2
- Sight distance, traffic signals 14/6.4, App. A
- Sight distance
  - at STOP signs 2/2.5.1
  - for intersection warning signs 2/2.9.2.1
- Signals (see Traffic signals)
- Signals ahead sign (W3-3) 2/2.9.3; 10/10.2.1; 14/6.1

**S**

- S-lanes sign (W4-Q01) 1/App. A
- Safety 1/1.7

Signals ahead - ramp metering sign (W3-Q01) 14/7.5

Signs (see also individual listings):

Classification 1/1.5, 2.1, 3.1, 4.1, 5.1

Colour 1/1.7.3, 2.3, 3.3, 4.3.2, 5.3.2

Function 1/2.2, 3.2, 4.2, 5.2

Guide 1/1.4; 15/2, 3

Illumination 1/1.7.6

Lettering 1/1.7.4

Legal authority 1/1.10

Location 1/1.12

Non-standard 1/1.8

Numbering 1/1.6

Posts 1/1.12.5

Reflectorisation 1/1.7.6

Regulatory 1/2; 2/2.3, 3.4

Shape 1/1.7.2, 2.3, 3.3, 4.3.1, 5.3.1

Size 1/1.8

Supports 1/1.12.5

Uniformity of:

Application 1/1.7.1

Design 1/1.7.2

Variable message 1/1.11

Slippery sign (W5-20) 2/4.11.2.4

Slower vehicle use turnouts sign (G9-77) 2/

Slow point sign (W5-33) 13/20.2.6

Slow vehicle lane ahead sign (G9-10) 2/4.8.2

Slow vehicle lane ...km ahead sign (G9-11) 2/4.8.2

Slow vehicle turnout signs (G9-50, G9-51) 2/4.8.2

Slow vehicles use left lane sign (G9-12) 2/4.8.2

Smoke hazard sign (T4-6) 2/4.11.3.2

Snow poles 2/4.2.6

Soft edges signs (W5-Q05; T3-6) 2/4.11.5.4

Speed, 85th percentile, definition 4/1.5.7

Speed limit ahead sign (G9-79) 4/5.1.6

Speed limit area sign (R4-10) 4/5.1.3; 13/20.1.10

Speed management 4/2

Speed restriction sign (R4-1) (see Speed signs)

Speed signs:

Advisory speed sign (W8-2) 2/4.4.7.7; 13/20.2.7

Exit speed x km/h sign (W1-9) 2/3.5

Reduce speed sign (G9-9) 2/4.11.2.14

Reduce speed now sign (GE9-3) 2/3.5

Restriction signs (R4-1) 4/5.1; 10/10.1.6

Staggered side road junction sign (W2-8) 2/2.9.2.2

Start freeway sign (R6-19) 2/3.4.3

State border signs (G6-3) 15/5.1.8

Steep climb sign (W5-13) 2/4.9.3

Steep descent sign (W5-12) 2/4.9.2

Steep descent sign (G9-82) 2/

Step-out marking, exit ramp 2/5.7.5

Stock sign (W5-38) 2/4.11.2.6

Stock ahead sign (T1-19) 2/4.11.3.4

Stop banner (R6-8) 2/4.10.6.8

Stop banner, gates position (R6-8) 7/2.3.2

Stop bat (R6-7) 10/10.1.11

Stop bat (R6-8) 7/2.3.2

Stop bat (R6-Q02) 1/App. A

Stop here on red arrow sign (R6-14) 14/6.1

Stop here on red signal sign (R6-6) 3.10.6.7; 14/6.1

Stop line 2/5.4.3; 13/21.2; 14/6.2.1

Stop on red signal sign (R6-9) 7/2.3.1

Stop sign (R1-1) 2/2.5.5; 7/2.2.2; 13/20.1.1

Stop sign ahead sign (W3-1) 2/2.9.3; 7/2.2.7

Stopped interval, signals 14/3.9.3

Stopping distance 2/2.9.2.1

Stopping signs (see Parking signs)

Stream name signs (G6-2) 15/5.1.7

Street name signs 5/2

Street type 5/1.5

Sub-standard horizontal curves 2/4.4

Subways 2/4.6.3; 10/8

Successive side road intersection sign (W2-11, W2-12, W2-13) 2/2.9.2.5

Sugar cane area sign (G9-Q03) 2/4.11.5.2

## T

Target boards, signals 14/5.3

This exit sign (GE7-1-3) 6/5.7.3

This lane sign (R7-6-4) 2/4.6.6.1

Through traffic keep left (right) sign (R2-Q02) 2/2.8.12

Tilting truck sign (W1-8) 2/4.4.7.10

Times of operation signs (R9-1-1 to R9-1-3) 2/2.8.10; 9/2.2; 10/10.1.13; 12/5.6; 14/6.1

T-intersection sight board 2/2.11.2

T-junction sign (W2-3) 2/2.9.2.3

Tourist signing:

Advance signs 6/3.4

Establishments 6/3.8

Features, tourist 6/3.7

Major attractions 6/3.9

National trail signs 6/6

Position signs 6/3.5

Tourist drives 6/4.3

Tourist drive signs (G8-9-4 to G8-9-6) 6/4.3.4

Tow-away plate (R5-39) 11/4.3.2

Tow-away zone sign (R5-Q01) 11/3.3.2

Town name signs (G6-1) 15/5.1.6

Tourist route marker (G8-9) 6/4.3.5

Tourist signs 6/3

Traffic area signs (see Parking signs)

Traffic control device:

Advance warning of 2/2.9.3

Basic requirements 2/1.7

Definition 1/1.4.1

Trials 2/1.13  
 Traffic hazard sign (T1-10) 2/3.11.3.7  
 Traffic island sign (see Island sign)  
 Traffic islands:  
   Loading 10/7.4  
   Refuge, pedestrian 10/7.2  
   Roundabouts 2/2.6  
   Safety zones 10/7.4  
 Traffic signals:  
   Advance warning assembly, traffic signals 14/7.4  
   Application 14/1.4.2  
   Aspects:  
     Arrangement 14/3.1 to 3.7  
     Arrow 14/2.2.2, 4.2.3 to 4.2.5  
     Bicycle 14/2.5, 3.6, 4.2.8  
     Bus 14/2.6, 3.3  
     Circle 14/2.2.1  
     Colour 14/2.2 to 2.6  
     Display of 14/3.8  
     Emergency vehicle 14/2.6, 3.3  
     Flashing 14/2.3  
     Pedestrian 14/2.4, 3.6, 4.2.7  
     Public transport 14/2.6, 3.3  
     Red "X" 14/2.2.3  
     Sequence 14/3.8  
     Sign alternatives for non-changing aspects 14/3.5  
     Size 14/5.1  
     Steady 14/2.2  
     Two aspect signal face 14/3.7  
   Control mode 14/1.4.5  
   Definition 14/1.4.1  
   Diamond turns 14/6.3  
   Guidelines 14/1.4.3, 1.4.4 (see also Guidelines listing)  
   Intervals 14/3.9  
   Lantern mounting height 14/5.2  
   Left turn on red 14/7.7  
   Location 14/4, 7.1.2  
   Louvres 14/5.5.2  
   Operation 14/1.4.5  
   Overhead lane controls 14/3.1, 3.4, 3.5, 4.4  
   Overhead signal faces 14/4.1.4  
   Pavement markings 14/6.2  
   Pedestrian:  
     Push buttons 14/5.6  
     Symbolic standing pedestrian 14/2.4, 3.6  
     Symbolic walking pedestrian 14/2.4, 3.6  
   Portable 4.7; 14/7.3.3  
   Puffin signalised pedestrian crossing 14/5.6  
   Railway level crossing 7/5.3.1; 14/7.2  
   Ramp metering 14/7.5  
   Roundabout metering 14/7.6  
   Sight distance 14/6.4, App. A

Target boards 14/5.3  
 Temporary, fixed 14/7.3.2  
 Visors 14/5.5.1  
 Traffic survey sign (T2-22) 2/4.11.4.3  
 Traffic survey ...m sign (T1-14) 2/4.11.4.3  
 Tram sign (W5-41) 2/  
 Transit lane information signs 12/5.3  
 Transit lane sign (R7-7-1 to R7-7-6) 12/5.3  
 Transit lane signs, supplementary plates 12/5.6  
 Transit lanes on freeways 12/5.9  
 Transverse lines 2/5.4  
 Trials of traffic control devices 2/1.13  
 Truck checking station signing 2/4.11.4.1  
 Truck lane sign (R7-1-3) 12/5.4  
 Trucks & buses must use low gear sign (R6-22) 2/4.9.2  
 Trucks crossing/entering sign (W5-22) 2/4.11.2.5  
 Trucks excepted sign (R9-Q02) 2/2.8.10  
 Trucks must enter sign (R6-27) 2/4.13.8  
 Trucks use left lane signs (R6-28) 2/4.13.6  
 Turn sign (W1-1) 2/4.4.7.1; 13/20.2.1  
 Turn, reverse, sign (W1-2) 2/4.4.7.2  
 Turn left at any time with care sign (R2-16) 14/6.1  
 Turn lines 2/5.3.7; 14/6.2.4  
 Turn prohibition signs (R2-5 to R2-7) 2/2.8.5; 14/6.1  
 Turnouts 2/4.8.3  
 Two-way sign (R2-11) 2/4.13.2  
 Two-way traffic sign (W4-11) 2/4.7.5.4

## U

Under snow sign (W8-9) 2/4.11.2.10  
 Underpasses (see Subways)  
 Uneven surface sign (W5-43) 2/4.11.2.19  
 Unfenced road watch for wandering animals (W5-Q10)  
   2/4.11.2.6  
 Unsuitable for large vehicles sign (G9-41) 13/20.3.4  
 U-turn permitted sign (R2-15) 14/6.1

## V

Variable-message signs 1/1.11  
 Variable-use lane signs 2/4.12  
 Vehicle mounted signs:  
   Oversize signs (T6-Q03, T6-Q04) 2/4.11.3.3  
   Road train sign (T6-Q01) 2/4.11.3.3  
   School bus (T6-4) 2/4.11.3.3  
 Vehicle prohibition sign, supplementary plate (R7-Q03)  
   12/5.7  
 Vehicle prohibition signs (R6-10-1, R6-10-2) 12/5.7  
 Vehicles operating under permit 2/4.11.3.3  
 Vertical obstruction markers 2/4.6.5, 4.6.7.2  
 Very steep climb signs (G9-46, G9-47) 2/4.9.3  
 Very steep descent sign (G9-53) 2/4.9.2

Visitor information sign (SQ04) 6/2

Visors, signals 14/5.5.1

## W

Walk signal (see Traffic signals, pedestrian)

Walk to island and wait for further signal sign (R3-Q01)  
1/App. A

Warning signs (see individual listing)

Warrants (see Guidelines)

Watch for bicycles sign (G9-57) 9/2.2

Water crossing signs 2/4.10

Water over road sign (T2-13) 2/4.11.3.1

Weighbridge signing 2/4.11.4.1

When frosty sign (W8-8) 2/

When wet sign (W8-7), When frosty sign (W8-8) 2/4.11.2.10

White (see Colours)

Wide load signs (see Oversize signs)

Width markers (D4-3) 2/4.6.7.2; 7/6.4.2

Wild animals sign (W5-49) 2/4.11.2.7

Wild horse sign (W5-46) 2/4.11.2.7

Wildlife signs 2/4.11.2.7

Winding road ends X km sign (G9-17) 2/4.4.7.9

Winding road sign (W1-5) 2/4.4.7.5

Wombat sign (W5-48) 2/4.11.2.7

Wrong way sign (GE9-15) 2/3.4.2

Wrong way-go back sign (G6-69) 2/3.4.2

## Y

Yellow (see Colours)

Yellow/green, retroreflective fluorescent (see Colours)

## Z

Zebra crossing (see Pedestrian crossings)

Zip-merge 2/4.7.2

Zone sign (loading etc.) (R5-20 to R5-26) 11/3.3.2

(Blank)