

Specification (Measurement)

**Transport and Main Roads Specifications  
MRS206 Provision of Variable Speed Limit and Lane  
Control Signs**

March 2024



## Copyright

© The State of Queensland (Department of Transport and Main Roads) 2024.

## Licence



This work is licensed by the State of Queensland (Department of Transport and Main Roads) under a Creative Commons Attribution (CC BY) 4.0 International licence.

## CC BY licence summary statement

In essence, you are free to copy, communicate and adapt this work, as long as you attribute the work to the State of Queensland (Department of Transport and Main Roads). To view a copy of this licence, visit: <https://creativecommons.org/licenses/by/4.0/>

## Translating and interpreting assistance



The Queensland Government is committed to providing accessible services to Queenslanders from all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

## Disclaimer

While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

## Feedback

Please send your feedback regarding this document to: [tmr.techdocs@tmr.qld.gov.au](mailto:tmr.techdocs@tmr.qld.gov.au)

**Contents**

- 1 Introduction .....1**
- 2 Measurement of works .....1**
  - 2.1 Standard Work Items ..... 1
  - 2.2 Work Operations ..... 2
  - 2.3 Method of measurement of Variable Speed Limit and Lane Control Signs ..... 8
  - 2.4 Supply of materials ..... 8

## 1 Introduction

This Specification applies to the requirements for the supply, installation, testing, commissioning and maintenance handover documentation (including the provision for operator training) of Variable Speed Limit and Lane Control Signs.

This Specification shall be read in conjunction with MRS01 *Introduction to Specifications*, MRS50 *Specific Quality System Requirements* and other Specifications as appropriate.

This Specification forms part of the Transport and Main Roads Specifications Manual.

## 2 Measurement of works

### 2.1 Standard Work Items

In accordance with the provisions of Clause 2 of MRS01 *Introduction to Specifications*, the Standard Work Items covered by this Specification are listed in Table 2.1.

For Standard Work Items relating to Solar Power, refer to MRS263 *Standalone Solar (PV) Power Systems*.

**Table 2.1 – Standard Work Items**

Standard Item No.	Description	Unit of measurement
<b>VSL/LC Mounting footings</b>		
61701	Foundation Design for [Type A   Type B   Type C] VSL/LC on a post-mounted support structure [with   without] an enclosure fixed to support structure to house VSL / LC controller on a [PAD or bored Pile Foundation]	each
61702	Installation of [Type A   Type B   Type C] VSL/LC footing and including Anchor Cage for a Pad / Piled / Planted foundation [insert dimensions and/or referenced drawing]	each
<b>VSL/LC Mounting structure and brackets</b>		
61721	Supply of post-mounted support structure, [length] metres long, [with   without] cabinet brackets and [with   without] an enclosure fixed to support structure to house VSL / LC controller for installation of [Type A   Type B   Type C] VSL / LC	each
61722	Supply of [tunnel   gantry] mounting bracket, [length] metres long [with   without] an enclosure to mount VSL / LC controller [fixed to bridge structure or similar as detailed on referenced drawing] for installation of [Type A   Type B   Type C] VSL / LC	each
61723	Installation of post-mounted mounting structure for [Type A   Type B   Type C] VSL / LC [with   without] an enclosure fixed to support structure to house VSL / LC controller	each
61724	Installation of [tunnel   gantry] mounted mounting bracket for [Type A   Type B   Type C] VSL / LC [with   without] an enclosure to mount VSL / LC controller [fixed to bridge structure or similar as detailed on referenced drawing]	each
61725	Supply and installation of post-mounted support structure, for [Type A   Type B   Type C] VSL / LC [length] metres long, [with   without] mounting brackets and [with   without] an enclosure fixed to support structure to house VSL / LC controller	each

Standard Item No.	Description	Unit of measurement
61726	Supply and installation of [ <i>tunnel   gantry</i> ] mounted bracket for [ <i>Type A   Type B   Type C</i> ] VSL / LC, [ <i>length</i> ] metres long [ <i>with   without</i> ] an enclosure to mount VSL / LC controller [ <i>fixed to bridge structure or similar as detailed on referenced drawing</i> ]	each
<b>Variable speed limit signs</b>		
61741	Supply of [ <i>Type A   Type B   Type C</i> ] VSL / LC [ <i>with   without</i> ] VSL / LC Controller	each
61742	Installation of [ <i>Type A   Type B   Type C</i> ] VSL / LC and [ <i>with   without</i> ] VSL / LC Controller install in an enclosure [ <i>fixed to support structure</i> ] [ <i>and   or</i> ] [ <i>fixed to bridge structure or similar as detailed on referenced drawing</i> ]	each
61743	Supply and Installation of [ <i>Type A   Type B   Type C</i> ] VSL / LC [ <i>with   without</i> ] VSL / LC Controller install in an enclosure [ <i>fixed to support structure</i> ] [ <i>and   or</i> ] [ <i>fixed to bridge structure or similar as detailed on referenced drawing</i> ]	each
61744	Supply of VSL / LC Controller	each
61745	Installation of VSL / LC Controller in an enclosure fixed to supporting structure or fixed to bridge structure or similar as detailed on referenced drawing	each
61746	Supply and Installation of VSL / LC Controller in an enclosure fixed to supporting structure or fixed to bridge structure or similar as detailed on referenced drawing	each
<b>Ancillary items</b>		
61761	Provision of [ <i>VSL / LC</i> ] spares [ <i>as listed in the contract documents or on drawing reference</i> ]	item
<b>Removal of existing VSL / LC equipment</b>		
61791	Removal of Existing VSL / LC equipment for re-use	each
61792	Removal of Existing VSL / LC equipment for disposal	each

## 2.2 Work Operations

**Item 61701 Foundation Design for [*Type A | Type B | Type C*] VSL / LC on a post-mounted support structure [*with | without*] an enclosure fixed to support structure to house VSL / LC controller on a [*PAD or bored Pile Foundation*]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*, and
- b) Design Drawings, Schedules, Calculations and Transport and Main Roads approvals in accordance with departmental standards.

**Item 61702 Installation of [Type A | Type B | Type C] VSL/LC footing and including Anchor Cage for a Pad / Piled / Planted foundation [insert dimensions and/or referenced drawing]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) excavation for footing
- c) disposal of excavated material
- d) provision of formwork where necessary
- e) supply and installation of anchor cage or ragbolt assembly as appropriate
- f) supply and installation of conduit to electrical and/or communications pit as appropriate
- g) supply and Installation of binding concrete to MRTS70 *Concrete*
- h) pouring, curing and finishing of concrete to MRTS70 *Concrete*, and
- i) stripping formwork, reinstatement of soil cover and general making good on site.

**Item 61721 Supply of post-mounted support structure, [length] metres long, [with | without] cabinet brackets and [with | without] an enclosure fixed to support structure to house VSL / LC controller for installation of [Type A | Type B | Type C] VSL / LC**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and fabrication of VSL / LC pole and pole adaptor
- c) supply of all fixing bolts, nuts and washers as appropriate, and
- d) for a pole to be fitted with a pole-mounted cabinet:
  - i. supply and fabrication of pole-mounted cabinet brackets, and
  - ii. supply of pole-mounted enclosure for VSL / LC controller.

**Item 61722 Supply of [tunnel | gantry] mounting bracket, [length] metres long [with | without] an enclosure to mount VSL / LC controller [fixed to bridge structure or similar as detailed on referenced drawing] for installation of [Type A | Type B | Type C] VSL / LC**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and fabrication of tunnel/gantry-mounted VSL / LC bracket
- c) supply of all fixing bolts, nuts and washers as appropriate
- d) supply of mounting bracket for the enclosure, and
- e) supply of enclosure cabinet.

**Item 61723 Installation of post-mounted mounting structure for [Type A | Type B | Type C] VSL/LC [with | without] an enclosure fixed to support structure to house VSL / LC controller**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and installation of spigot hatchway and ground access hatchway terminal strips if applicable
- c) installation of pole, including pole adaptor on footing
- d) for a pole to be fitted with a pole-mounted cabinet:
  - i. installation of pole-mounted cabinet brackets, and
  - ii. installation of pole-mounted enclosure.
- e) mortar grouting of base plate
- f) supply of hinge pole operation instruction manuals, and
- g) testing of installation.

**Item 61724 Installation of [tunnel | gantry] mounted mounting bracket for [Type A | Type B | Type C] VSL / LC [with | without] an enclosure to mount VSL / LC controller [fixed to bridge structure or similar as detailed on referenced drawing]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) installation of bracket to structure including masonry anchors
- c) for an enclosure to be fitted to in the bridge structure or similar as detailed on the reference drawing:
  - i. installation of cabinet brackets, and
  - ii. installation of the enclosure.
- d) testing of installation.

**Item 61725 Supply and installation of post-mounted support structure, for [Type A | Type B | Type C] VSL / LC [length] metres long, [with | without] mounting brackets and [with | without] an enclosure fixed to support structure to house VSL / LC controller**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and fabrication of VSL / LC mounting structure and pole adaptor
- c) supply of all fixing bolts, nuts and washers as appropriate
- d) for a pole to be fitted with a pole-mounted cabinet:
  - i. supply and fabrication of pole-mounted cabinet brackets and enclosure cabinet, and
  - ii. installation of the enclosure cabinet.

- e) supply and installation of spigot hatchway and ground access hatchway terminal strips if applicable
- f) installation of pole on footing
- g) mortar grouting of base plate
- h) supply of hinge pole operation instruction manuals, and
- i) testing of installation.

**Item 61726 Supply and installation of [tunnel | gantry] mounted bracket for [Type A | Type B | Type C] VSL / LC, [length] metres long [with | without] an enclosure to mount VSL / LC controller [fixed to bridge structure or similar as detailed on referenced drawing]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply and fabrication of mounting brackets
- c) supply of all fixing bolts, nuts and washers as appropriate
- d) installation of bracket to structure, including masonry anchors
- e) for an enclosure to be fixed to bridge structure or similar as detailed on referenced drawing:
  - i. supply and fabrication of cabinet mounting brackets and enclosure cabinet, and
  - ii. installation of the enclosure cabinet.
- f) testing of installation.

**Item 61741 Supply of [Type A | Type B | Type C] VSL / LC [with | without] VSL / LC Controller**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of [Type A | Type B | Type C] VSL / LC complete with necessary mounting/installation accessories
- c) supply of communication and power cables between VSL / LC and VSL / LC controller, and
- d) supply of VSL / LC controller, complete with necessary mounting/installation accessories as applicable.

**Item 61742 Installation of [Type A | Type B | Type C] VSL / LC and [with | without] VSL / LC Controller install in an enclosure [fixed to support structure] [and | or] [fixed to bridge structure or similar as detailed on referenced drawing]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) installation of VSL / LC
- c) installation of VSL / LC controller as applicable
- d) installation and securing of cables and making necessary connections

- e) the setting out of the VSL / LC, including confirmation of horizontal alignment, headroom and set-back from edge of carriageway and working width from vehicle restraint systems
- f) testing of VSL / LC in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*.
- g) update necessary diagrams and supply of test results
- h) operator training if applicable, and
- i) supply of documentation in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*.

**Item 61743      Supply and Installation of [Type A | Type B | Type C] VSL/LC [with | without] VSL/LC Controller install in an enclosure [fixed to support structure] [and | or] [fixed to bridge structure or similar as detailed on referenced drawing]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of [Type A | Type B | Type C] VSL / LC, complete with necessary mounting/installation accessories
- c) supply of communication and power cables between VSL / LC and VSL / LC controller
- d) supply of VSL / LC controller, complete with necessary mounting/installation accessories as applicable
- e) installation of VSL / LC
- f) installation of VSL / LC controller as applicable
- g) installation and securing of cables and making necessary connection
- h) the setting out of the VSL / LC, including confirmation of horizontal alignment, headroom and set-back from edge of carriageway and working width from vehicle restraint systems
- i) testing of VSL / LC in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*
- j) update necessary diagrams and supply of test results
- k) operator training if applicable, and
- l) supply of documentation in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*.

**Item 61744      Supply of VSL / LC Controller**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of VSL / LC controller, complete with necessary mounting/installation accessories, and
- c) supply of necessary documentation in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*.

**Item 61745 Installation of VSL / LC Controller in an enclosure fixed to supporting structure or fixed to bridge structure or similar as detailed on referenced drawing**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) installation of mounting accessories and VSL / LC controller
- c) installation and securing of cables and making necessary connections
- d) testing of VSL / LC in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*
- e) update necessary diagrams and supply of test results, and
- f) supply of documentation in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*.

**Item 61746 Supply and Installation of VSL / LC Controller in an enclosure fixed to supporting structure or fixed to bridge structure or similar as detailed on referenced drawing**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) supply of VSL / LC controller, complete with necessary mounting/installation accessories
- c) installation of mounting accessories and VSL / LC controller
- d) installation and securing of cables and making necessary connections
- e) testing of VSL / LC in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*
- f) update necessary diagrams and supply of test results
- g) operator training if applicable, and
- h) supply of documentation in accordance with MRS206 *Provision of Variable Speed Limit and Lane Control Signs*.

**Item 61761 Provision of [VSL / LC] spares [as listed in the contract documents or on drawing reference]**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) provision of Spares in accordance with the requirements of MRS201 and as listed in the Scheme Documentation, and
- c) transport of all components to the Principal's storage facility.

**Item 61791 Removal of Existing VSL / LC equipment for re-use**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) disconnection of Electrical Supply, including termination and 'making safe' of supply cable

- c) disconnection of Telecommunications connection
- d) removal of VSL / LC and supporting pole and associated cabinet enclosure
- e) reinstatement of soil cover and general making good on site, and
- f) transport of all components to Principal's storage facility or designated site storage area for re-use.

**Item 61792      Removal of Existing VSL / LC equipment for disposal**

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 *Introduction to Specifications*
- b) disconnection of Electrical Supply, including termination and 'making safe' of supply cable
- c) disconnection of telecommunications connection
- d) removal of VSL / LC and supporting pole and associated cabinet enclosure
- e) reinstatement of soil cover and general making good on site, and
- f) transport of all components and disposal.

**2.3    Method of measurement of Variable Speed Limit and Lane Control Signs**

This Specification provides Standard Work Items for:

- a) supply only
- b) installation only, and
- c) supply and installation of Variable Speed Limit Signs (VSL / LC).

Any combination of Standard Work Items relating to these methods of measurement may be used in the Schedule of Rates. However, where a Standard Work Item for supply and installation of a particular component or group of components is included in the Schedule of Rates, no supply only nor installation only Standard Work Item shall also apply to that component or group of components as applicable.

**2.4    Supply of materials**

Any materials to be supplied by the Principal will be as stated in the *Principal Supplied Material List*, Form C7827. All other material shall be supplied by the Contractor.

The responsibility for transport to the Site of materials supplied by the Principal shall be as stated in the *Principal Supplied Material List*, Form C7827. Transport to the Site of all other materials shall be the responsibility of the Contractor.

