

Queensland Manual of Uniform Traffic Control Devices

Part 15: Direction signs, information signs and route numbering

March 2020

Copyright

© The State of Queensland (Department of Transport and Main Roads) 2020.

Licence



This work is licensed by the State of Queensland (Department of Transport and Main Roads) under a Creative Commons Attribution (CC BY) 4.0 International licence.

CC BY licence summary statement

In essence, you are free to copy, communicate and adapt this work, as long as you attribute the work to the State of Queensland (Department of Transport and Main Roads). To view a copy of this licence, visit: <https://creativecommons.org/licenses/by/4.0/>

Translating and interpreting assistance



The Queensland Government is committed to providing accessible services to Queenslanders from all cultural and linguistic backgrounds. If you have difficulty understanding this publication and need a translator, please call the Translating and Interpreting Service (TIS National) on 13 14 50 and ask them to telephone the Queensland Department of Transport and Main Roads on 13 74 68.

Disclaimer

While every care has been taken in preparing this publication, the State of Queensland accepts no responsibility for decisions or actions taken as a result of any data, information, statement or advice, expressed or implied, contained within. To the best of our knowledge, the content was correct at the time of publishing.

Feedback

Please send your feedback regarding this document to: tmr.techdocs@tmr.qld.gov.au

About this document

This document sets out the principles for use of direction and information signs that inform the road user of the direction and distance to a place on the route being followed or along another road that intersects that route. They may also supply information to identify points of geographical, historical or tourist interest and give directions to service and accommodation facilities. The main types of direction signs providing intersection direction are as follows:

- advance direction
- intersection direction
- fingerboard
- reassurance direction
- route markers, and
- freeway guide.

How to use this document

This document is designed to be read and applied together with AS 1742.15-2019 *Manual of Uniform Traffic Control Devices Part 15* (AS 1742.15-2019). You must have access to the Australian Standard to understand what applies in Queensland.

This document:

- sets out how AS 1742.15-2019 applies in Queensland
- has precedence over AS 1742.15-2019 when applied in Queensland
- has the same section and clause numbering and headings as AS 1742.15-2019.

The following table summarises the relationship between AS 1742.15-2019 and this document:

Applicability	Meaning
Accepted	The Australian Standard section or clause is accepted.
Accepted, with amendments	Part or all of the section or clause has been accepted with additions, deletions or differences.
New	There is no equivalent section or clause in the Australian Standard.
Not accepted	The Australian Standard section or clause is not accepted.

Definitions

The following general amended definitions apply when reading AS 1742.15-2019.

Reference to...	Means
AS 1742.15-2019	AS 1742.15-2019, as amended by this document For example, a reference to AS 1742.15-2019 means you must refer to the Australian Standard Part 15, and Part 15 of the Queensland Manual of Uniform Traffic Control Devices (Queensland MUTCD). Throughout AS 1742.15-2019, references are made to other parts of the Australian Standards (for example, when reading Part 15 you may be referred to Part 3 for further information.) In this case, you must refer to the equivalent Part within the Queensland MUTCD first. Check the applicability of the equivalent Part in the Queensland MUTCD before referring to the referenced Australian Standard Part.
TRUM	Traffic and Road Use Management Manual
Queensland (Q) series / Traffic Control (TC) signs	Queensland (Q) series signs can be found via: http://www.tmr.qld.gov.au/business-industry/Technical-standards-publications/TC-signs

Relationship table

Section	Clause	Description	Applicability
1	Scope and general		
	1.1	Scope	Accepted
	1.2	Normative references	Accepted
	1.3	Terms and definitions	
	1.3.1	<i>expressway type roads</i>	Accepted
	1.3.2	<i>focal point map</i>	Accepted
	1.3.3	<i>shall</i>	Accepted with amendments
	1.3.4	<i>should</i>	Accepted with amendments
	1.3.5	<i>85th percentile / V₈₅</i>	Accepted
	1.3.6	<i>May</i>	New
	1.4	Responsibility and authority for installation	Accepted with amendments
	1.5	Principles of good sign practice	Accepted
	1.6	Sign design guidelines	
	1.6.1	<i>Signboard layout</i>	Accepted
	1.6.2	<i>Presentation of information</i>	Accepted
	1.6.3	<i>Sign format</i>	Accepted
	1.6.4	<i>Distances on signs</i>	Accepted
	1.6.5	<i>Route and street names</i>	Accepted
	1.6.6	<i>Directions to distant routes</i>	Accepted
	1.6.7	<i>Use of apostrophes</i>	Accepted
	1.6.8	<i>Letter types and sizes, and sign colour</i>	Accepted with amendments
	1.6.9	<i>Use of arrows</i>	Accepted
1.6.10	<i>Illumination and reflectorization</i>	Accepted	
1.6.11	<i>Non-standard signs</i>	Accepted	
1.7	Installation and location	Accepted	
1.8	Materials and manufacturing specifications	Accepted	
2	Direction signs at and near intersections		
	2.1	General	Accepted
	2.2	Advance direction signs	
	2.2.1	<i>Application</i>	Accepted
	2.2.2	<i>Format and use</i>	Accepted
	2.2.3	<i>Legend</i>	Accepted
	2.2.4	<i>Location and mounting</i>	Accepted
2.2.5	<i>Supplementary distance plate (G9-66)</i>	Accepted	

Section	Clause	Description	Applicability
	2.3	Driving instruction direction signs	
	2.3.1	<i>Single direction type (G9-7 and G9-8)</i>	Accepted
	2.3.2	<i>Multiple direction / lane type</i>	Accepted
	2.3.3	<i>Turning instruction signs</i>	Accepted
	2.3.4	<i>Variable lane designation signs</i>	Accepted
	2.4	Intersection direction signs and fingerboards	
	2.4.1	<i>Function and classification</i>	Accepted
	2.4.2	<i>Major intersection direction signs (Type 1) – Description and use</i>	Accepted
	2.4.3	<i>Minor Intersection Direction (Type 2) signs – Description and use</i>	Accepted
	2.4.4	<i>Fingerboards (Type 3 intersection direction signs) – Description and use</i>	Accepted
	2.4.5	<i>Signs to tourist attractions and services</i>	Accepted
	2.4.6	<i>Legend selection</i>	Accepted
	2.4.7	<i>Display of route numbers and distance</i>	Accepted
	2.4.8	<i>Location</i>	Accepted
	2.5	Reassurance direction signs	Accepted
	2.5.1	<i>Function</i>	Accepted
	2.5.2	<i>Legend</i>	Accepted with amendments
	2.5.3	<i>Location</i>	Accepted
	2.6	Typical arrangement diagrams	Accepted
	3	Expressway direction signs	
3.1		General	Accepted
3.2		Provision of signs	Accepted
3.3		Legend selection	
3.3.1		<i>Amount of legend</i>	Accepted
3.3.2		<i>Destination and route names</i>	Accepted
3.3.3		<i>Route numbering</i>	Accepted
3.3.4		<i>Exit numbering</i>	Accepted

Section	Clause	Description	Applicability
	3.4	Advance exit signs and signs at the exit	
	3.4.1	<i>Advance exit signs – Legend type (GE1-5, GE1-6, GE1-13)</i>	Accepted
	3.4.2	<i>Advance exit signs – Diagrammatic type (GE1-11, GE1-12)</i>	Accepted
	3.4.3	<i>Signs at the exit</i>	Accepted
	3.4.4	<i>Typical direction sign arrangements – single lane exits</i>	Accepted
	3.4.5	<i>Two-lane exits</i>	Accepted
	3.4.6	<i>Closely spaced exits and single trap lane exits</i>	Accepted
	3.4.7	<i>Location of exit direction signs</i>	Accepted
	3.5	Supplementary advance signs	
	3.5.1	<i>This (Next) exit, Use ... exit signs (GE1-8-1, GE1-8-2, GE1-8-4)</i>	Accepted
	3.5.2	<i>NEXT xx EXITS sign (GE1-8-3)</i>	Accepted
	3.5.3	<i>By-passed town signs (GE1-5)</i>	Accepted
	3.6	Reassurance and interchange sequence signs	
	3.6.1	<i>Reassurance direction signs (GE4-1)</i>	Accepted
	3.6.2	<i>Interchange sequence sign (GE1-9)</i>	Accepted
	3.7	Signs at Expressway-to-Expressway Interchanges	Accepted
	3.8	Signs on the approach to and along tolled expressways	
	3.8.1	<i>General</i>	Accepted with amendments
	3.8.2	<i>TOLL panel</i>	Accepted with amendments
	3.8.3	<i>Toll indicated by alternative sign colours</i>	Accepted with amendments
	3.9	Other expressway direction signs	
	3.9.1	<i>Expressway direction signs in tunnels</i>	Accepted
	3.9.2	<i>Combined direction signs with overhead lane control devices</i>	Accepted with amendments
	3.9.3	<i>G3-4 series signs on expressways</i>	Accepted
	3.9.4	<i>EXIT distance sign (GE1-18)</i>	Accepted
	3.10	Direction signs at ramp terminals	
	3.10.1	<i>Exit ramp terminals</i>	Accepted
	3.10.2	<i>Approaches to entrance ramp terminals</i>	Accepted
4	Route numbering		
	4.1	General principles	Accepted

Section	Clause	Description	Applicability
	4.2	Types of route numbering	
	4.2.1	<i>The alphanumeric system</i>	Accepted
	4.2.2	<i>Tourist routes</i>	Accepted
	4.2.3	<i>Over-dimensional load routes</i>	Accepted
	4.2.4	<i>Special routes using symbols</i>	Accepted
	4.2.5	<i>Maintaining existing shield based systems</i>	Accepted
	4.3	The alphanumeric system – Description and use	
	4.3.1	<i>Route classification</i>	Accepted
	4.3.2	<i>Number selection</i>	Accepted
	4.3.3	<i>Alternative and by-pass routes</i>	Accepted
	4.3.4	<i>Dual numbering</i>	Accepted
	4.4	Display of numbers	
	4.4.1	<i>Form of display and visual prominence</i>	Accepted
	4.4.2	<i>Display on direction signs</i>	Accepted
	4.4.3	<i>Display as free standing markers or supplementary plates</i>	Accepted
5	General information signs		
	5.1	Geographical feature signs (G6)	
	5.1.1	<i>Purpose</i>	Accepted
	5.1.2	<i>Location</i>	Accepted
	5.1.3	<i>Shape and colour</i>	Accepted
	5.1.4	<i>Legend</i>	Accepted
	5.1.5	<i>Types of signs</i>	Accepted
	5.1.6	<i>Town name (G6-1)</i>	Accepted
	5.1.7	<i>Stream name (G6-2)</i>	Accepted
	5.1.8	<i>State border (G6-3 and G6-4)</i>	Accepted
	5.1.9	<i>Local government boundary (G6-5)</i>	Accepted
	5.1.10	<i>Feature (G6-6)</i>	Accepted
	5.2	Kilometre plates	
	5.2.1	<i>General</i>	Accepted
	5.2.2	<i>Kilometre plates (G10-3, G10-4, G10-5)</i>	Accepted
	5.2.3	<i>Location and spacing</i>	Accepted
	5.3	Non-standard information signs	
	5.3.1	<i>General</i>	Accepted
	5.3.2	<i>Sign design</i>	Accepted
	5.3.3	<i>Sign location</i>	Accepted

Section	Clause	Description	Applicability
Appendices			
A	Determination of letter sizes for signs (informative)		
	A.1	<i>Scope</i>	Accepted
	A.2	<i>Procedure</i>	Accepted
B	Guidelines for the layout of legend elements on direction signs (informative)		
	B.1	<i>General</i>	Accepted
	B.2	<i>Selection of legend elements</i>	Accepted
	B.3	<i>Spacing of legend elements</i>	Accepted with amendments
	B.4	<i>Achieving visual balance</i>	Accepted
C	Illumination and reflectorization of signs (normative)		
	C.1	<i>Scope</i>	Accepted
	C.2	<i>General</i>	Accepted
	C.3	<i>Means of illumination</i>	Accepted
	C.4	<i>Means of reflectorization</i>	Accepted
D	Installation and location of signs (normative)		
	D.1	<i>Scope</i>	Accepted
	D.2	<i>Sign location – Roadside signs</i>	
	D.2.1	General	Accepted
	D.2.2	Longitudinal placement	Accepted
	D.2.3	Lateral placement and height	
	D.2.3.1	General	Accepted
	D.2.3.2	Lateral placement – Rural	Accepted
	D.2.3.3	Lateral placement – Urban	Accepted
	D.2.3.4	Height – Rural	Accepted
	D.2.3.5	Height – Urban	Accepted
	D.3	<i>Sign location – Overhead signs</i>	Accepted
	D.4	<i>Multiple signs on a single mounting</i>	Accepted
	D.5	<i>Sign orientation</i>	Accepted

Contents

Part 15: Direction signs, information signs and route numbering.....1

About this document.....i

How to use this document.....i

Definitionsii

Relationship table.....i

1 Scope and general.....7

1.3 Definitions 7

 1.3.3 *Shall*.....7

 1.3.4 *Should*.....7

 1.3.6 *May*.....7

1.4 Responsibility and authority for installation 7

1.6 Sign design guidelines 7

 1.6.8 *Letter types*.....7

2 Direction signs at and near intersections7

2.5 Reassurance direction signs..... 7

 2.5.2 *Legend*.....7

3 Expressway direction signs8

3.8 Signs on the approach to and along tolled expressways 8

 3.8.1 *General*.....8

 3.8.2 *TOLL panel*.....8

 3.8.3 *Toll indicated by alternative sign colours*8

3.9 Other expressway direction signs 8

 3.9.2 *Combined direction signs with overhead lane control devices*8

Appendix B Guidelines for the layout of legend elements on directions signs8

B.3 Spacing of legend elements 8

1 Scope and general

1.3 Definitions

1.3.3 Shall

Addition

A *mandatory* condition. Where certain requirements in the design or application of the device are described with the 'shall' stipulation, it is mandatory that, when an installation is made, these requirements be met.

1.3.4 Should

Addition

Indicates a recommendation. Where the word 'should' is used, it is considered to be recommended usage, but not mandatory. Any recommendation that is not applied must be based on sound traffic engineering judgement and documented.

1.3.6 May

New

A permissive condition. Where the word 'may' is used, it indicates that the usage of a device is conditional, or optional. Usually, no specific requirements for the design or application is intended.

1.4 Responsibility and authority for installation

Difference

Replace with Section 1.4 of the *Queensland Manual of Uniform Traffic Control Devices Part 2*.

1.6 Sign design guidelines

1.6.8 Letter types

Difference

Replace Item (e) with the following:

- (e) Cautionary legends, excluding TOLLS, associated with directions shall be black upper case letter on a yellow panel. Where a TOLL panel is required, refer to Transport and Main Roads' *Traffic and Road Use Management manual Volume 3 Part 10 Signing and Pavement Marking for Toll Roads*.

2 Direction signs at and near intersections

2.5 Reassurance direction signs

2.5.2 Legend

Difference

Where a TOLL panel is required, refer to Transport and Main Roads' *Traffic and Road Use Management manual Volume 3 Part 10 Signing and Pavement Marking for Toll Roads*.

3 Expressway direction signs

3.8 Signs on the approach to and along tolled expressways

3.8.1 General

Difference

Where a TOLL panel is required, refer to Transport and Main Roads' *Traffic and Road Use Management manual Volume 3 Part 10 Signing and Pavement Marking for Toll Roads*.

3.8.2 TOLL panel

Difference

Where a TOLL panel is required, refer to Transport and Main Roads' *Traffic and Road Use Management manual Volume 3 Part 10 Signing and Pavement Marking for Toll Roads*.

3.8.3 Toll indicated by alternative sign colours

Difference

Where a TOLL panel is required, refer to Transport and Main Roads' *Traffic and Road Use Management manual Volume 3 Part 10 Signing and Pavement Marking for Toll Roads*.

3.9 Other expressway direction signs

3.9.2 Combined direction signs with overhead lane control devices

Difference

Replace Item (b) with the following:

- (b) The overhead lane control over a lane shall be limited to the speed limit (lane open without other restriction), a flashing or static X, or an exit-only arrow.

Appendix B Guidelines for the layout of legend elements on directions signs

B.3 Spacing of legend elements

Addition

Add the following to items (d) and (e):

- Where a TOLL panel is required, refer to Transport and Main Roads' *Traffic and Road Use Management manual Volume 3 Part 10 Signing and Pavement Marking for Toll Roads*.

