

Item

ITEM DETAILS

Item ID:	252529 - PDO	Item Type:	Email
Date Created:	26/09/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	03/09/2019	Sub Project ID:	PEND-1438
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - CN-7935 On-site Traffic Management FRND 120		
Function Term:	INFRASTRUCTURE MANAGEMENT	Activity Term:	ROAD AND TRANSPORT PROJECT (SIGNIFICANT)
Container Title:	216/10P/200 PEND/1438 Intersection Upgrade Bruce Highway Ash Street 216/10P/201 Intersection Upgrade Pine Street Bruce Highway	Container ID:	450/00102 [4]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Lemaki M Curulala	Corporate Author:	
Author Title / Position:	Project Manager	Complaint Classification:	
Business Unit:	Preservation / Delivery		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	03/09/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

CN-7935 | On-site Traffic Management

Subject CN-7935 | On-site Traffic Management

From Lemaki.M.Curulala@tmr.qld.gov.au

To Part Refuse to Release Personal Information @koppers.com.au

Cc FRND120@tmr.qld.gov.au, Chaminda.B.Wickramasinghe@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au

Bcc

Sent 26/09/2018 2:16:31 PM

Attach
ed



MUTCDPt3Supp.pdf



image002.jpg

image006.jpg

H Part Refuse Sch.4 Part 4 s.6 Personal information

I received some advice from Lakmal, who drove through the works site yesterday, his observations below;

- Northbound traffic flow come too close to queuing traffic as there are no cones (blister island) to guide traffic back into northbound lane. Cone blister island needed.
- No "Keep Left" sign and bollards/cones at either end where vehicles stop.
- Please confirm the required clearances from water barrier and lane width is being maintained for works below:

See attached Part 3 Works on Roads (MUTCD), page 147 for a typical layout of lane closure on two way road.

Regards,

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M Part Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	225522 - PDO	Item Type:	Email
Date Created:	24/08/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	24/08/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information request for copies of Vibration survey report/photos Blackwood Street, Goondi Bend		

Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	24/08/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Request for copies of Vibration survey report/photos Blackwood Street, Goondi Bend

Subject: Request for copies of Vibration survey report/photos Blackwood Street, Goondi Bend

From: Maria.P.Mezes@tmr.qld.gov.au

To: Part Refuse Sch.4 Part 4 s.6 Personal information @live.com.au

Cc:

Bcc: Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information @ecosynth.com.au, FRND120@tmr.qld.gov.au

Sent: 24/08/2018 9:28:51 AM

Attached:

Dear: Part Refuse Sch.4 Part 4 s.6 Personal information

Thank you for your enquiry of 23 August 2019 about the availability of condition survey report/photos.

The condition surveys are detailed and I understand they can be intrusive, however their purpose is ultimately for the protection of property owners following road works construction in their local area.

The condition surveys have been completed by a professional company contracted on behalf of Transport and Main Roads (TMR) for our recording purposes. These surveys remain the property of TMR and will be retained as a reference.

The final surveys will be undertaken when the project has been completed. If a property owner has concerns about damages they should contact TMR directly to discuss how they can make a claim.

The property owner, may still pursue their request for the photos by contacting Right to Information through the following methods:

Email: contactrti@tmr.qld.gov.au

Mail: GPO Box 1549, Brisbane QLD 4001

Phone: 3066 7108

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	225523 - PDO	Item Type:	Email
Date Created:	13/08/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	24/08/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Ash, Blackwood and Pine Streets - List of properties where vibration surveys were not undertaken		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	24/08/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Streets - Remaining vibration surveys

Subject Ash, Blackwood and Pine Streets - Remaining vibration surveys

From Maria.P.Mezes@tmr.qld.gov.au

To Part Refuse Sch.4 Part 4 s.6 Personal information geosynthetic.com.au

Cc Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, carol.a.fitzgerald@tmr.qld.gov.au

Bcc

Sent 20/08/2018 9:46:31 AM

Attached

Hi Part Refuse Sch.4 Part 4 s.6 Personal information

I will record all this information in our Communications database and save it to the TMR records system.

Part Refuse Sch.4 Part 4 s.6 Personal information

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

ITEM DETAILS

ADDRESSEE

ACTIONS & OWNERSHIP

SECURITY & ACCESS

ADDITIONAL INFORMATION

DOCUMENT CONTENTS

[illegible]

innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, communications@mqm.org.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, admin@innisfailchamber.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
innisfailtaxi@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @raywhite.com, admin@goondiss.eq.edu.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @police.qld.gov.au, FRND120@tmr.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @live.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @optusnet.com.au, sales@networkinnisfail.com.au,
admin@goondishades.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @coralcoastveterinaryservices.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @outlook.com, @znet.net.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @gmail.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @outlook.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, /o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=c02503e26a36449298667069835123d6-CAID_TMC,
prasenjit.z.bhattacharyya@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au,
Richard.P.Sheedy@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, airroadsspecialised@airroad.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @dodo.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.net.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @hotmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com.au,
innisfail@transnorthbus.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @infox.com, laboyledrilling@wn.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.net.au, @outbackspit.net.au, pattelsheavyhaul@bigpond.com, @bigpond.com,
quicksmartoffice@bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @cairns.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @westfries.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @smor.com.au, transportjnd@yahoo.com.au, ttsqld@bigpond.com,
QASLASN.CAHEMO@ambulance.qld.gov.au,
QASLASN.CAHManagerworkforceplanning@ambulance.qld.gov.au, QFESFNREA@qfes.qld.gov.au,
QFESR&Firecom@qfes.qld.gov.au, Correspondence.FND@police.qld.gov.au,
SESFNR.SO@qfes.qld.gov.au

Sent 25/10/2018 3:33:49 PM

Attac
hed

Dear resident and business owner

The Department of Transport and Main Roads (TMR) would like to provide you with an update about the construction progress of the Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway.

The Bruce Highway (Palmerston Drive) between Pine Street and Ash Streets is currently open to two-way traffic. On **Saturday 27 October 2018** single lane closures will be required on the southbound lane (right side) of Palmerston Drive from Coral Coast Veterinary Services at 12 Palmerston Drive to Blackwood Street. The single lane closures will remain in place until **Friday 9 November 2018**, weather permitting. -

The works will be carried out between **7am and 5pm** Monday to Friday and will be under the coordination of traffic controllers who will also provide businesses with assistance to enter and exit during working hours. Outside these hours single lane closures will remain in place under the direction of traffic signals.

Nearby residents may experience noise and minor vibrations associated with the works, such as the sound of trucks and heavy machinery during working hours.

Variable Message Signs will be in place on the approaches to the work site to ensure motorists are aware of the changed traffic conditions.

TMR will provide a further update prior to the next stage of works. We thank business, residents and motorists for their patience whilst these important safety works are undertaken.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	233206 - PDO	Item Type:	Email
Date Created:	08/11/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	08/11/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	08/11/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail

Subject Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail
From Maria.P.Mezes@tmr.qld.gov.au
To Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com
Cc
Bcc
Sent 8/11/2018 2:05:22 PM
Attached



20181105 Part Refuse Sch.4 Part 4 s.6 Personal information enquiry.pdf

Dear Part Refuse Sch.4 Part 4 s.6 Personal information

Thank you for your fax of 1 November 2018 about road works at Ash, Blackwood and Pine Street intersections with the Bruce Highway.

I acknowledge your concerns about the length of time taken to carry out these works. Business and residents were advised during initial consultation and follow-up project notices that this project was expected to take a least 6 months to complete, weather permitting.

The project is complex and includes a number of elements such as extensive earthmoving, major drainage replacement and electrical works to facilitate the traffic signals. This is as well as completely removing the old road and rebuilding to modern standards, while managing traffic on this busy section of the Bruce Highway.

The contractor is following a detailed design and strict schedule to complete works in the shortest possible time frames. A number of essential stages of the project, that are not apparent to the general public, are being completed in conjunction with the visible road works.

In addition, TMR are working with local cane harvesting contractors to provide access via Ash Street to fields behind the roadworks during the busy cane cutting season. TMR understands that night works would be preferable for some nearby businesses, however, this is a populated residential area and the noise at night would be intolerable for many residents. The higher cost of night works would also have implications for the project budget possibly delaying the construction.

In Queensland the hours permitted for road works are from 6.00am to 6.00pm Monday to Saturday; excluding public holidays and Sundays. Saturday works are often suspended to reduce the impact on local traffic on this traditionally busy day. Additional time restrictions apply in various locations to ensure minimal impact on the state-controlled road network. The contractor must work within these restrictions.

The maximum weekly hours set out as part of the National Employment Standards apply to all employees covered by the national workplace relations system, regardless of any award, agreement or contract. TMR applies these standards for its employees and contractors. As such, the contractor is not permitted to work excessive hours or more than allowable days.

The construction is being carried out in stages; days and hours of work, within allowable time frames, may vary according the particular stage of work.

Regular updates advising the stage, days and times the works are being carried out, are being provided to residents and business via email.

TMR understands the impacts on local business and asks for cooperation and patience while these important works are being carried out.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Released under RTI - DTMR

RECEIVED CAIRNS

05 NOV 2018

Queensland Government
Department of Transport & Main Roads

FILE No: 105/100066(2)
 PROJECT No: 216/10P/201
 P/E No: P232910
 INITIALS: L.F.

TRANSMISSION

TO: DEPT. MAIN ROADS.

ATTENTION:

RE: GOONDI BEND UPGRADE.

Date 1-11-2018.

Total no. of pages including this page

Part Refuse Sch.4 Part 4 s.6 Personal information

OF A LONG TIME. RESIDENT (PALMERSTON DR. INNISFAIR)

ONE CANNOT BELIEVE THE TIME IT HAS TAKEN SO FAR TO DO THE ABOVE PROJECT.

THIS IS THE MAIN HIGHWAY NOT A BACK ROAD. THEY HAVE HAD A GOOD RUN (WEATHER) BUT THE RAIN IS NOT FAR AWAY. (WHAT HAPPENS THEN) WHY DIDN'T T.M.R. MAKE THE CONTRACTORS WORK 7 DAYS PW AND LONGER HRS.

IF THE PROJECT WAS DOWN SOUTH THEY WOULD BE WORKING AT NIGHT ALSO.

I UNDERSTAND THAT THERE HAS TO BE DISRUPTIONS DURING CONSTRUCTION. "WE ACCEPT THIS."

BUT THE OLD SAYING "IT ONLY HAPPENS IN INNISFAIR"

Item

ITEM DETAILS

Item ID:	233402 - PDO	Item Type:	Email
Date Created:	07/11/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	12/11/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - 9 November update - Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
-------	--	----------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	12/11/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:			

DOCUMENT CONTENTS

9 November update - Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway

Subject 9 November update - Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway

From Maria.P.Mezes@tmr.qld.gov.au

To

Cc

Bcc ncris2@eq.edu.au, innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information
admin@tmcontract.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information @hotmail.co.uk, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information @pcy.org.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information @vpplne.com.au, admin@pizzo.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information @transnorthbus.com.au, principal@goondiss.eq.edu.au,
Part Refuse Sch.4 Part 4 s.6 Personal information @netmail.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com,
communications@fnqhf.org.au,

residents and motorists for their patience whilst these important safety works are undertaken.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	233607 - PDO	Item Type:	Email
Date Created:	14/11/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	15/11/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	14 November update - Ash, Blackwood and Pine intersections with the Bruce Highway, Innisfail.		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	15/11/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		

DOCUMENT CONTENTS

14 November update - Ash, Blackwood and Pine intersections with the Bruce Highway, Innisfail.

Subje 14 November update - Ash, Blackwood and Pine intersections with the Bruce Highway, Innisfail.

ct

From Maria.P.Mezes@tmr.qld.gov.au

To

Cc

Bcc: Ceo@ccrc.qld.gov.au, ncris2@eq.edu.au, innisfailshow@gmail.com, @bigpond.com,
admin@tmcontract.com, @hotmail.co.uk, @hotmail.com,
@bigpond.com, @bigpond.com, @bigpond.com,
@bigpond.com, @bigpond.com,
@bigpond.com, @bigpond.com,
@bigpond.com, admin@pizzocom.au,
@bigpond.com, @transnorbusiness.com.au, principal@goondiss.eq.edu.au,
mundoocarrying@hotmail.com, ins@canegrowers.com.au, @hanston.com.au,
innisfailshow@gmail.com, @bigpond.com, communications@fnqhf.org.au,
@gmail.com, @gmail.com, @gmail.com,
@bigpond.com, admin@innisfailchamber.com.au, @bigpond.com

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	233842 - PDO	Item Type:	Email
Date Created:	20/11/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	20/11/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	- File note: Part Refuse Sch.4 Part 4 s.6 Personal information e Innisfail intersections		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	20/11/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

File note: Part Refuse Sch.4 Part 4 s.6 Personal information Ash, Blackwood and Pine Streets

Subject File note Part Refuse Sch.4 Part 4 s.6 Personal information Ash, Blackwood and Pine Streets
From Maria.P.Mezes@tmr.qld.gov.au
To Maria.P.Mezes@tmr.qld.gov.au
Cc
Bcc
Sent 20/11/2018 10:47:08 AM
Attached

I called Part Refuse Sch.4 Part 4 s.6 Personal information and explained that a complete safety audit has been carried out on the Bruce Highway in the last couple of years. TMR uses the information gathered to plan for future safety upgrades. At the moment an intersection upgrade of Acacia Street / Bruce Highway will be prioritised against other intersections/ safety works on the highway according to a criteria that for example includes things like accidents, speed, traffic volumes. Once an intersection is prioritised then any upgrades are subject to funding.

I also advised that TMR have put the culvert near the Blackwood Street intersection so that if CCRC do wish to put in a footpath the infrastructure is in place to do this. I explained that council are responsible for building/maintaining footpaths.

I advised that I have added him to the stakeholder list for Ash, Blackwood, Pine Street works as well.

Part Refuse Sch.4 Part 4 s.6 Personal information

appreciated the call and the information provided.

No further action required.

From: Richard G Evans

Sent: Friday, 16 November 2018 9:47 AM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Subject: RE: A question about Acacia Street and Bruce Highway intersection, Innisfail.

No current plans for any works at this intersection Maria

Not relevant

Not relevant

Kind regards,

Richard Evans

Principal Engineer (Far North) / North Queensland Region

Program Delivery and Operations Branch | Infrastructure Management and Delivery Division /
Department of Transport and Main Roads

Floor 5 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457309 | F: (07) 40457250

M: Part Refuse Sch.4 Part 4 s.6 Personal information

E: richard.g.evans@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: Maria P Mezes

Sent: Friday, 16 November 2018 9:40 AM

To: Richard G Evans <Richard.G.Evans@tmr.qld.gov.au>

Cc: Darryl Y Jones <Darryl.Y.Jones@tmr.qld.gov.au>

Subject: A question about Acacia Street and Bruce Highway intersection, Innisfail.

Hi Richard

I have been asked the questions below. Do you know if there are future plans to upgrade Acacia Street, Innisfail?

With the information Pras has provided I am going to say something like: TMR has included a pedestrian bridge as part of the Ash, Blackwood and Pine Street works. The construction of a footpath beyond the bridge is the responsible of Cassowary Coast Regional Council.

INCOMING

I'm hoping you may have some intel on the next intersection to the north or this current site (T-type) at Acacia street?

Are there any plans in the pipeline to upgrade it also? It's also a dangerous area when it comes to turning right into Acacia street heading northward, as there is no turning lane and many

heavy vehicles find it hazardous to negotiate around a turning vehicle held up by oncoming traffic (south bound)?

I noticed there has been a culvert extension added to the south bound side of the road works (which you provided plans for) heading toward the sports fields. Is there going to be some sort of pedestrian access added to the area also?

Thank you & Kind regards

Part Refuse Sch.4 Part 4 s.6 Personal information

From: Prasenjit Bhattacharyya

Sent: Wednesday, 14 November 2018 4:10 PM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Cc: FRND120 <FRND120@tmr.qld.gov.au>

Subject: RE: A couple of questions about Ash, Blackwood and Pine Street intersections upgrades with the Bruce Highway, Innisfail.

Hi Maria

No we are not constructing a footpath.

Yes we have constructed the culvert as per council's request, Council are aware of what the limitation of the project are.

Council be need to construct a foot path if they need to provide access.

Regards

Pras Bhattacharyya

Principal Engineer (Far North) | North Queensland Region

Program Delivery & Operations Branch | Infrastructure Management and Delivery Division |
Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

(07) 40457288 | M: Part Refuse Sch.4 Part 4 s.6 Personal information

pzbhatt@tmr.qld.gov.au

www.tmr.qld.gov.au

From: Maria P Mezes

Sent: Wednesday, 14 November 2018 3:36 PM

To: Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>

Subject: A couple of questions about Ash, Blackwood and Pine Street intersections upgrades with the Bruce Highway, Innisfail.

Hi Pras

I have been asked a couple of questions see below though I think I know the answers –
Council is building a pedestrian path on the sport field side to connect to the Blackwood Street signals?

And I have to go to planning to ask about any possible upgrade to Acacia Street?

Maria

From: Part Refuse Sch.4 Part 4 s.6 Personal information <[\[REDACTED\]@hotmail.com](mailto:[REDACTED]@hotmail.com)>

Sent: Tuesday, 13 November 2018 7:31 PM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Subject: RE: WE70182 Ash, Blackwood and Pine Street intersections upgrades with the Bruce Highway, Innisfail.

Hello Maria,

Awesome in your reply. Exactly what I spent time looking for.

Thank you kindly,

I'm hoping you may have some intel on the next intersection to the north or this current site (T-type) at Acacia street?

Are there any plans in the pipeline to upgrade it also? It's also a dangerous area when it comes to turning right into Acacia street heading northward, as there is no turning lane and many heavy vehicles find it hazardous to negotiate around a turning vehicle held up by oncoming traffic (south bound)?

I noticed there has been a culvert extension added to the south bound side of the road works (which you provided plans for) heading toward the sports fields. Is there going to be some sort of pedestrian access added to the area also?

Thank you & Kind regards

Part Refuse Sch.4 Part 4 s.6 Personal information

Sent from [Mail](#) for Windows 10

From: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Sent: Tuesday, November 13, 2018 1:00:01 PM

To: Part Refuse Sch.4 Part 4 s.6 Personal information <[\[REDACTED\]@hotmail.com](mailto:[REDACTED]@hotmail.com)>

Subject: WE70182 Ash, Blackwood and Pine Street intersections upgrades with the Bruce Highway, Innisfail.

Our reference: WE70182 EN201811100840218902

Dear Part Refuse Sch.4 Part 4 s.6 Personal information

Thank you for your website enquiry of 10 November about the upgrade of the intersections of Ash, Blackwood and Pine Streets with the Bruce Highway in Innisfail.

The project started in mid-August is expected to take approximately six months to complete, weather permitting.

Please find following an outline of the scope of works and attached diagrams for your information:

- The Ash Street works include replacement of the existing drainage infrastructure and installation of a left turn lane to improve safety at this intersection.
- The Ash Street entry to Blackwood Street will be permanently closed, however, motorists will be able to use the signalised Blackwood Street intersection to enter and exit the Bruce Highway.
- Blackwood Street will be signalised at the Bruce Highway intersection. This

requires five properties fronting the Bruce Highway (Palmerston Drive) to have their accesses restricted to left in and left out. TMR has been in contact with these residents and businesses regarding the necessary restriction

- The Pine Street intersection with the Bruce Highway will be widened to include right turn facilities to bring it up to current safety standards.

For the safety of workers and road users, changed traffic conditions will be in place while the works are carried out. The works will be carried out between **7am and 5pm** Monday to Friday and will be under the coordination of traffic controllers. Outside these hours single lane closures will remain in place under the direction of traffic signals.

If you would like your email address added to the project update list please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

WARNING: This email (including any attachments) may contain legally privileged, confidential or private information and may be protected by copyright. You may only use it if you are the person(s) it was intended to be sent to and if you use it in an authorised way. No one is allowed to use, review, alter, transmit, disclose, distribute, print or copy this email without appropriate authority.

If this email was not intended for you and was sent to you by mistake, please telephone or email me immediately, destroy any hardcopies of this email and delete it and any copies of it from your computer system. Any right which the sender may have under copyright law, and any legal privilege and confidentiality attached to this email is not waived or destroyed by that mistake.

It is your responsibility to ensure that this email does not contain and is not affected by computer viruses, defects or interference by third parties or replication problems (including incompatibility with your computer system).

Opinions contained in this email do not necessarily reflect the opinions of the Department of Transport and Main Roads, or endorsed organisations utilising the same infrastructure.

Released under RTI - DTMR

Item

ITEM DETAILS

Item ID:	234644 - PDO	Item Type:	Email
Date Created:	30/11/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	04/12/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information of Coral Coast Vet re 10 and 12 Palmerston Drive, Innisfail		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Part Refuse Sch.4 Part 4 s.6 Personal information	Corporate Author:	
Author Title / Position:		Complaint Classification:	
Business Unit:			
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	04/12/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

RE: 10 and 12 Palmerston Drive, Innisfail

Subject: RE: 10 and 12 Palmerston Drive, Innisfail

From: Part Refuse Sch.4 Part 4 s.6 Personal information @koppens.com.au

To: Lemaki.M.Curulala@tmr.qld.gov.au

Cc: FRND120@tmr.qld.gov.au, KD19BruceHighwayCN7935@koppens.com.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, Maria.P.Mezes@tmr.qld.gov.au, stephen.z.piltz@tmr.qld.gov.au

Bcc:

Sent: 30/11/2018 11:43:09 AM

Attached:



image003.jpg



image004.png



image002.png



12 Palmerston.pdf



10 Palmerston.pdf

Hello Lemaki
Response below in red

Regards,

Part Refuse Sch.4 Part 4 s.6 Personal information

Project Manager | Koppens Developments Pty Ltd

Mob: Part Refuse Sch.4 Part 4 s.6 Personal information | Ph: (07) 4052 2600 | Fax: (07) 4052 2650 | Email:

gbrittain@koppens.com.au

Address: Suite 4 / 10 Grafton Street, Cairns QLD 4870 | Website: www.koppens.com.au

Koppens Developments Pty Ltd is a Local Buy Pre-Qualified Supplier of BUS 242-1013 ? Civil and Road Resurfacing.

This email, together with any attachments, is intended for the named recipients only. This email may contain information which is confidential. If you are not the recipient of this email please notify the sender as soon as possible and delete the message and any copies of this message from your computer and system network. Accordingly, any form of disclosure, modification, distribution and or publication of this email message is prohibited unless expressly authorised by the sender acting with the authority of or on behalf of Koppens Developments Pty Ltd / Koppens Construction.

From: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>

Sent: Thursday, November 29, 2018 3:41 PM

To: Part Refuse Sch.4 Part 4 s.6 Personal information @koppens.com.au>

Cc: FRND120 <FRND120@tmr.qld.gov.au>; KD19BruceHighwayCN7935@koppens.com.au;

Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>; Maria P Mezes

<Maria.P.Mezes@tmr.qld.gov.au>; Stephen Piltz <Stephen.Z.Piltz@tmr.qld.gov.au>

Subject: FW: 10 and 12 Palmerston Drive, Innisfail

Hi Part Refuse Sch.4 Part 4 s.6 Personal information

Please see email below, can you confirm whether items 1 & 3 are from your works or Council?
Item 2, I understand will be resolved once the asphalt is down and taped to existing driveway.

Regards,

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M: Part Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: Maria P Mezes
Sent: Thursday, 29 November 2018 10:05 AM
To: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>
Subject: 10 and 12 Palmerston Drive, Innisfail

Hi Lemaki

Part Refused to be Released Personal Information
from Coral Coast Vet a

alled earlier and is worried about the

following:

1. 12 Palmerston Dr - work crews fixed the pot holes in this location but she is concerned that more are forming

There have been no more potholes formed. The ones that did occur were fixed as mentioned above.

2. 12 Palmerston Dr ? has a raised lip at the entry and is concerned it will that remain in the long term

Asphalt is due to go down next Tuesday 4th Dec (see photos)

3. 10 Palmerston Dr ? has a broken culvert and is property is hard to get into, apparently she spoke to council who said this was a TMR issue.

The culvert was always broken (see before photo) this is a council issue.

The council also laid a pipeline down the length of our works (while we were working. I gave them permission under our site rules) they used that property as a stockpile/ laydown area and had a backhoe and trucks crossing across verge. We did not do any work there as can be seen with the grass verge and design plans. (see Photos)

I told her that the project is not complete so this isn't the final product, that I would follow up and let her know.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

WARNING: This email (including any attachments) may contain legally privileged, confidential or private information and may be protected by copyright. You may only use it if you are the person(s) it was intended to be sent to and if you use it in an authorised way. No one is allowed to use, review, alter, transmit, disclose, distribute, print or copy this email without appropriate authority.

If this email was not intended for you and was sent to you by mistake, please telephone or email me immediately, destroy any hardcopies of this email and delete it and any copies of it from your computer system. Any right which the sender may have under copyright law, and any legal privilege and confidentiality attached to this email is not waived or destroyed by that mistake.

It is your responsibility to ensure that this email does not contain and is not affected by computer viruses, defects or interference by third parties or replication problems (including incompatibility with your computer system).

Opinions contained in this email do not necessarily reflect the opinions of the Department of Transport and Main Roads, or endorsed organisations utilising the same infrastructure.

12 Palmerston

Driveway Edge



10 Palmerston

Before



After



Council trucks were crossing here as can be seen here with tread marks

Wheel marks



Line of council water main excavation



Rusty reinforcing shows old break



Item

ITEM DETAILS

Item ID:	235037 - PDO	Item Type:	Email
Date Created:	07/12/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	11/12/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Advice fo [Part Refuse Sch.4 Part 4 s.6 Personal information] about Ash, Blackwood and Pine Street upgrades with the Bruce Highway, Innisfail.		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	11/12/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street upgrades with the Bruce Highway, Innisfail.

Subject Ash, Blackwood and Pine Street upgrades with the Bruce Highway, Innisfail.
From Maria.P.Mezes@tmr.qld.gov.au
To [Part Refuse Sch.4 Part 4 s.6 Personal information]@yahoo.com.au
Cc
Bcc
Sent 7/12/2018 3:19:51 PM
Attached



Ash and Blackwood Street diagram.pdf



Pine Street diagram.pdf

Dear [Part Refuse Sch.4 Part 4 s.6 Personal information]

As promised please find information about the upgrade of the intersections of Ash, Blackwood and Pine Streets with the Bruce Highway in Innisfail.

The project started in mid-August is expected to take approximately six months to complete, weather permitting.

Please find following an outline of the scope of works and attached diagrams for your information:

- The Ash Street works include replacement of the existing drainage infrastructure and installation of a left turn lane to improve safety at this intersection.
- The Ash Street entry to Blackwood Street will be permanently closed, however, motorists will be able to use the signalised Blackwood Street intersection to enter and exit the Bruce Highway.
- Blackwood Street will be signalised at the Bruce Highway intersection. This requires five properties fronting the Bruce Highway (Palmerston Drive) to have their accesses restricted to left in and left out. TMR has been in contact with these residents and businesses regarding the necessary restriction
- The Pine Street intersection with the Bruce Highway will be widened to include right turn facilities to bring it up to current safety standards.

For the safety of workers and road users, changed traffic conditions will be in place while the works are carried out. The works will be carried out between **7am and 5pm** Monday to Friday and will be under the coordination of traffic controllers. Outside these hours single lane closures will remain in place under the direction of traffic signals.

I have added your email address to the project update list.

I trust this information is of assistance

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads


Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038


E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au



GENERAL ARRANGEMENT
ASH, BLACKWOOD AND PINE STREET INTERSECTIONS

Drawn	ENGINEERING CERTIFICATION (RPEQ)				
C. Johnson	ENG. AREA	NAME	SIGNATURE	NO.	DATE
Designed					
C. Johnson					

**Queensland
Government**

Job No.	216/10P/200
Contract No.	FRND-120
Drawing No.	SK-08 1A
Series Number	SK-08 of 1
MRR_Detail (02/14)	



RTI - 853 - Page 37 of 118

GENERAL ARRANGEMENT
ASH, BLACKWOOD AND PINE STREET INTERSECTIONS



Drawn	ENGINEERING CERTIFICATION (RPEQ)					Job No.	216/10P/200
C. Johnson	ENG. AREA	NAME	SIGNATURE	NO.	DATE	Contract No.	FRND-120
Designed						Drawing No.	SK-08 A
C. Johnson						Series Number	SK-08 of 1
							MRR_Detail (02/14)

Item

ITEM DETAILS

Item ID:	235429 - PDO	Item Type:	Email
Date Created:	17/12/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	17/12/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Dec 17: Ash, Blackwood and Pine Street intersections update		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	17/12/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:			

DOCUMENT CONTENTS

Dec 17: Ash, Blackwood and Pine Street intersections update

Subject Dec 17: Ash, Blackwood and Pine Street intersections update

From Maria.P.Mezes@tmr.qld.gov.au

To

Cc

Bcc Ceo@ccrc.qld.gov.au, ncris2@eq.edu.au, innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information
admin@tmcontract.com, Part Refuse Sch.4 Part 4 s.6 Personal information, hotmail.co.uk, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @pcvc.org.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @vpjline.com.au, admin@pizzo.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.net.au, Part Refuse Sch.4 Part 4 s.6 Personal information, transnorthbus.com.au, principal@goondiss.eq.edu.au,
mundocarrying@hotmail.com, ins@canegrowers.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @hanson.com.au,
innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, communications@fnqhf.org.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, admin@innisfailchamber.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,

Part Refuse Sch.4 Part 4 s.6 Personal information
innisfailtaxi@gmail.com, admin@innisfailtaxi.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
admin@goondiss.eq.edu.au, @raywhite.com, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @police.qld.gov.au, FRND120@tmr.qld.gov.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @optusnet.com.au,
sales@networkinnisfail.com.au, admin@goondishades.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @coralcoastveterinaryservices.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @outlook.com, @znet.net.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information
/o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=c02503e26a36449298667069835123d6-CAID_TMC,
prasenjit.z.bhattacharyya@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au,
Richard.P.Sheedy@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @parliament.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @airroadspecialised@airroad.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @toll.com.au, brisbane@blenners.com.au, burtrans@bigpond.net.au,
cnsdeliveries@bigpond.com, ckc.haulage@bigpond.com, dptrans@bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
innisfail@transnorthbus.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @infox.com, laboyedrilling@wn.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, minatransport@bigpond.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.net.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @outbackspirit.net.au, pattelsheavyhaul@bigpond.com,
quicksmartoffice@bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @cairns.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @toll.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @transport.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @simon.com.au, transportjnd@yahoo.com.au, ttsqld@bigpond.com,
QASLASN.CAHEMO@ambulance.qld.gov.au,
QASLASN.CAHManagerworkforceplanning@ambulance.qld.gov.au, QFESFNREA@qfes.qld.gov.au,
QFESR&Firecom@qfes.qld.gov.au, Correspondence.FND@police.qld.gov.au,
SESFNR.SO@qfes.qld.gov.au

Sent 17/12/2018 11:56:45 AM

**Attac
hed**

Dear residents and business owners

The Department of Transport and Main Roads (TMR) would like to provide you with an update about the construction progress of the Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway.

TMR has compulsory closures during the Christmas season, all work sites close during this time. The Koppens construction crews will cease work this Friday afternoon 21 December 2018 and resume on Monday 7 January 2019. A member of the construction crew will remain on-call during this time to resolve any concerns that may arise during the closure.

The Bruce Highway will remain open to two lanes during this time. The speed limit will return to the normal posted speed. For the safety of all road users please be aware that this area remains a work site and motorists are reminded to slow down and drive to the conditions.

TMR will provide a further update in early January 2019. We wish all business, residents and motorists a Merry Christmas and a prosperous New Year.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	235550 - PDO	Item Type:	Email
Date Created:	18/12/2018	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	18/12/2018	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information GOONDI SHADES & BLINDS- Ash, Blackwood and Pine Street intersections update		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	18/12/2018

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

File note: GOONDI SHADES & BLINDS- Ash, Blackwood and Pine Street intersections update

Subject File note: GOONDI SHADES & BLINDS- Ash, Blackwood and Pine Street intersections update
From Maria.P.Mezes@tmr.qld.gov.au
To Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, FRND120@tmr.qld.gov.au
Cc
Bcc
Sent 18/12/2018 12:37:22 PM
Attache
d

I called Part Refuse Sch.4 Part 4 s.6 Personal information and advised that the new centre median has been designed according to a state-wide standard as the priority of the upgrade of these intersections is safety. The sizing of this cannot be changed.

I noted that the original site they had used to unload their steel was constructed in the TMR road corridor. There will not be room for this to happen now that the changes have taken place. Their usual access will remain and provide left in/left out access to the business as originally discussed. The installation of traffic signals will change the way traffic behaves and provide breaks in traffic to allow safe access to their customers. [redacted] accepted the information provided and advised that they understand they will need to go to the steel wholesaler to pick up their supplies in future. No further action required.
Maria

From: [redacted] admin@goondishades.com.au>
Sent: Tuesday, 18 December 2018 9:56 AM
To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>
Subject: GOONDI SHADES & BLINDS- Ash, Blackwood and Pine Street intersections update

Hi Maria

When we were initially consulted about the upgrade we said our only stipulation was that we would still have our turnout area on the side of the road for people coming in and for our delivery trucks to pull up. We are watching the centre island being concreted at the moment and have noticed that we are not going to have our turn out area. This could have been achieved if the centre island in front was a lot narrower. It is basically a whole car lane wasted in the middle.

Regards

[redacted] Personal information
GOONDI SHADES & BLINDS

On 17/12/2018 11:56 AM, Maria P Mezes wrote:
Dear residents and business owners

The Department of Transport and Main Roads (TMR) would like to provide you with an update about the construction progress of the Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway.

TMR has compulsory closures during the Christmas season, all work sites close during this time. The Koppens construction crews will cease work this Friday afternoon 21 December 2018 and resume on Monday 7 January 2019. A member of the construction crew will remain on-call during this time to resolve any concerns that may arise during the closure.

The Bruce Highway will remain open to two lanes during this time. The speed limit will return to the normal posted speed. For the safety of all road users please be aware that this area remains a work site and motorists are reminded to slow down and drive to the conditions.

TMR will provide a further update in early January 2019. We wish all business, residents and motorists a Merry Christmas and a prosperous New Year.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by

telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

WARNING: This email (including any attachments) may contain legally privileged, confidential or private information and may be protected by copyright. You may only use it if you are the person(s) it was intended to be sent to and if you use it in an authorised way. No one is allowed to use, review, alter, transmit, disclose, distribute, print or copy this email without appropriate authority.

If this email was not intended for you and was sent to you by mistake, please telephone or email me immediately, destroy any hardcopies of this email and delete it and any copies of it from your computer system. Any right which the sender may have under copyright law, and any legal privilege and confidentiality attached to this email is not waived or destroyed by that mistake.

It is your responsibility to ensure that this email does not contain and is not affected by computer viruses, defects or interference by third parties or replication problems (including incompatibility with your computer system).

Opinions contained in this email do not necessarily reflect the opinions of the Department of Transport and Main Roads, or endorsed organisations utilising the same infrastructure.

Item

ITEM DETAILS

Item ID:	236993 - PDO	Item Type:	Email
Date Created:	11/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	14/01/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information - Access at 10 Palmerston Drive		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	14/01/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Access at 10 Palmerston Drive

Subject Access at 10 Palmerston Drive
From Maria.P.Mezes@tmr.qld.gov.au
To Part Refuse Sch.4 Part 4 s.6 Personal information @coralcoastveterinaryservices.com.au
Cc
Bcc
Sent 11/01/2019 1:41:25 PM
Attached



F5083 Application for Road Access Location - Road Access Works - Driveway (Not associated with a DA) - Oct 2016

Dea Part Refuse Sch.4 Part 4 s.6 Personal information

I am writing to you about your property access at 10 Palmerston Drive (Bruce Highway) following the upgrade of the Ash, Blackwood and Pine Street intersections with the Bruce Highway, Innisfail.

I acknowledge the inconvenience caused to local businesses and appreciate your patience while these important safety works are carried out.

Where possible, Transport and Main Roads (TMR) is committed to ensuring existing access arrangements are maintained because of roadworks. Properties within the project limits which had an existing access and permanent structure on them had their access reinstated as the works progressed.

I am pleased to advise that access to your property at 10 Palmerston Drive (Lot 11 on RP707398) will be reinstated by providing compacted gravel road base to join smoothly to the existing access.

TMR is not responsible for modifications to the access to meet current standards.

As an owner of private land with a road access located in the state-controlled road corridor you are responsible for the provision and ongoing maintenance of this access. Should you wish to undertake repairs or modifications at this access location you are required to make application using form F5083 (attached), noting the following;

- TMR does not construct or undertake maintenance on road access works (including driveways).
- The owners of the access are responsible for all costs associated with construction and maintenance of the road access works (including driveways).
- A permitted road access location and road access works approval is required to establish, repair or modify access between an individual property and a state-controlled road under s33 of the *Transport Infrastructure Act 1994*

If you require further information, I encourage you to contact Mr Peter McNamara, Principal Engineer (Civil) Far North District by email at cairns.office@qld.gov.au or by telephone on 4045 7210.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au



Road Access Location/Road Access Works (driveway) on a State-controlled road

Application

(for applications not associated with conditions of development approval)

A **permitted road access location** and **road works** approval is required to establish, repair or modify access between an individual property and a State-controlled road under s33 of the *Transport Infrastructure Act 1994* (the Act).

- **Road access location** (s53 of the Act) means a location on a property boundary between land and a road for the entry and exit of traffic.
- **Permitted road access location** means the location or locations at which access between the land and the road is permitted under a decision in force under s62(1) of the Act.
- **Road access works** are defined by the Act as:
 - (a) a physical means of entry or exit for traffic between the land and a road.
 - (b) **road works** providing entry or exit for traffic between works mentioned in paragraph (a) and the part of the road formed or prepared for use by general traffic.
- **Road works** as defined by the Act include works done for establishing or constructing roads or things associated with roads.

Note:

- The Department of Transport and Main Roads does not construct or undertake maintenance on **road access works** (including driveways).
- The owner of the land is responsible for all costs associated with construction and maintenance of the **road access works** (including driveways).
- The Department of Transport and Main Roads is not responsible for relocating any services (electricity, telecommunication, drainage pits and so on).
- The Department of Transport and Main Roads may refuse to grant an approval or revoke an approval where the applicant has not provided true or correct information in their application.

1. Applicant's details

(where the applicant is not the owner, a letter of consent from the registered lot owner **must** be attached)

Name/company

Address

Postcode

Telephone number

Mobile number

Email address

What is your interest in the land? (the applicant must have an interest in the land)

Owner ☐

Leaseholder ☐

Holder of easement rights ☐

Other ☐

2. Other owners/occupiers of the subject land

Please attach details (name, postal address, email address and their interest in the land) of **all** other owners and occupiers or users of the subject land (including neighbouring properties under an easement arrangement).

3. Proposed road access location

Please provide details of the land where the access is proposed.

Address

Postcode

Real property description (lot on plan)

4. Details of the use of the proposed road access location

Is the application for a new **road access location** or to change existing arrangements?

New ☐

Replace/modify existing ☐

Is the **road access location** for:

Private residential purpose ☐

Commercial purpose ☐

Agriculture ☐

Industrial ☐

Community use ☐

Other ☐

RTI - 853 - Page 46 of 118

What is the posted speed (speed limit) of the State-controlled road at the location you are seeking access to? km/h

Does the boundary of the property of the proposed **road access works** have kerb and channelling along its frontage?

Yes ☐ No ☐

Is there an alternative means of access to the property (for example, approved easement on a neighbouring lot or access to a side road)?

Yes ☐ No ☐

What type of vehicle and how many vehicles per day are expected to use the **road access works**?

Light vehicles /day Semi trailers /day Double road trains /day
 Single unit trucks (including buses) /day B-Double trucks /day Triple road trains /day
 Other: /day

Attach a scaled drawing or site plan for a distance of approximately 100m each side of where you propose the **road access location** to be. The site plan is to show the location of the proposed **road access location**, property boundaries, intersection and **road access works** on neighbouring properties on both sides of the road, the layout for existing and proposed **road access works** and any associated **road works**.

Attach any other relevant details about the proposed **road access location**.

5. Declaration

I/We the applicant(s):

- request approval of the proposed **road access location** under s62 of the Act
- warrant that the information provided in/or attached to this application is true and accurate to the best of my/our knowledge.

For individual applicants

Signature

Date

 / /

For corporate applicants

executed in accordance with s127 of the *Corporations Act 2001* (Cth)

Company name

Australian Company Number (ACN)

Name and position

Signature

Date

 / /

Name and position

Signature

Date

 / /

Note:

Where the applicant is a company, the applicant must:

- insert the company name and the ACN
- sign the application in accordance with s127 of the *Corporations Act 2001* (Cth) – that is either:
 - two directors
 - one director and the company secretary
 - if the company has a sole director and sole secretary, that person.

Where the applicant is not an individual or a company, such as an incorporated association, please modify the execution block to suit.

Privacy statement - The Department of Transport and Main Roads is collecting the information on this form for the purposes of assessing a **road access location** in accordance with the Act. Your personal details will not be disclosed to any other third party without your consent unless required by law.

Information for applicants:

- An applicant for a **permitted road access location** must be a person with an interest in the subject land.
- A **permitted road access location** approval can be issued where an applicant completes and signs this application form and satisfies the Department of Transport and Main Roads that:
 1. The proposed **road access location** will be located at an appropriate place, having regard to the safety and efficiency of the State-controlled road network.
 2. Any adverse impacts associated with the proposed **road access location** can be adequately mitigated.

The approval process takes time

The applicant should ensure sufficient time is allowed for the Department of Transport and Main Roads to assess the application.

The Department of Transport and Main Roads will use its best endeavours to respond within 10 business days by either:

- i. an acknowledgement of your application
- ii. a request for further information
- iii. a notice of decision of your application.

The type of initial response the applicant will receive will depend on the complexity of the application and the information provided.

An approval may be conditional

The Department of Transport and Main Roads will advise you in writing of the decision. Where successful, the applicant will receive a 'Letter of Conditional Approval'. **This does not authorise works to commence.** The 'Letter of Conditional Approval' contains the **permitted road access location** and conditions which must be met before the **road access works** (including driveways) can be constructed.

Once the Department of Transport and Main Roads is satisfied the conditions have been complied with, the applicant will receive an 'Authority to Commence Works'.

Conditions that may be imposed

Before the Department of Transport and Main Roads will approve an application for works to be undertaken, it will generally require:

- that the construction work is to proceed without unreasonable interruption to traffic. This may include the requirement for a Construction Workplace Plan, including a Traffic Management Plan. Any traffic control will need to be undertaken by a company which is registered under the Traffic Management Registration Scheme. Refer to www.tmr.qld.gov.au/business-industry/Accreditations/Traffic-Management-Registration-Scheme.aspx.
- details of your contractor. You must be able to demonstrate your nominated contractor has sufficient expertise to carry out the proposed work.
- that the nominated contractor indemnify the Department of Transport and Main Roads from any liability connected with the works.
- that the nominated contractor has an appropriate level of public liability insurance cover. The nominated contractor may also be required to provide a copy of the policy and/or certificates of insurance.
- that the applicant be responsible for rectifying any negative impacts on the road corridor caused by or connected with carrying out the works, such as environmental damage and/or matters affecting public safety.
- that the applicant is responsible for identifying and complying with all other laws and requirements which may relate to carrying out works or activities.
- that the applicant pay a bond to the Department of Transport and Main Roads.

It is the applicant's responsibility to ensure that all conditions of approval given by the Department of Transport and Main Roads are complied with before any works commence.

Applicants should contact the Department of Transport and Main Roads if they require any assistance with understanding what they are required to do before they undertake approved works.

Assistance with or lodgement of application

To lodge your application or if you require any assistance with finalising your application, contact the Corridor Management team in your local Department of Transport and Main Roads office. To find out which is your local office, call 13 23 80 or go to www.tmr.qld.gov.au/About-us/Contact-us/In-person/Roads-offices.aspx.

Office	Email	Phone
Barcaldine	barcaldine.office@tmr.qld.gov.au	4651 2777
Rockhampton	corridormanagement@tmr.qld.gov.au	4931 1559
Roma	southwest.office@tmr.qld.gov.au	4622 9511
Toowoomba	downsswr.office@tmr.qld.gov.au	4639 0777
Cairns	cairns.office@tmr.qld.gov.au	4045 7144
Mackay	mackay.whitsunday.idas@tmr.qld.gov.au	4951 8555
Brisbane	metropolitan.idas@tmr.qld.gov.au	3066 6762
Maroochydore	northcoast@tmr.qld.gov.au	5451 7055
Cloncurry	cloncurry.corridor@tmr.qld.gov.au	4769 3200
Townsville	north.queensland.idas@tmr.qld.gov.au	4421 8700
Gold Coast	scrcmallocations@tmr.qld.gov.au	5563 6600
Bundaberg	WBB.idas@tmr.qld.gov.au	4154 0200

Item

ITEM DETAILS

Item ID:	236994 - PDO	Item Type:	Email
Date Created:	11/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	14/01/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	January 11 update: Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway, Innisfail		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	14/01/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

January 11 update: Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway, Innisfail

Subject: January 11 update: Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway, Innisfail

From: Maria.P.Mezes@tmr.qld.gov.au

To:

Cc:

Bcc: ncris2@eq.edu.au, innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, admin@tmcontract.com, Part Refuse Sch.4 Part 4 s.6 Personal information @hotmail.co.uk, Part Refuse Sch.4 Part 4 s.6 Personal information @hotmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information @pcyc.org.au, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information @pizzozzo.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information @transnorthbus.com.au, principal@goondiss.eq.edu.au, mundoocarrying@hotmail.com, ins@canegrowers.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information @hanson.com.au, innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, communications@fnqhf.org.au,

Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	236997 - PDO	Item Type:	Email
Date Created:	14/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	14/01/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	20 December 2018- Notes from site meeting Ash, Blackwood and Pine Street intersections.		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	14/01/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

20 December 2018- Notes from site meeting Ash, Blackwood and Pine Street intersections.

Subject 20 December 2018- Notes from site meeting Ash, Blackwood and Pine Street intersections.
From Maria.P.Mezes@tmr.qld.gov.au
To Maria.P.Mezes@tmr.qld.gov.au
Cc
Bcc
Sent 14/01/2019 1:44:14 PM
Attached

Notes from site meeting and visit 20 December 2018 – Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.

(GB) Lemaki Gurulala (LM) and Maria Mezes (MM), Steve Piltz (SP)

Part Refuse Sch.4 Part 4 s.6 Personal information
Ash Street

- We noted the kerb and guttering and access ramps on the Ash Street section of the project are old and ugly however, they appear safe and fit for purpose. GB advised that as part of the final works the asphalt will be cut in a straight line parallel to the kerb to improve visual appeal. Repair and upgrade of these are the responsibility of Cassowary Coast Regional Council (CCRC). They have inspected the site and are satisfied that these are currently operating efficiently and as such they will not be upgraded at this time.
- As we inspected the site GB explained how the drainage system worked. We noted the new culverts on the TMR project and the CCRC connection point near the sports field. The CCRC drain is a smaller diameter than the TMR drainage system however, there is large overflow channel in the sport field. In addition the entire area is a low lying flood plain that will always be susceptible to flooding irrelevant of the drainage systems of CCRC or TMR.

Part Refuse Sch.4 Part 4 s.6 Personal information

– Coral Coast Veterinary 10 and 12 Palmerston Drive.

- We inspected the access and culvert at 10 Palmerston Drive. We provided, Part Refuse Sch.4 Part 4 s.6 Personal information an employee of Coral Coast, before/after pictures of the culvert that also displayed clearly the CCRC works area. We highlighted that the culvert is old and the rusty metal reinforcing mesh displays that breaks were not recent. Concerns about this should be raised with CCRC.
- MM and LC explained that the lip on the edge of the road remains as this empty block was not registered as an official access on the plans, as such it was not treated as an access. We highlighted the smooth connection to the new road on the access at 12 Palmerston and other driveways along Palmerston Drive. LC advised that even if TMR were to attempt to smooth the road edge in this location it would soon crumble over the gravel edge as there was no real access to start with. MM advised that if the owner plans to develop this block it is her responsibly to apply for a permit and upgrade the access.
- MM and LC acknowledged the concerns about the use of this block as a toilet and advised that this behaviour has been raised with the relevant contractor and the seriousness of this unaccepted behaviour has been strongly reinforced.
- Part Refuse Sch.4 Part 4 s.6 Personal information is concerned about trucks speeding around the bend and not being able to stop at the new signals. She believes that a flashing warning light ahead of the traffic signals would be an ideal way to warn trucks that they need to slow down.

Goondi Shade Sales – 8 Palmerston Drive

- LC and MM visited Part Refuse Sch.4 Part 4 s.6 Personal information the owner. We reiterated the previous advice that centre median has been designed according to a state-wide standard as the priority of the upgrade of these intersections is safety. The sizing of this cannot be changed. Part Refuse Sch.4 Part 4 s.6 Personal information mentioned that he will now have to go to the depot to collect his steel but understands that the new road will improve safety and he support progress. MM thanked him for his patience during the works.

Actions:

LC - Follow up with David Hamilton about the possible installation of a flashing warning light at station #29 as this is located next to a power pole.

MM - forward to Richard Sheedy/Darryl Jones for inclusion on future TAC meeting agenda concerns about trucks speeding through these signals particularly at night.

MM - Write to Part Refuse Sch.4 Part 4 s.6 Personal information e drainage and kerb and guttering and Part Refuse Sch.4 Part 4 s.6 Personal information to reiterate the points noted.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870
P: (07) 4045 7038
E: maria.p.mezes@tmr.qld.gov.au
W: www.tmr.qld.gov.au

Released under RTI - DTMR

Item

ITEM DETAILS

Item ID:	237148 - PDO	Item Type:	Email
Date Created:	15/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	15/01/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive, Innisfail - Property Damage Claim		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	15/01/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Part Refuse Sch.4 Part 4 s.6 Personal information
Subject: Palmerston Drive, Innisfail - Property Damage Claim

Part Refuse Sch.4 Part 4 s.6 Personal information
Subject: Palmerston Drive, Innisfail - Property Damage Claim

From: Maria.P.Mezes@tmr.qld.gov.au

To: Part Refuse Sch.4 Part 4 s.6 Personal information @yahoo.com.au

Cc:

Bcc: Richard.P.Sheedy@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au, FRND120@tmr.qld.gov.au, Erica.L.Ram@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns

Sent: 15/01/2019 10:30:44 AM

Attached:



Letter Part Refuse Sch.4 Part 4 s.6 Personal information

Dear Part Refuse Sch.4 Part 4 s.6 Personal information

Please find attached letter in reference to your property damage claim at Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive, Innisfail.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

15 January 2019

I refer to your claim for damages to your property allegedly caused by road works undertaken by the Department of Transport and Main Roads (TMR) to upgrade the intersections of Ash, Blackwood and Pines Streets with the Bruce Highway, Innisfail.

I can confirm that all appropriate measures are in place to ensure the level of vibration on these road works falls well within the allowable standards.

The pier was examined following the Property Damage Inspection Report of 18 December 2018. The examination determined that the pier is suffering the long-term effects of concrete cancer and associated deterioration.

In the circumstances we have been unable to identify any evidence that this alleged property damage is a direct result of any negligent act by TMR or its agents.

As there is no legal basis to your claim, unfortunately TMR cannot compensate you for your alleged property damage.

Yours sincerely

Part Refuse Sch.4 Part 4 s.6 Personal information

Richard Sheedy
Manager (Delivery and Operations)

Item

ITEM DETAILS

Item ID:	237150 - PDO	Item Type:	Email
Date Created:	15/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	15/01/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information Drainage at Goondi Bend		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	15/01/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Drainage at Goondi Bend

Subject Drainage at Goondi Bend

From Maria.P.Mezes@tmr.qld.gov.au

To Part Refuse Sch.4 Part 4 s.6 Personal information
@bigpond.com

Cc Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, FRND120@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns

Bcc

Sent 15/01/2019 11:00:53 AM

Attached

Dear [REDACTED]

Thank you for your phone call of 18 December 2018 about drainage at Goondi Bend, Innisfail.

I acknowledge the inconvenience caused to local residents and appreciate your patience while these important safety works are carried out.

Following your phone call Transport and Main Roads (TMR) engineers inspected the access ramps and kerb and guttering, including at your access, on the Ash Street section of the project. The engineers determined that although this infrastructure has been in place for several years it remains fit for purpose. As part of the project finalisation the uneven bitumen overlapping the kerbing will be neatly trimmed to improve visual appeal.

The Ash Street works included an extensive upgrade of the drainage system using a design that took into consideration the location is in a low-lying area. The engineers are satisfied this system is working efficiently. However, the options for improving drainage especially during significant rain events are limited in the Goondi Bend area due to the lie of the land and the natural water flow.

It is not always easy to know which government area is responsible for which services. State and Local Governments are not related. Their activities, governance and financial responsibilities are completely separate. State and local governments work independently, their projects are not related. The state government provides advice about projects to local government the same as it would to any other stakeholder when works might impact their property.

Cassowary Coast Regional Council is the local council responsible for local roads and footpaths, parks and playing fields and local environmental issues such as drainage. As such, you may wish to contact council directly about your drainage concerns.

I trust this information is of assistance.

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	238390 - PDO	Item Type:	Email
Date Created:	06/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	06/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	06/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.

Subject: February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.

From: Maria.P.Mezes@tmr.qld.gov.au

To:

Cc:

Bcc: ncris2@eq.edu.au, innisfailshow@gmail.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@bigpond.com, admin@tmcontract.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@hotmail.co.uk, [Part Refuse Sch.4 Part 4 s.6 Personal information]@hotmail.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@bigpond.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@bigpond.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@bigpond.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@pcyc.org.au, [Part Refuse Sch.4 Part 4 s.6 Personal information]@vpginc.com.au, admin@pizzo.com.au, [Part Refuse Sch.4 Part 4 s.6 Personal information]@bigpond.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@transnorthbus.com.au, principal@goondiss.eq.edu.au, mundoocarrying@hotmail.com, ins@canegrowers.com.au, [Part Refuse Sch.4 Part 4 s.6 Personal information]@hanson.com.au, innisfailshow@gmail.com, [Part Refuse Sch.4 Part 4 s.6 Personal information]@bigpond.com, communications@fnqhf.org.au,

innisfailshow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, communications@mqm.org.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, admin@innisfailchamber.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,
Part Refuse Sch.4 Part 4 s.6 Personal information, @cptl.com.au, innisfailtaxi@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @raywhite.com,
admin@goondiss.eq.edu.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @police.qld.gov.au, FRND120@tmr.qld.gov.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @live.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @optusnet.com.au,
sales@networkinnisfail.com.au, admin@goondishades.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @coralcoastveterinaryservices.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information, @outlook.com, Part Refuse Sch.4 Part 4 s.6 Personal information, @znet.net.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com,
/o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=c02503e26a36449298667069835123d6-CAID_TMC,
prasenjit.z.bhattacharyya@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au,
Richard.P.Sheedy@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns,
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information, @bigpond.com, @hotmail.com, @yahoo.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information, @gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information, ccrq.qld.gov.au, @parliament.qld.gov.au,
Ceo@ccrc.qld.gov.au, Ross.V.Hodgman@tmr.qld.gov.au, barnaby.j.littlewood@tmr.qld.gov.au

Sent 6/02/2019 9:55:44 AM

Attac
hed

Dear resident and business owner

The Department of Transport and Main Roads (TMR) would like to provide you with an update about the construction progress of the Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway.

As you would be aware the Far North District has received record breaking rainfall in the last few weeks. The construction crew will return to the site as soon as the weather permits to complete the last stage of the works. The Bruce Highway (Palmerston Drive) will remain open to two lanes during this time.

The last stage of works will take about two weeks to complete, weather permitting. These works include pavement reconstruction and asphalt sealing on short sections near the intersection of Pine Street and the Bruce Highway.

These works will be carried out between **7am and 5pm** Monday to Friday and will require single lane closures under the coordination of traffic controllers or traffic signals outside these hours.

The electrical works for the traffic signals and street lights have been completed. These will become operational on final approval from Ergon.

Line marking will be carried out about two weeks after all the sealing works have finished. This is to allow time for the bitumen to cure to ensure that the quality of paint is not compromised by residues in the bitumen. If the line marking is done too soon it gives the white line a yellow stain which would make it less effective and less safe.

The project is scheduled for the completion by the end of April 2019, weather permitting.

We acknowledge the impact of these works on business, residents and motorists and appreciate their patience whilst these important safety works were undertaken.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	238391 - PDO	Item Type:	Email
Date Created:	31/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	06/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information about Shared access at Palmerston Drive, Goondi Bend		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	06/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Shared access a Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive, Goondi Bend

Subject: Shared access a Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive, Goondi Bend

From: Maria.P.Mezes@tmr.qld.gov.au

To: Part Refuse Sch.4 Part 4 s.6 Personal information @gmail.com

Cc:

Bcc: FRND120@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns

Sent: 6/02/2019 9:50:58 AM

Attached:

Dear [Part Refuse Sch.4 Part 4 s.6 Personal information]

Thank you for your enquiries 3 and 11 January 2019 about the shared access at [Part Refuse Sch.4 Part 4 s.6 Personal information] and [Part Refuse Sch.4 Part 4 s.6 Personal information] Palmerston Drive, Goondi Bend.

The Ash, Blackwood and Pine Street intersection upgrade is nearing completion. The widening and raising of the highway in this location will improve safety for all motorists, including heavy vehicles, freight carriers, commuters, local traffic and tourists. The concrete islands have been installed as part of the signalisation of the Blackwood Street intersection. They are part of a standard design to guide traffic safely through the intersection. As such they cannot be altered.

Following your enquiry Transport and Main Roads engineers inspected the above access. They determined that there is sufficient space in the property at [Part Refuse Sch.4 Part 4 s.6 Personal information] Palmerston for a vehicle, including an ambulance, to do a three point turn within the property boundary to access the Bruce Highway (Palmerston Drive) facing traffic.

I acknowledge that the changes to highway in this location will require that both you and your neighbour use the shared access to place your rubbish bins. TMR will investigate this matter and provide further information as it becomes available.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: [Part Refuse Sch.4 Part 4 s.6 Personal information] <[Part Refuse Sch.4 Part 4 s.6 Personal information]@gmail.com>

Sent: Friday, 11 January 2019 11:38 AM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Subject: Re: January 11 update: Ash, Blackwood and Pine Street intersection upgrade with the Bruce Highway, Innisfail

Hello Maria,

An event occurred on New Years eve at around 10:30 regarding an ambulance at [Part Refuse Sch.4 Part 4 s.6 Personal information] that required my rubbish bins to be moved (nowhere else to put our bins except for driveway, now) before the ambulance could get in next door, also the ambulance required nearly a 3 point turn to reverse out. I was watching from my door.

On completion of the roadworks, will I be able to put my rubbish bins away from the driveway and will an ambulance have an easier access to our residences?

Regards

Released under RTI - DTMR

Item

ITEM DETAILS

Item ID:	238399 - PDO	Item Type:	Email
Date Created:	06/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	06/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information - Access Palmerston Drive, Goondi Bend		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	06/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Access Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive, Goondi Bend

Subject: Access Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive, Goondi Bend

From: Maria.P.Mezes@tmr.qld.gov.au

To: Part Refuse Sch.4 Part 4 s.6 Personal information com.au

Cc:

Bcc: /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns, Lemaki.M.Curulala@tmr.qld.gov.au, FRND120@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au

Sent: 6/02/2019 11:33:23 AM

Attached:



Part Refuse Sch.4 Part 4 s.6 Personal information
Palmerston Dr_Before.JPG



Part Refuse Sch.4 Part 4 s.6 Personal information
Palmerston Dr_After.jpg

Dear Mr [Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

Thank you for your email of 18 January 2019 about the access to [Redacted] Palmerston Drive, Innisfail. Part Refuse Sch.4 Part 4 s.6 Personal information

I acknowledge your tenants concerns. The new road is wider and higher than the old road which may have changed the appearance of the access as the edge of the seal is closer to the property boundary. Please find the attached photos for your information.

Following your request Transport and Main Roads (TMR) inspectors investigated the site and confirmed that the access has not changed and the water flow has not increased. As such, the works undertaken under the contract have not reduced the width of the driveway.

TMR will continue to monitor this access until the project is completed and carry out any remedial works if required. If your tenants notice significant changes please contact me.

Kind regards

Maria Mezes

Communications Support Officer | Far North District
Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

-----Original Message-----

From: [Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information <[Redacted]@tmr.qld.gov.au>

Sent: Friday, 18 January 2019 10:00 AM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Subject: FW: [Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information Palmerston Drive Driveway

Hi Maria,

As per below email from our property manager, can repairs be done on this driveway asap please.

Kind regards

[Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

The tenant from the above address came in yesterday and reported a problem with his driveway. On the road side of the property, the driveway is being eroded every time it rains, where the driveway goes over the drainage pipe, it is being washed away, repairs were made to the driveway by the contractors doing the road upgrade. The tenant has had [Redacted] and [Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

is worried that if a ambulance is needed it will be hard for the ambulance to enter the property as the driveway is becoming narrow. Please advise your instructions. Thank you

Kind Regards

Part Refuse Sch.4 Part 4 s.6 Personal information

Westcott Real Estate

Item

ITEM DETAILS

Item ID:	238464 - PDO	Item Type:	Email
Date Created:	06/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	06/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - RE: February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Part Refuse Sch.4 Part 4 s.6 Personal information	Corporate Author:	
Author Title / Position:		Complaint Classification:	
Business Unit:			
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	06/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

RE: February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.

Subject RE: February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.

From Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com

To Maria.P.Mezes@tmr.qld.gov.au

Cc

Bcc

Sent 6/02/2019 11:30:40 AM

Attached

Dear Ms Maria Mezes,

Dear Mrs Maria Mezes,

Thank you for the regular updates. Although I live practically on site and see the progress, your reports are much appreciated.

One very positive factor for us been the drainage works. With all the rain this year, we have never once been threatened. For us, living in a ground level house, that has been a huge bonus.

I look forward to your email that says **The Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway are now completed!**

With appreciation and kind regards,

Part Refuse Sch.4 Part 4 s.6 Personal information

From: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Sent: Wednesday, 6 February 2019 9:56 AM

Subject: February 2019 Update - Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail.

Dear resident and business owner

The Department of Transport and Main Roads (TMR) would like to provide you with an update about the construction progress of the Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway.

As you would be aware the Far North District has received record breaking rainfall in the last few weeks. The construction crew will return to the site as soon as the weather permits to complete the last stage of the works. The Bruce Highway (Palmerston Drive) will remain open to two lanes during this time.

The last stage of works will take about two weeks to complete, weather permitting. These works include pavement reconstruction and asphalt sealing on short sections near the intersection of Pine Street and the Bruce Highway.

These works will be carried out between **7am and 5pm** Monday to Friday and will require single lane closures under the coordination of traffic controllers or traffic signals outside these hours.

The electrical works for the traffic signals and street lights have been completed. These will become operational on final approval from Ergon.

Line marking will be carried out about two weeks after all the sealing works have finished. This is to allow time for the bitumen to cure to ensure that the quality of paint is not compromised by residues in the bitumen. If the line marking is done too soon it gives the white line a yellow stain which would make it less effective and less safe.

The project is scheduled for the completion by the end of April 2019, weather permitting.

We acknowledge the impact of these works on business, residents and motorists and appreciate their patience whilst these important safety works were undertaken.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

WARNING: This email (including any attachments) may contain legally privileged, confidential or private information and may be protected by copyright. You may only use it if you are the person(s) it was intended to be sent to and if you use it in an authorised way. No one is allowed to use, review, alter, transmit, disclose, distribute, print or copy this email without appropriate authority.

If this email was not intended for you and was sent to you by mistake, please telephone or email me immediately, destroy any hardcopies of this email and delete it and any copies of it from your computer system. Any right which the sender may have under copyright law, and any legal privilege and confidentiality attached to this email is not waived or destroyed by that mistake.

It is your responsibility to ensure that this email does not contain and is not affected by computer viruses, defects or interference by third parties or replication problems (including incompatibility with your computer system).

Opinions contained in this email do not necessarily reflect the opinions of the Department of Transport and Main Roads, or endorsed organisations utilising the same infrastructure.

Item

ITEM DETAILS

Item ID:	239190 - PDO	Item Type:	Email
Date Created:	25/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	28/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Ash, Blackwood and Pine Street intersection upgrades - Part Refuse Sch.4 Part 4 s.6 Personal information access		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	28/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street intersection upgrades - Part Refuse Sch.4 Part 4 s.6 Personal information access

Subject: Ash, Blackwood and Pine Street intersection upgrades - Part Refuse Sch.4 Part 4 s.6 Personal information access

From: Maria.P.Mezes@tmr.qld.gov.au

To: Part Refuse Sch.4 Part 4 s.6 Personal information access @bigpond.com

Cc:

Bcc: /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns, Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, FRND120@tmr.qld.gov.au

Sent: 27/02/2019 8:36:30 AM

Attached:



20190213_Access

Part Refuse Sch.4 Part 4 s.6 Personal information

ore.pdf

Dear Part Refuse Sch.4 Part 4 s.6 Personal information

I am writing in response to your fax of 13 February 2019 which was forwarded to the Department of Transport and Main Roads (TMR) from Cassowary Coast Regional Council. I apologise for the delay in response as TMR did not receive a copy of your fax.

The upgrade of Ash, Blackwood and Pine Streets was designed to bring these intersections up to the most current standards to improve safety and efficiency for motorists on this busy section of the Bruce Highway.

The safety of local residents and businesses and their customers is an important part of the upgrade. This will require some changes to the way customers will access Part Refuse Sch.4 Part 4 s.6 Personal information once the project is complete. This will be restricted to left-in and left-out as part of the provision of the dedicated turn lanes at the Pine Street intersection.

The project is now in the final stages. Following the pavement reconstruction and asphalt sealing on short sections near the intersection of Pine Street and the Bruce Highway line marking will complete the project in late April, weather permitting.

The funding of this project was for the safety improvement at Ash, Blackwood and Pine Street intersections. The project extents do not cover the section of the highway adjacent to SPAR.

If you have any queries, please call Ms Maria Mezes, Communications Support Officer on 4045 7038 during business hours (Monday to Friday; 8.30am to 5.00pm) as our modern electronic systems have limited ability to process faxes.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Rec'd 18/2/19

Part Refuse Sch.4 Part 4 s.6 Personal information

TO: CCRC.

ATTENTION:

Part Refuse Sch.4 Part 4 s.6 Personal information

RE: ROAD UPGRADE GOONDI BEND

TRANSMISSION

Date 13-2-2019

Total no. of pages including this page

Part Refuse Sch.4 Part 4 s.6 Personal information

Once the road works are completed and turning lanes installed PINE ST. INTERSECTION. As I understand there will be ONE WAY IN. ONE WAY OUT. ACCESS TO

Part Refuse Sch.4 Part 4 s.6 Personal information

ONLY.

WE WILL HAVE TO ACCEPT THIS.

There is a rumour that SPAR might open again. ??
PREVIOUS Vehicles turning into SPAR and parking on footpath have caused numerous REAR ENDED ACCIDENTS.
This section of road should be constructed so only access to SPAR IS ONE WAY IN ONE WAY OUT AND VIA LEICHARDT ST. to the rear.
I have voiced my concern to T.M.R. but as usual NO RESPONSE.

Part Refuse Sch.4 Part 4 s.6 Personal information

Part Refuse Sch.4 Part 4 s.6 Personal information

Item

ITEM DETAILS

Item ID:	239191 - PDO	Item Type:	Email
Date Created:	25/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	28/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information Ash, Blackwood and Pine Street intersection upgrade - Change to access Part Refuse Sch.4 Part 4 s.6 Personal information		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	28/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street intersection upgrade - Change to Newman's Store access

Subject: Ash, Blackwood and Pine Street intersection upgrade - Change to Newman's Store access
From: Maria.P.Mezes@tmr.qld.gov.au
To: Part Refuse Sch.4 Part 4 s.6 Personal information
bigpond.com
Cc:
Bcc: /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns, prasenjit.z.bhattacharyya@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au, FRND120@tmr.qld.gov.au
Sent: 27/02/2019 8:37:30 AM
Attach:

hed

Dear Part Refuse Sch.4 Part 4 s.6 Personal information

The Department of Transport and Main Roads is nearing completion of the Ash, Blackwood and Pine Street intersection upgrades. Following the pavement reconstruction and asphalt sealing on short sections near the intersection of Pine Street and the Bruce Highway. Line marking will complete the project in late April, weather permitting.

The upgrade was designed to bring these intersections up to modern standards to improve safety and efficiency for motorists on this busy section of the Bruce Highway.

The safety of local residents and businesses and their customers is an important part of the upgrade. This will require some changes to the way customers will access Newman's Store once the project is complete. This will be restricted to left-in and left-out as part of the provision of the dedicated turn lanes at the Pine Street intersection.

If you have any queries or you would like to meet to discuss these changes please call Ms Maria Mezes, Communications Support Officer on 4045 7038 during business hours (Monday to Friday; 8.30am to 5.00pm) or email cairns.office@tmr.qld.gov.au

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	239192 - PDO	Item Type:	Email
Date Created:	25/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	28/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Pizzaloto - Ash, Blackwood and Pine Street intersection upgrades - Changes to property access		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	28/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street intersection upgrades - Changes to property access

Subject Ash, Blackwood and Pine Street intersection upgrades - Changes to property access

From Maria.P.Mezes@tmr.qld.gov.au

To Part Refuse Sch.4 Part 4 s.6 Personal information

Cc

Bcc /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns, Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, FRND120@tmr.qld.gov.au

Sent 27/02/2019 8:38:48 AM

Attached

Dear Mr Part Refuse Sch.4 Part 4 s.6 Personal information

The Department of Transport and Main Roads is nearing completion of the Ash, Blackwood and Pine Street intersection upgrades. Following the pavement reconstruction and asphalt sealing on short sections near the intersection of Pine Street and the Bruce Highway. Line marking will complete the project in late April, weather permitting.

The upgrade was designed to bring these intersections up to modern standards to improve safety and efficiency for motorists on this busy section of the Bruce Highway.

The safety of local residents and businesses and their customers is an important part of the upgrade. This will require some changes to the way you access your property at Palmerston Drive, once the project is complete. Your access will be restricted to left-in and left-out as part of the provision of the dedicated turn lanes at the Pine Street intersection.

If you have any queries or you would like to meet to discuss these changes please call Ms Maria Mezes, Communications Support Officer on 4045 7038 during business hours (Monday to Friday; 8.30am to 5.00pm) or email cairns.office@tmr.qld.gov.au

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	239194 - PDO	Item Type:	Email
Date Created:	25/02/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	28/02/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information - Ash, Blackwood and Pine Street intersection upgrades - Changes to property access		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	28/02/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street intersection upgrades - Changes to property access

Subject Ash, Blackwood and Pine Street intersection upgrades - Changes to property access

From Maria.P.Mezes@tmr.qld.gov.au

To Part Refuse Sch.4 Part 4 s.6 Personal information cpti.com.au

Cc

Bcc Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, FRND120@tmr.qld.gov.au

Sent 27/02/2019 8:39:35 AM

Attache
d

Dea Part Refuse Sch.4 Part 4 s.6 Personal information

The Department of Transport and Main Roads is nearing completion of the Ash, Blackwood and Pine Street intersection upgrades. Following the pavement reconstruction and asphalt sealing on short sections near the intersection of Pine Street and the Bruce Highway. Line marking will complete the project in late April, weather permitting.

The upgrade was designed to bring these intersections up to modern standards to improve safety and efficiency for motorists on this busy section of the Bruce Highway.

The safety of local residents and businesses and their customers is an important part of the upgrade. This will require some changes to the way you access your property at Palmerston Drive, once the project is complete. Your access will be restricted to left-in and left-out as part of the provision of the dedicated turn lanes at the Pine Street intersection.

If you have any queries or you would like to meet to discuss these changes please call Ms Maria Mezes, Communications Support Officer on 4045 7038 during business hours (Monday to Friday; 8.30am to 5.00pm) or email cairns.office@tmr.qld.gov.au

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	239597 - PDO	Item Type:	Email
Date Created:	07/03/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	11/03/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - Re: Part Refuse Sch.4 Part 4 s.6 Personal information contacted me yesterday I asked her to put her concerns into an email with photos, FW: Goondi Bend Project.....		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Prasenjit Bhattacharyya	Corporate Author:	
Author Title / Position:		Complaint Classification:	
Business Unit:			
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	11/03/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Re: Part Refuse Sch.4 Part 4 s.6 Personal information contacted me yesterday I asked her to put her concerns into an email with photos, FW: Goondi Bend Project.....

Subject: Re: Part Refuse Sch.4 Part 4 s.6 Personal information contacted me yesterday I asked her to put her concerns into an email with photos, FW: Goondi Bend Project.....

From: prasenjit.z.bhattacharyya@tmr.qld.gov.au

To: david.k.yates@tmr.qld.gov.au

Cc: david.j.harding-smith@tmr.qld.gov.au, Maria.P.Mezes@tmr.qld.gov.au, FRND120@tmr.qld.gov.au, stephen.z.piltz@tmr.qld.gov.au

Bcc:

Sent: 7/03/2019 6:31:10 PM

Attached:



Hi David

Thanks for the response.

Whatever action you have taken is appropriate had you been the project inspector. In this case the action needed to be from Stephen Piltz.

Moving forward please address similar issues with the Project Inspectors and advise what your thoughts are so that the situation can be acted on.

I will not be responding on this issue any further.

Piltz : can you address this issue with Part Refuse Sch.4 Part 4 s.6 Personal information and advise me on the outcomes

Regards

Pras

Sent from my iPhone

On 7 Mar 2019, at 4:59 pm, David K Yates <david.k.yates@tmr.qld.gov.au> wrote:

G?day Pras,

As discussed in your office,

Part Refuse Sch.4 Part 4 s.6 Personal information contacted me yesterday via a telephone call with a list of concerns, I advised her that I was not the project inspector at the beginning of the conversation, she advised she had been given the run around by staff at Koppen?s, I reiterated that i was not the project inspector, though said to her I would raise the saftey issue with the relevant inspector for she had concerns of public saftey over the bump in the road in front of her property Part Refuse Sch.4 Part 4 s.6 Personal information Bruce hwy, she also advised she had commence to compose an email with her concerns, which she intended to send to me. Once again I advised that I was not the relevant person though I would forward her email to the relevant people, I did however ask that she attach photos of her concerns to help establish what the concerns and issues potentially were. When I asked her how she new my contact details she advised she had my Departmental business card and that she was Part Refuse Sch.4 Part 4 s.6 Personal information So I then assumed I was just someone she knew off in the Department so she tried to contact me.

After having completed the conversation and having defused the situation to a conversation with expected outcomes, I then rang Stephen Skinner who was the last inspector I was aware was allocated to the site, Stephen advised that Stephen Piltz had

returned. So I rang Stephen Piltz discussed the issue raised, in relation to the ramps, Stephen assured me everything was in order with the preparation of the cut in ramps, I suggested perhaps he could call in and have a discussion what [Part Refuse Sch.4 Part 4 s.6 Personal information] on the Bruce hwy the next day for this was around 4:15pm and Stephen advised he was in Cairns.

Once I received the email from [Part Refuse Sch.4 Part 4 s.6 Personal information] I went down to comms for you were not in your office, when I arrived in the CCT today, Maria Mezes advised she was the comms officer attached to the project and I should forward [Part Refuse Sch.4 Part 4 s.6 Personal information] email to her.

I then forwarded the email to Maria, Stephen and yourself so that the project team could deal with the stakeholders concerns.

Total process of information dissemination to the correct people less then one working day.

Process

Defuse the situation listen and establish the issues,

Ensure the customer understands my roll (ie I am not the project inspector though will pass on the concerns to the appropriate people),

Then advise the appropriate people (ie the project team) of the issues in a timely manner (contacted the project inspector Stephen Piltz immediately after the stakeholders call he advised that the email would need to be sent to the comms team), Pass all the information to the appropriate people, including stakeholders email of concerns as soon as practicable.

I look forward to Your withdrawal

Regards

David K Yates

Sent from my iPad

On 7 Mar 2019, at 3:51 pm, Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au> wrote:

Hi David,

After receiving this email, you came to my office to mention that you have followed the right protocol and withdraw my email.

Please provide what you think is the right protocol in an email after which I will analyse and discuss with the relevant section if I need to withdraw my email.

Regards

Pras Bhattacharyya

Principal Engineer (Far North) | North Queensland Region

Program Delivery & Operations Branch | Infrastructure Management and Delivery Division | Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

(07) 40457288 | M: [Part Refuse Sch.4 Part 4 s.6 Personal information]

pzbhatt@tmr.qld.gov.au

www.tmr.qld.gov.au

From: Prasenjit Bhattacharyya
Sent: Thursday, 7 March 2019 2:55 PM
To: David K Yates <david.k.yates@tmr.qld.gov.au>; Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>
Cc: Stephen Piltz <stephen.z.piltz@tmr.qld.gov.au>; FRND120 <FRND120@tmr.qld.gov.au>
Subject: RE: [Part Refuse Sch.4 Part 4 s.6 Personal information] contacted me yesterday I asked her to put her concerns into an email with photos, FW: Goondi Bend Project.....

Hi David,

Why did [Part Refuse Sch.4 Part 4 s.6 Personal information] contact you?

Do you know her?

Why didn't she contact the Inspector on site? Why are you the messenger for stakeholder feedback?

Before writing an email on behalf of a stakeholder, please contact the relevant Inspector and follow the right Protocol.

Stephen Piltz: Please ensure that all comms are through you and not from another Inspector.

Regards

Pras Bhattacharyya

Principal Engineer (Far North) | North Queensland Region

Program Delivery & Operations Branch | Infrastructure Management and Delivery Division |
Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

(07) 40457288 | M: [Part Refuse Sch.4 Part 4 s.6 Personal information]

pzbhatt@tmr.qld.gov.au

www.tmr.qld.gov.au

From: David K Yates

Sent: Thursday, 7 March 2019 2:45 PM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>; Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>

Cc: Stephen Piltz <stephen.z.piltz@tmr.qld.gov.au>

Subject: [Part Refuse Sch.4 Part 4 s.6 Personal information] contacted me yesterday I asked her to put her concerns into an email with photos, FW: Goondi Bend Project.....

G?day Team,

FYI

Regards,

David K. Yates

Project Inspector | Far North Region / Cairns Office
Program Delivery & Operations Division | Department of Transport and Main Roads Floor 4 |
Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870
PO Box 6185 | Cairns Qld 4870

Mobile: [Part Refuse Sch.4 Part 4 s.6 Personal information]

P: (07) 40 457196

E: david.k.yates@tmr.qld.gov.au

W: www.tmr.qld.gov.au

P | Please consider the environment before printing this email

From: [Part Refuse Sch.4 Part 4 s.6 Personal information] <[\[redacted\]@hotmail.com](mailto:[redacted]@hotmail.com)>

Sent: Thursday, 7 March 2019 10:31 AM

To: David K Yates <david.k.yates@tmr.qld.gov.au>

Subject: Goondi Bend Project.....

[Part Refuse Sch.4 Part 4 s.6 Personal information]
Palmerston Drive
GOONDI BEND QLD 4860

7th March 2019

David.k.yates@tmr.qld.gov.au

Hi David,

My name is [Part Refuse Sch.4 Part 4 s.6 Personal information] and I live at the above address. I have called your office but got your answering ?machine??. Hence my email?

I have a small problem concerning the ?Goondi Bend? Project.

Last Thursday, the contractors ?dug out? the side of the roadway/middle ?island? from North to South (towards town) adjacent with my boundary fence; this was re-bitumen but at a gap to the ?old? roadway. The contractors have put some bitumen down as a ramp to meet up with the gap/uneven roadway until it is resurfaced.

After finishing for the day, bollards and traffic cones were erected to separate the lanes and divert the North to south lane onto the ?shoulder? lane and back onto the original lane.

I knew when the Traffic Controllers stood down from the site as the speed of the traffic increased; as did the ?slamming? noise of the utes and trucks going over the temporarily repaired ?ramp?, grew. I didn?t know what it was at first and thought

someone had had an accident; I went out to my front patio in time to see a fuel truck with a ?doggy? go over the ramp at a speed and nearly roll the ?doggy?. I called the Traffic Control company, A2O at their office in Townsville; to be told that their Cairns office was working on this site. I was given, [Part Refuse Sch.4 Part 4 s.6 Personal information] the managers number to call. I spoke to [Part Refuse Sch.4 Part 4 s.6 Personal information] with my concerns and told him that there were no warning signage on the road for the ?Rough Surface?. I had a sign in front of my fence ?turned off? with a speed ?40? and ?reduce speed? signage? I told [Part Refuse Sch.4 Part 4 s.6 Personal information] could take the speed out of the frame and put the ?reduce speed? sign out ? he told me I could not touch the signage and he would get someone to come out and have a look at the site?. I asked him if he had some ?Rough Surface? signs also?. He told me that he would see what he could do !

The Traffic Controller, [Part Refuse Sch.4 Part 4 s.6 Personal information] came out and put up 4 x double (either side of the road) ?reduce speed? signage between the WMA and the ?ramp?; but no ?Rough Surface? signs as he didn?t have any in Innisfail.

Throughout the night, I was woken many times from the trucks driving at a speed over the ramp? and the apprehension from the noise and waiting for further ?crashing? of the trucks losing control in the still of the night. At about 3.20am on Thursday night/Friday morning, my large painting dropped off the wall; after a truck hit the ramp with a loud ?boom!? like thunder, rocking the house.

The traffic volume dropped a little over the weekend, but the ?drizzle? rain made the ?ramp? invisible to the drivers until they were on it. The trucks continued throughout the nights as they never waiver.

Monday, the contractors worked on the site, but they had worked on the south to north lane and now there were two ramps, one on each side of the roadway. So, Monday night, was a nightmare. I was so sleep deprived on Tuesday and after attempting to have a rest in the afternoon; the traffic continued to rock my house, literally!

Tuesday, I called Koppens and was put onto [Part Refuse Sch.4 Part 4 s.6 Personal information] [Part Refuse Sch.4 Part 4 s.6 Personal information] was quite polite and listened to my ?sleep deprived? comments; then told me that he would get the site manager to call me or come around to my house; [Part Refuse Sch.4 Part 4 s.6 Personal information] wasn?t on site, but [Part Refuse Sch.4 Part 4 s.6 Personal information] was. 30 mins later, I received a call from [Part Refuse Sch.4 Part 4 s.6 Personal information] the site manager. Now, [Part Refuse Sch.4 Part 4 s.6 Personal information] was really not interested in talking to me and I?m sure didn?t listen to what I had said; he cut me off then told me that he was organising to book Boral in for tomorrow ? I told him that the ?ramp? on the south to north side, only had bitumen wide enough for the cars/utes, but the trucks were wider and seemed to ?hit? the outside gap parts. He said he would check the area.

Wednesday, whilst out having coffee on the patio at around 6.30am, I saw the Traffic Controller ?turning on? the ?permanent? signage on the poles (well what I thought was being ?turned on?) ? I was excited that maybe today was the day that the bitumen was being laid; a good night sleep tonight! Traffic banked up for about an hour, but then the road seemed to have been ?opened??. Obviously, today wasn?t the day?

My contacting Main Roads is my final stop to see if something can be done to ease our problem; everyone else seems to pass the buck on?

I am not ranting about the speed that the traffic are doing ! This is something that happens whatever the situation. My concern is about the warnings given to the traffic about the condition of the road ; most locals who drive the road know that the road is cut-up and drive to the conditions, well most of the time! The local trucks that take to the road from Innisfail Industrial Estate are also well aware of the conditions.

This is the Major link North, with lots of trucks and visitors travelling the road ; they seem to be the ones hitting the ramp at a speed . There are the RWA and the Workies at the beginning of the site from the south ; there is no more signage along the roadway on the straight to the north to warn the traffic of the rough surface , not even a reduce speed! Though, the roadway is quite smooth until you reach the corner store on Goondi straight. There are no End of Work signs.

From the north; from the beginning of the site, you have the VMS Board (in a 80 speed zone) 1.2 km from the first WMA (60 speed zone). The VMS is displaying Warning! (A speed) 40 at Goondi Bend. Visitors would not know where Goondi Bend is as the town sign is not very clear (actually needs replacing). Before the WMA/60 sign, a permanent 60 speed sign. Then a Workie sign (speed covered up). There was no further signage along the roadway southbound until I called and requested the rough surface (which I was told that you could not put up as the cutting had been put back in and the job was not to be long term before the bitumen) and reduce speed signs. The reduce speed signs were put up immediately the evening I called the Traffic Control company , hours after work had ceased. On the southbound lane, there are roughly 3 x cuttings in the roadway (including the one adjacent to my boundary); of an evening, you can hear the trucks hit them all, but my concern is the one on my boundary and the lack of signage to warn these vehicles of the conditions; at least these would also suffice the warning for the other worked areas along the straight of the southbound lane; hopefully making the public aware of the rough surface and easing the vibrations from the vehicles hitting the uneven roadway.

So, we are up to day 7 of these conditions; I have noticed that there has been some bitumen put down to widen the northbound lane ramp, all to no avail noise/vibrational wise. Weather has been a problem with drizzling rain periods , though the last two days were fine to dry out any moisture ; we had some big storms last night which will probably put the bitumen- laying event back again!

I am becoming concerned for

Part Refuse Sch.4 Part 4 s.6 Personal information

Part Refuse Sch.4 Part 4 s.6 Personal information

Also, interesting to note the Environmental impact this roadwork has ?. Since the ?works? have begun on the northern side of the site , from the corner shop to north, my Royal Palm trees started to ?throw? the green leafage part of the fronds; like they just snapped off! I became concerned that there was probably an insect problem but there are no signs of anything, I am sure that the vibrational impact has something to do with it. My garden plants have weakened and become susceptible to disease; my hanging pots have all mysteriously died back to next to nothing for their survival. Is very interesting! But shouldn?t surprise me; if the vibration can ?drop? a painting off the wall then anything is possible.

Thankyou David for your time and returning my phone message yesterday ! I am well aware of the processes involved in these works and am sorry that I have to get this far for anyone to actually ?hear? my concerns.

Are there provisions for further signage on the TMP /TGS? Part Refuse Sch.4 Part 4 s.6 Personal information (Koppens) told me that the TGS couldn?t be changed; that is when I knew he was trying to ?shut me? down to any changes; I know adjustments can be made for safety reasons !

If you could please have someone look at this problem, I would most appreciate it !

Kind regards,

Part Refuse Sch.4 Part 4 s.6 Personal information

PH: Part Refuse Sch.4 Part 4 s.6 Personal information

<image002.jpg><image003.jpg><image004.jpg><image005.jpg><image007.jpg>

Sent from [Mail](#) for Windows 10

Item

ITEM DETAILS

Item ID:	239620 - PDO	Item Type:	Email
Date Created:	11/03/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	12/03/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information of Coral Coast Vet re Driveway - 12 Palmerston Drive, Innisfail		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	12/03/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Driveway - 12 Palmerston Drive, Innisfail

Subject Driveway - 12 Palmerston Drive, Innisfail
From Maria.P.Mezes@tmr.qld.gov.au
To Part Refuse Sch.4 Part 4 s.6 Personal information @coralcoastveterinaryservices.com.au
Cc
Bcc Lemaki.M.Curulala@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, FRND120@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns
Sent 12/03/2019 4:09:15 PM
Attached

Dea Part Refuse Sch.4 Part 4 s.6 Personal information

Thank you for you enquiry of 25 February 2019 about the access to your property at 12

Palmerston Drive, Innisfail.

I am pleased to advise that the final asphalt sealing works have commenced. These sealing works will include the additional section of your access as requested. Once the line marking has been completed the traffic signals will start operation. This is expected to be in early April, weather permitting.

These works will be carried out between **7am and 5pm** Monday to Friday and will require single lane closures under the coordination of traffic controllers or traffic signals outside these hours.

We acknowledge the impact of these works on your business and appreciate your patience whilst these important safety works were undertaken.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: maria.p.mezes@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From Part Refuse Sch.4 Part 4 s.6 Personal information Coral Coast Vet Serv <Part Refuse Sch.4 Part 4 s.6 Personal information@coralcoastveterinaryservices.com.au>

Sent: Monday, 25 February 2019 1:59 PM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Subject: Driveway - 12 Palmerston Drive, Innisfail

Dear Maria,

Please find attached photographs of our driveway at Coral Coast Vet Services, 12 Palmerston Drive, Innisfail.

As you can see, the left hand side as you face the road has not been properly sealed by TMR during the Goondi Bend roadworks and is already developing pot holes. This is subsequent to the roadworks that are ongoing.

As they are well aware, our traffic flow in and out of our driveway is large. This region will very quickly deteriorate.

I am emailing to confirm that this will be corrected by a proper seal rather than just gravel placement prior to the roadworks completion.

Regards,

Part Refuse Sch.4 Part 4 s.6 Personal information

Coral Coast Veterinary Services

12 Palmerston Drive
Innisfail QLD 4860
Phone: (07) 4061 2590

innisfailnow@gmail.com, Part Refuse Sch.4 Part 4 s.6 Personal information communications@tmr.qld.gov.au,
Part Refuse Sch.4 Part 4 s.6 Personal information Part Refuse Sch.4 Part 4 s.6 Personal information Part Refuse Sch.4 Part 4 s.6 Personal information
gmail.com, @gmail.com, @gmail.com,
Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, admin@innisfailchamber.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
bigpond.com,
sb@cptl.com.au, innisfailtaxi@gmail.co Part Refuse Sch.4 Part 4 s.6 Personal information raywhite.com,
admin@goondiss.eq.edu.au, Part Refuse Sch.4 Part 4 s.6 Personal information @police.qld.gov.au, FRND120@tmr.qld.gov.au,
Part Refuse Sch.4 Part 4 s.6 Personal information @live.com.au, @bigpond.com, @optusnet.com.au,
Part Refuse Sch.4 Part 4 s.6 Personal information Part Refuse Sch.4 Part 4 s.6 Personal information
sales@networkinnisfail.com.au, admin@goondishades.com.au, Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information @znet.net.au, Part Refuse Sch.4 Part 4 s.6 Personal information @gmail.com, outlook.com,
dynam.b@bigpond.com, /o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=c02503e26a36449298667069835123d6-CAID_TMC,
prasenjit.z.bhattacharyya@tmr.qld.gov.au, Lemaki.M.Curulala@tmr.qld.gov.au,
Richard.P.Sheedy@tmr.qld.gov.au Part Refuse Sch.4 Part 4 s.6 Personal information Part Refuse Sch.4 Part 4 s.6 Personal information
Part Refuse Sch.4 Part 4 s.6 Personal information @bigpond.com, @hotmail.com,
Part Refuse Sch.4 Part 4 s.6 Personal information @yahoo.com.au Part Refuse Sch.4 Part 4 s.6 Personal information Part Refuse Sch.4 Part 4 s.6 Personal information
@gmail.com, @ccrc.qld.gov.au,
/o=TMR/ou=Exchange Administrative Group
(FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns

Sent 19/03/2019 8:48:17 AM

Attach
ment

Dear residents and business owners

The Department of Transport and Main Roads (TMR) would like to provide you with an update about the construction progress of the Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway.

I am pleased to advise that the final asphalt works are now complete. Weather permitting, line marking is scheduled to commence on Sunday 31 March 2019. Works are expected to be carried out during the night and will require single lane closures under the coordination of traffic controllers.

Once the line marking has been completed the traffic signals will start operation. This is expected to be in early April, weather permitting.

Once the project is complete you may notice that access to residents and businesses on the Bruce Highway (Palmerston Drive) near the Pine and Blackwood Street intersections will be changed to left in and left out only. This will improve the safety of property owners, business clients and road users.

We acknowledge the impact of these works on business, residents and motorists and appreciate their patience whilst these important safety works were undertaken.

If you require further information in relation to these works please contact Maria Mezes, Communications Support Officer, by email at cairns.office@tmr.qld.gov.au or by telephone on 4045 7038.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870
PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038
E: cairns.office@tmr.qld.gov.au
W: www.tmr.qld.gov.au

Released under RTI - DTMR

Item

ITEM DETAILS

Item ID:	240371 - PDO	Item Type:	Email
Date Created:	20/03/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	20/03/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	File note: Part Refuse Sch.4 Part 4 s.6 Personal information Ash Street query about Bruce Highway access.		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135[1]

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Program Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	20/03/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

File note: Ash Street query about Bruce Highway access.

Subject File note: Ash Street query about Bruce Highway access.
From Maria.P.Mezes@tmr.qld.gov.au
To Maria.P.Mezes@tmr.qld.gov.au
Cc
Bcc
Sent 20/03/2019 1:41:13 PM
Attached

I phoned Part Refuse Sch.4 Part 4 s.6 Personal information and asked her to clarify her enquiry. She advised that she is currently driving along Ash Street and entering the highway at the Ash Street/Bruce Highway intersection.

I advised that once the line marking is in place it will be easier for her to see that this manoeuvre is correct. I also noted that during peak times she will have the option of entering Blackwood Street via Maple Street to access to traffic signals to enter the Bruce Highway.

Part Refuse Sch.4 Part 4 s.6 Personal information

was satisfied with the information provided and was happy the project has finally been completed.
No further action required.

From Part Refuse Sch.4 Part 4 s.6 Personal information <[\[redacted\]@bigpond.com](mailto:[redacted]@bigpond.com)>

Sent: Tuesday, 19 March 2019 11:58 AM

To: Cairns.Office <cairns.office@tmr.qld.gov.au>

Subject: Ash street

Hi, my name is Part Refuse Sch.4 Part 4 s.6 Personal information & I live at Part Refuse Sch.4 Part 4 s.6 Personal information Ash Street. For me to drive onto the Highway will the lights near the PCY Building stop the highway traffic (travelling North),to enable me to drive on to the highway?

Thanking you.

Part Refuse Sch.4 Part 4 s.6 Personal information

Phone: Part Refuse Sch.4 Part 4 s.6 Personal information

Item

ITEM DETAILS

Item ID:	244146 - PDO	Item Type:	Email
Date Created:	13/05/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	13/05/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - RE: Goondi Line Marking		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135 [1]

ACTIONS & OWNERSHIP

Author:	Lemaki M Curulala	Corporate Author:	
Author Title / Position:	Project Manager	Complaint Classification:	
Business Unit:	Preservation / Delivery		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	13/05/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

RE: Complaint - Goondi Line Marking

Subject RE: Complaint - Goondi Line Marking
From Lemaki.M.Curulala@tmr.qld.gov.au
To Maria.P.Mezes@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au
Cc FRND120@tmr.qld.gov.au
Bcc
Sent 13/05/2019 10:32:19 AM
Attached



Good morning Maria,

Thank you for the update on this matter.

Regards,
Lemaki Curulala

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads Floor 7 |

Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M: [Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: Maria P Mezes

Sent: Monday, 13 May 2019 9:36 AM

To: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>; Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>

Cc: FRND120 <FRND120@tmr.qld.gov.au>

Subject: RE: Goondi Line Marking

Hi Lemaki and Pras

I contacted [Redacted] on Friday afternoon. He lives at [Redacted] Palmerston Drive which is near the intersection of Pine Street. [Redacted]

[Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

[Redacted] I explained that the new line marking is correct and was carried out as part of the Pine Street/ Bruce Highway upgrade to improve safety for road users and residents entering and exiting their properties, as the Bruce Highway becomes busier. I sympathised with his concerns about his now needing to go into Pine Street or to the Blackwood Street signals to do a U-turn and suggested he would become accustomed to these changes in a short time. I advised that I had sent letters out to explain these changes to the owners but unfortunately, this had not been passed onto him as a tenant. He was quite accepting and pleasant once he understood why the change had happened. He works for [Redacted] so he understands roadworks and jokingly said he was going to get some black paint and get rid of some lines in front of his access..

No further action required.

[Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

[Redacted] Part Refuse Sch.4 Part 4 s.6 Personal information

From: Lemaki M Curulala

Sent: Friday, 10 May 2019 4:12 PM

To: Maria P Mezes <Maria.P.Mezes@tmr.qld.gov.au>

Cc: Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>

Subject: FW: Complaint - Goondi Line Marking

Hi Maria,

Fyi.

Regards,

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads Floor 7 |

Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M: [Redacted] Not relevant

E: lemaki.m.curulala@tmr.qld.gov.au
W: www.tmr.qld.gov.au

From: Prasenjit Bhattacharyya
Sent: Friday, 10 May 2019 3:22 PM
To: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>
Cc: FRND120 <FRND120@tmr.qld.gov.au>
Subject: Fwd: Complaint - Goondi Line Marking

Sent from my iPhone

Begin forwarded message:

From: Cairns Traffic Management Centre <CairnsTMC@tmr.qld.gov.au>
Date: 10 May 2019 at 3:13:39 pm AEST
To: Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>
Subject: FW: Complaint - Goondi Line Marking
Hey Pras ? can you please deal with this one?

Cheers,

Cairns Traffic Management Centre | Far North District | North Queensland Region
Program Delivery and Operations | Department of Transport and Main Roads

Floor 6 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870
PO Box 6185 | Cairns Qld 4870
P: 1800 13 19 40 | F: (07) 4045 7143
E: cairnstmcc@tmr.qld.gov.au
W: www.tmr.qld.gov.au www.131940.qld.gov.au

From: TMC-Townsville
Sent: Friday, 10 May 2019 3:11 PM
To: CAID_TMC <CAID_TMC@tmr.qld.gov.au>
Subject: Complaint - Goondi Line Marking

Hi Guys,

Can someone please call Part Refuse Sch.4 Part 4 s.6 Personal information regarding the line marking in Innisfail, he cannot access his house when travelling south as there are now double lines in front of his house.

Kind Regards

Deb Dowdle

Traffic Management Centre (Northern) | North Queensland Region
Program Delivery and Operations Branch | Infrastructure Management and Delivery Division |
Department of Transport and Main Roads

Floor 4 | Townsville Government Office Building | 445 Flinders Street | Townsville Qld 4810
PO Box 1089 | Townsville Qld 4810
1800 13 19 40
TMC-Townsville@tmr.qld.gov.au
www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	245106 - PDO	Item Type:	Email
Date Created:	30/05/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	31/05/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information e Ash, Blackwood and Pine Street - final property survey at Ash Street		

Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135 [1]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Maria P Mezes	Corporate Author:	
Author Title / Position:	Project Support Officer	Complaint Classification:	
Business Unit:	Stakeholder Management		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	31/05/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Ash, Blackwood and Pine Street - final property survey at Ash Street

Subject Ash, Blackwood and Pine Street - final property survey at Ash Street

From Maria.P.Mezes@tmr.qld.gov.au

To Part Refuse Sch.4 Part 4 s.6 Personal information
@gmail.com

Cc

Bcc Lemaki.M.Curulala@tmr.qld.gov.au, Sharon.Z.Dunkley@tmr.qld.gov.au, /o=TMR/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=42d930ea6c48445ea38d6f979f477c15-DCO_Cairns, FRND120@tmr.qld.gov.au, Part Refuse Sch.4 Part 4 s.6 Personal information
@tmr.qld.gov.au

Sent 31/05/2019 11:38:16 AM

Attached

Dear Part Refuse Sch.4 Part 4 s.6 Personal information

Thank you for your email of 28 May 2019 about the finalisation of the upgrade at Ash, Blackwood and Pine Streets in Innisfail.

I am pleased to advise that the final condition surveys will be carried out in the next few weeks. Maddocks and Associates will contact you directly to organise a suitable time for this to be undertaken.

Once the final condition survey has been completed Transport and Main Roads will email you a damage claim package with instructions on how to proceed with your claim.

I have forwarded your other concerns to the relevant area for investigation. I will provide you with a response as soon as this information is available.

I trust this information is of assistance.

Kind regards

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: Part Refuse Sch.4 Part 4 s.6 Personal information [\[redacted\]@gmail.com](mailto:[redacted]@gmail.com)

Sent: Tuesday, 28 May 2019 11:50 AM

To: Cairns.Office <cairns.office@tmr.qld.gov.au>

Subject: Re: March 18 - Final notice for Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail

Hello

When is the final house inspection?

Large crack in back bathroom

Ceiling cracks

Mud filling up gutters every time it rains

We lost boat caravan access to the garrage???

Holes left in yard from work vehicle, may have cracked a pipe

Dug out areas filled with rocks, mover road safety hazards

Finally we (neighbours as well) request a side rail in front of Part Refuse Sch.4 Part 4 s.6 Personal information ash street as the roads built up over a meter drop off, which will accelerate vehicles in to our home risking our children

Thank you

Please contact me any time

Part Refuse Sch.4 Part 4 s.6 Personal information

Item

ITEM DETAILS

Item ID:	247339 - PDO	Item Type:	Email
Date Created:	17/07/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	23/07/2019	Sub Project ID:	
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Part Refuse Sch.4 Part 4 s.6 Personal information Questions re Ash, Blackwood and Pine Street		
Function Term:	CORPORATE GOVERNANCE AND EXTERNAL RELATIONS	Activity Term:	COMMUNITY RELATIONS
Container Title:	Bruce Highway - Ash, Blackwood and Pine Street Intersection north of Innisfail (216/10P/200 & 216/10P/201)	Container ID:	110/00135 [1]

ACTIONS & OWNERSHIP

Author:	Lemaki M Curulala	Corporate Author:	
Author Title / Position:	Project Manager	Complaint Classification:	
Business Unit:	Preservation / Delivery		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	23/07/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

RE: Owners' question re Ash, Blackwood and Pine Street

Subject RE: Owners' question re Ash, Blackwood and Pine Street
From Lemaki.M.Curulala@tmr.qld.gov.au
To Maria.P.Mezes@tmr.qld.gov.au
Cc FRND120@tmr.qld.gov.au
Bcc
Sent 17/07/2019 9:16:04 AM
Attached

Good morning Maria,

I met with yesterday and discussed his concerns, my response to his concerns are shown below in blue.

Regards,
Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads Floor 7 |

Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M: [Redacted] Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: Maria P Mezes

Sent: Tuesday, 16 July 2019 9:13 AM

To: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>

Subject: Owners' question re [Redacted] Ash, Blackwood and Pine Street

Hi Lemaki

I would like to close this enquiry off. Did you get a chance to catch up with [Redacted] about his concerns.

Thanks Maria

From: [Redacted] <[\[Redacted\]@gmail.com](mailto:[Redacted]@gmail.com)>

Sent: Tuesday, 28 May 2019 11:50 AM

To: Cairns.Office <cairns.office@tmr.qld.gov.au>

Subject: Re: March 18 - Final notice for Ash, Blackwood and Pine Street intersection upgrades with the Bruce Highway, Innisfail

Hello

When is the final house inspection? Large crack in back bathroom. Ceiling cracks.

- *Maddocks structural engineers undertook the post-construction dilapidation/condition assessments beginning of the week. The reports concerning [Redacted] house will be available in due course.*

Mud filling up gutters every time it rains.

- *I note that there was evidence of mud in the concrete channel. [Redacted] said that Council workers had just cleaned the channel again after the last few rain events. I need to discuss this matter further with Pras as we have past the defects liability period so it may now fall into a maintenance matter for RMPC??*

We lost boat caravan access to the garrage???

- *We determined that [Redacted] does not have a boat nor a caravan. His issue is with the electrical box located opposite his driveway access. I advised him that the location of the electrical box was the most suitable location with regards to all the new electrical infrastructure installed during the works, which was determined by the designers.*

Holes left in yard from work vehicle, may have cracked a pipe.

- *The hole is on his backyard, which is accesses via Blackwood Street. I am surprised that the contractors would drive onto private property to turn their vehicle around, when they could manoeuvre their vehicle on Blackwood Street.*
- *I asked [Redacted] whether he went to report this hole and truck on his property to Koppens when they were on-site, he said he did but nothing was done but it.*

Dug out areas filled with rocks, mover road safty hazards

- *I did see small aggregate between 15-20mm in size in his front yard. The aggregate has embedded well into the soil and would unlikely flick up and become a hazard whilst mowing.*

Finally we (neighbours as well) request a side rail infront of [Redacted] ash street as the roads built up over a meter drop off, which will accelerate vehciles in to our home risking our children.

- I explained to Part Refuse Sch.4 Part 4 s.6 Personal information that the designers for the works, did not deem it necessary to install guardrails on the outside edge of the northbound lane adjacent to the corner of Ash St & Blackwood St. The 1m drop-off he describes is a batter area approx. 3m-4m in width from the road edge, and is at a safe gradient.

Thank you

Please contact me any time

Part Refuse Sch.4 Part 4 s.6 Personal information

Maria Mezes

Communications Support Officer | Far North District

Program Delivery & Operations | Infrastructure Management and Delivery | Department of Transport and Main Roads

Floor 4 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 4045 7038

E: cairns.office@tmr.qld.gov.au

W: www.tmr.qld.gov.au

Item

ITEM DETAILS

Item ID:	251350 - PDO	Item Type:	Email
Date Created:	11/06/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	21/08/2019	Sub Project ID:	PEND-1438
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - RE: CN-7935 - Recently Painted Bicycle Lane CFRND 120		
Function Term:	INFRASTRUCTURE MANAGEMENT	Activity Term:	ROAD AND TRANSPORT PROJECT (SIGNIFICANT)
Container Title:	216/10P/200 PEND/1438 Intersection Upgrade Bruce Highway Ash Street 216/10P/201 Intersection Upgrade Pine Street Bruce Highway	Container ID:	450/00102 [2]

ACTIONS & OWNERSHIP

Author:	Part Refuse Sch.4 Part 4 s.6 Personal information	Corporate Author:	
Author Title / Position:		Complaint Classification:	
Business Unit:			
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	21/08/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

RE: CN-7935 - Recently Painted Bicycle Lane

Subject RE: CN-7935 - Recently Painted Bicycle Lane

From Part Refuse Sch.4 Part 4 s.6 Personal information @koppens.com.au
To Lemaki.M.Curulala@tmr.qld.gov.au
Cc FRND120@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, KD19BruceHighwayCN7935@koppens.com.au
Bcc
Sent 11/06/2019 8:51:00 AM
Attached



image001.png image002.jpg image003.png FW CN-7935 - Recently Painted Bicycle Lane.msg

Lemaki
FYI attached

Regards,

Part Refuse Sch.4 Part 4 s.6 Personal information

Project Manager | Koppens Developments Pty Ltd

Mob Not relevant

Ph: (07) 4052 2600 | Fax: (07) 4052 2650 | Email:
Part Refuse Sch.4 Part 4 s.6 Personal information
[@koppens.com.au](mailto:k@koppens.com.au)

Address: Suite 4 / 10 Grafton Street, Cairns QLD 4870 | Website: www.koppens.com.au

Koppens Developments Pty Ltd is a Local Buy Pre-Qualified Supplier of BUS 242-1013 ? Civil and Road Resurfacing.

This email, together with any attachments, is intended for the named recipients only. This email may contain information which is confidential. If you are not the recipient of this email please notify the sender as soon as possible and delete the message and any copies of this message from your computer and system network. Accordingly, any form of disclosure, modification, distribution and or publication of this email message is prohibited unless expressly authorised by the send acting with the authority of or on behalf of Koppen Developments Pty Ltd / Koppen Construction.

From: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>

Sent: Monday, June 10, 2019 1:37 PM

To: Part Refuse Sch.4 Part 4 s.6 Personal information <GBrittain@koppens.com.au>

Cc: FRND120 <FRND120@tmr.qld.gov.au>; Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>

Subject: CN-7935 - Recently Painted Bicycle Lane

Importance: High

Hi Part Refuse Sch.4 Part 4 s.6 Personal information

I drove through Goondi Bend today and noticed the recently painted bicycle lane has peeled off on the southern section before the Ash Street turnoff.

This needs to be rectified as soon as practicable.

Regards,

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main RoadsFloor 7 |

Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M: Part Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

WARNING: This email (including any attachments) may contain legally privileged, confidential or private information and may be protected by copyright. You may only use it if you are the person(s) it was intended to be sent to and if you use it in an authorised way. No one is allowed to use, review, alter, transmit, disclose, distribute, print

or copy this email without appropriate authority.

If this email was not intended for you and was sent to you by mistake, please telephone or email me immediately, destroy any hardcopies of this email and delete it and any copies of it from your computer system. Any right which the sender may have under copyright law, and any legal privilege and confidentiality attached to this email is not waived or destroyed by that mistake.

It is your responsibility to ensure that this email does not contain and is not affected by computer viruses, defects or interference by third parties or replication problems (including incompatibility with your computer system).

Opinions contained in this email do not necessarily reflect the opinions of the Department of Transport and Main Roads, or endorsed organisations utilising the same infrastructure.



Item

ITEM DETAILS

Item ID:	251894 - PDO	Item Type:	Email
Date Created:	18/01/2019	Project ID:	216/10P/200 & 216/10P/201
Date Captured:	26/08/2019	Sub Project ID:	PEND-1438
Item Format:	Electronic	Other Reference:	
Circulation:		Copies Sent To:	
Subject:	Mail Memo - Re: CN-7935 Kerbing Inside Edge into Ash St FRND 120		
Function Term:	INFRASTRUCTURE MANAGEMENT	Activity Term:	ROAD AND TRANSPORT PROJECT (SIGNIFICANT)
Container Title:	216/10P/200 PEND/1438 Intersection Upgrade Bruce Highway Ash Street 216/10P/201 Intersection Upgrade Pine Street Bruce Highway	Container ID:	450/00102 [3]

ADDRESSEE

Name:		Address:	
--------------	--	-----------------	--

ACTIONS & OWNERSHIP

Author:	Lemaki M Curulala	Corporate Author:	
Author Title / Position:	Project Manager	Complaint Classification:	
Business Unit:	Preservation / Delivery		
Action Officer:			
Home Location:	CAIRNS FAR NORTH RECORDS	Last Movement Date:	26/08/2019

SECURITY & ACCESS

Security Classification:	UNCLASSIFIED INFORMATION		
Security Access:	Unrestricted		

ADDITIONAL INFORMATION

Description / Additional Info:		
---------------------------------------	--	--

DOCUMENT CONTENTS

Re: CN-7935 | Kerbing Inside Edge into Ash St

Subject Re: CN-7935 | Kerbing Inside Edge into Ash St

From Lemaki.M.Curulala@tmr.qld.gov.au

To Part Refuse Sch 4 Part 4 s.6 Personal Information
@koppens.com.au

Cc FRND120@tmr.qld.gov.au, prasenjit.z.bhattacharyya@tmr.qld.gov.au, stephen.z.piltz@tmr.qld.gov.au, James.J.Page@tmr.qld.gov.au

Bcc

Sent 18/01/2019 8:05:49 AM

Attached



image002.jpg

image005.png

image007.png



image008.jpg



image009.jpg



image003.png



image004.png

Hi

Part Refuse Sch.4 Part 4 s.6 Personal information

As discussed, please proceed with the following items of variation as identified in our December monthly site meeting;

?

Regards,

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | F: (07) 40457138 | M: Part Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

From: Part Refuse Sch.4 Part 4 s.6 Personal information <koppens.com.au>

Sent: Wednesday, 16 January 2019 12:41 PM

To: Lemaki M Curulala

Cc: FRND120; Prasenjit Bhattacharyya; Stephen Piltz;

KD19BruceHighwayCN7935@koppens.com.au

Subject: RE: CN-7935 | Kerbing Inside Edge into Ash St

Lemaki

Please find attached V010 as requested below

Regards,

Part Refuse Sch.4 Part 4 s.6 Personal information

Project Manager | Koppens Developments Pty Ltd

Part Refuse Sch.4 Part 4 s.6 Personal information
Mob | Ph: (07) 4052 2600 | Fax: (07) 4052 2650 | Email:

Part Refuse Sch.4 Part 4 s.6 Personal information
[@koppens.com.au](mailto:koppens.com.au)

Address: Suite 4 / 10 Grafton Street, Cairns QLD 4870 | Website: www.koppens.com.au

Koppens Developments Pty Ltd is a Local Buy Pre-Qualified Supplier of BUS 242-1013 ? Civil and Road Resurfacing.

This email, together with any attachments, is intended for the named recipients only. This email may contain information which is confidential. If you are not the recipient of this email please notify the sender as soon as possible and delete the message and any copies of this message from your computer and system network. Accordingly, any form of disclosure, modification, distribution and or publication of this email message is prohibited unless expressly authorised by the send acting with the authority of or on behalf of Koppen Developments Pty Ltd / Koppen Construction.

From: Lemaki M Curulala <Lemaki.M.Curulala@tmr.qld.gov.au>

Sent: Thursday, December 20, 2018 4:23 PM

To: Part Refuse Sch.4 Part 4 s.6 Personal information <@koppens.com.au>

Cc: FRND120 <FRND120@tmr.qld.gov.au>; Prasenjit Bhattacharyya <prasenjit.z.bhattacharyya@tmr.qld.gov.au>; Stephen Piltz <Stephen.Z.Piltz@tmr.qld.gov.au>

Subject: CN-7935 | Kerbing Inside Edge into Ash St

Hi Part Refuse Sch.4 Part 4 s.6 Personal information

As discussed, can you please provide your price for the following remedial works identified on-site.

- installation of kerbing and a concrete/shot-crete shute adjacent to station #29, inside edge into Ash St (see below);
- Please confirm length with Steve Piltz to assist with pricing.

Also, price for the shot-crete or similar treatment on scoured batter shown below;

Regards,

Lemaki Curulala

Project Manager | Far North District | Cairns Office

Program Delivery & Operations Branch | Department of Transport and Main Roads

Floor 7 | Cairns Corporate Tower | 15 Lake Street | Cairns Qld 4870

PO Box 6185 | Cairns Qld 4870

P: (07) 40457330 | **F:** (07) 40457138 | **M:** Part Refuse Sch.4 Part 4 s.6 Personal information

E: lemaki.m.curulala@tmr.qld.gov.au

W: www.tmr.qld.gov.au

WARNING: This email (including any attachments) may contain legally privileged, confidential or private information and may be protected by copyright. You may only use it if you are the person(s) it was intended to be sent to and if you use it in an authorised way. No one is allowed to use, review, alter, transmit, disclose, distribute, print or copy this email without appropriate authority.

If this email was not intended for you and was sent to you by mistake,

please telephone or email me immediately, destroy any hardcopies of this email and delete it and any copies of it from your computer system. Any right which the sender may have under copyright law, and any legal privilege and confidentiality attached to this email is not waived or destroyed by that mistake.

It is your responsibility to ensure that this email does not contain and is not affected by computer viruses, defects or interference by third parties or replication problems (including incompatibility with your computer system).

Opinions contained in this email do not necessarily reflect the opinions of the Department of Transport and Main Roads, or endorsed organisations utilising the same infrastructure.

Pages 115 through 117 redacted for the following reasons:

Refuse Sch.4 Part 4 s.7(1)(c) Business/commercial/professional/financial affairs

Released under RTI - DTMR

