Specification (Measurement)

Transport and Main Roads Specifications MRS84A Removal of Bridge Deck Wearing Surface

July 2017



Copyright



http://creativecommons.org/licenses/by/3.0/au/

© State of Queensland (Department of Transport and Main Roads) 2017

Feedback: Please send your feedback regarding this document to: <u>tmr.techdocs@tmr.qld.gov.au</u>

Contents

1	Introduction	1
2	Measurement of work	1
2.1	Standard Work Items	1
2.2	Work Operations	1
2.3	Payment	2

1 Introduction

This Specification applies to the removal of asphalt Deck Wearing Surface (DWS) using cold milling operation or approved alternative methods on bridge decks and the removal of the resultant rubble to allow resurfacing.

This Specification shall be read in conjunction with MRS01 *Introduction to Specifications and* other Specifications as appropriate.

This Specification forms part of the Transport and Main Roads Specifications Manual.

2 Measurement of work

2.1 Standard Work Items

In accordance with the provisions of Clause 2 of MRS01 *Introduction to Specifications*, the Standard Work Items incorporated in this Specification are listed in Table 2.1.

Standard Item No	Description	Unit of Measurement
73101	Survey for removal of Deck Wearing Surface	lump sum
73102	Partial removal of Deck Wearing Surface	m²
73103	Full depth removal of Deck Wearing Surface	m²

Table 2.1 – Standard Work Items

2.2 Work Operations

Item 73101 Survey for removal of Deck Wearing Surface

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 Introduction to Specifications
- b) location of permanent survey mark
- c) survey of existing DWS thickness using asphalt coring and / or asphalt slab cutting and / or Ground Penetrating Radar (GPR) method, and
- d) concrete deck texture test, where specified.

Item 73102 Partial removal of Deck Wearing Surface

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 Introduction to Specifications
- b) saw cutting of DWS
- c) cold milling of DWS
- d) cleaning the milled surface
- e) loading and hauling of all rubble, and
- f) disposal of rubble.

Item 73103 Full depth removal of Deck Wearing Surface

Work Operations incorporated in the above item include:

- a) Work Operations listed in Clause 2.1.5 of MRS01 Introduction to Specifications
- b) saw cutting of DWS
- c) removal of DWS
- d) cleaning the existing bridge deck surface
- e) loading and hauling of all rubble, and
- f) disposal of rubble.

2.3 Payment

The Principal shall not be liable for any costs arising from delay or from repairs to equipment, hidden objects or public utilities caused by impacts which could have been reasonably expected.

Connecting Queensland *delivering transport for prosperity*