## **TMR Surveying Standards**

## Amendment register

The amendment table captures the respective changes to Part 1, Part 2 and Schedule 1.

This amendment register captures changes from December 2021 onwards.

**January 2022** (27 January 2022)

Part	Section	Change type	Description of change
1	All	Administrative	Redated, <u>no</u> content change
2	All	Administrative	Redated, <u>no</u> content change
Schedule	6.5.2	Amendment	Amended text. The string (CH_) for the culvert headwall 1 to 4 can be located on the top front edge or the top back edge of the headwall with the comment of "FRONT FACE" or "BACK FACE" and include headwall width
	6.5.3	Amendment	Amended text. See Section 6.5.2 for location of the top of the headwall

## December 2021

Part	Section	Change type	Description of change
1	Multiple	Amendment	Minor editorial changes
	Multiple	Amendment	Updating changes to various referenced documents / websites and government departments
	1.6	Amendment	Title changed from General requirements to General information
	1.7	Amendment	Inclusion of AUSGeoid2020 definition
	1.7	Amendment	Rename of Department of Natural Resources and Mines to Department of Resources (DoR)
	1.7	Amendment	Inclusion of GDA2020 definition
	1.7	Amendment	Re definition of MGA
	1.7	Amendment	Additional wording under Survey Brief
	2.4.3	Amendment	Significant changes to Surveyor definition.
	2.4.3	Amendment	Table 2.4.3-A amended to Flowchart 2.4.3
	2.4.3	Amendment	Table 2.4.3-B renamed Table 2.4.3 and content amended
	2.4.3.1	Amendment	Supervision clause added
	3.3.2	Amendment	Roadworks signage MUTCD updated
	5.1	Amendment	Revised from GDA94 to GDA2020 and MGA redefined
	5.3.1	Amendment	Revised from AUSGeoid09 to AUSGeoid2020
	5.5.2	Amendment	Revised MGA94 to MGA2020/MGA zone**
	5.7	Amendment	Updated Table 5.7 from GDA94 to GDA2020 and MGA94 to GDA2020/MGA zone**
	7.7	Amendment	Inclusion of Metadata section



Part	Section	Change type	Description of change
2	Multiple	Amendment	Minor editorial changes
	Multiple	Amendment	Updating changes to various referenced documents and government departments
	1.1	Amendment	Old 1.1.1 Scope – deleted (not relevant for this version)
	1.3.1.1	Amendment	DNRME changed to DoR (and throughout the document)
	1.3.1.1	Amendment	GDA94 changed to GDA2020
	1.3.1.1	Amendment	Roman numbers replaced with dot points
	1.3.1.1 (e)	Amendment	Survey Uncertainty value changed from < 0.010 m to < 0.015 m
	1.7.1	Amendment	AS 5488 updated from 2013 to 2019
	1.7.3.5	Amendment	Additional wording to include reference to TN157
	3.6.6.1	Amendment	Sentence amended to dot points to improve clarity
	4.2.3.4	Amendment	Queensland Motorways Ltd changed to Transurban Queensland
	5.1.5	Amendment	DNRM amended to DoR and GDA94 amended to GDA2020
	5.4.1	Amendment	GDA94 changed to GDA2020
	5.4.2	Amendment	GDA94 changed to GDA2020
	5.5.3	Amendment	Survey Uncertainty (SU) changed from < 0.010 m to < 0.015 m
	6.4	Amendment	Survey accuracy requirements now referred to MRTS56
	6.4.1	Amendment	Survey mark protection now referred to MRTS56
	6.4.2	Amendment	MGA94 changed to GDA2020/MGA zone5*
	6.5	Amendment	Now refers to MRTS56
	6.6	Amendment	Now refers to MRTS56
	6.6.3	Amendment	MGA94 changed to GDA2020/MGA zone 5* and GDA94 changed to GDA2020
	6.6.7	Amendment	Now refers to MRTS56
	6.6.9	Amendment	Now refers to MRTS56
	6.6.10	Amendment	Now refers to MRTS56
	Figure 6.6.11.1b)	Amendment	MGA changed to GDA2020/MGA zone 5*
	6.7.8	Amendment	Now refers to MRTS56
Schedule	6.4.1	Amendment	Amended wording that comments are added to the CU string and not to PILP
	6.4.2	Amendment	Amended wording that comments are added to the CU string and not to PILP
	6.4.3	Amendment	Amended wording that comments are added to the CX string and not to PILP
	6.4.4	Amendment	Amended wording that comments are added to the DG string and not to PILP

Part	Section	Change type	Description of change
	6.5.2	Amendment	Deleted text " To avoid the possibility of crossing breaklines with the Bottom Bank (BB_) string, the Culvert Headwall (CH_) should run along the back side of the headwall with a comment of the headwall width."
	6.15.5	Amendment	Deleted text and replaced with "If the primary purpose of the pole is only to provide street lighting, PPRF shall be used. If the primary purpose is otherwise use code PPPP or EA"
	6.15.8	Amendment	Added text "The PPRF code should be used when locating signage, traffic signals and street lighting (where the primary purpose of the pole is to provide street lighting. If the primary purpose of the pole is to convey power use code PPPP)"