

Notes:

1. This sign is to be used to inform travellers of the road conditions between a town and a number of destinations. For more than two destinations see TC1774_2 or TC1774_3.
2. For situations where travel may take the traveller into another state and information may be required from that state. See TC1774_4 to TC1774_6.
3. # Default "OPEN" message on main sign face to be overlayed with changeable message plates as required (see TC1774_7 for message plates border and pointer details).
4. ## Insert appropriate town name, e.g. Springsure (black legend).
5. * Appropriate phone number to be confirmed prior to manufacture.
6. For superceded contact number overlay plate refer to plate A details in TC1774_10.
7. ** Road name plate to be attached to top of the main sign if required (see TC1774_8 for details).
8. The static message boards used with this sign should indicate the conditions or limits of the specified road. These boards are defined as:-
 - CLOSED** Means the road is impassable.
 - XXt MAX** Indicates maximum vehicle load permitted.
 - 80% AXL** Means 80% Legal Axle Mass on all axles (except steer) for all vehicles over 4.5t
 - CAUTION** Indicates the road is open but may have debris or shallow water over the road or minor pavement damage.
 - 4WD ONLY** Indicates road is accessible by 4WD vehicles.
9. For VMS option, refer to TC2250.

Colour Legend

	Retroreflective white
	Black
	Retroreflective red



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

TRAVELLER INFORMATION SIGN STATIC MESSAGE BOARD (Sign Face) (Two destinations - single contact)

APPROVED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering)

21/02/17
Date

TC1774_1

Page 1 of 10

☐ A ☐ B ☒ C ☐ D



Notes:

1. This sign is to be used to inform travellers of the road conditions between a town and a number of destinations. For two destinations see TC1774_1 and four destinations see TC1774_3.
2. For situations where travel may take the traveller into another state and information may be required from that state. See TC1774_4 to TC1774_6.
3. # Default "OPEN" message on main sign face to be overlayed with changeable message plates as required (see TC1774_7 for message plates border and pointer details).
4. ## Insert appropriate town name, e.g. Bedourie (black legend).
5. * Appropriate phone number to be confirmed prior to manufacture.
6. For superceded contact number overlay plate refer to plate A details in TC1774_10.
7. ** Road name plate to be attached to top of the main sign if required (see TC1774_8 for details).
8. The static message boards used with this sign should indicate the conditions or limits of the specified road. These boards are defined as:-

CLOSED	Means the road is impassable.
XXt MAX	Indicates maximum vehicle load permitted.
80% AXL	Means 80% Legal Axle Mass on all axles (except steer) for all vehicles over 4.5t
CAUTION	Indicates the road is open but may have debris or shallow water over the road or minor pavement damage.
4WD ONLY	Indicates road is accessible by 4WD vehicles.
9. For VMS option, refer to TC2250.

Colour Legend

	Retroreflective white
	Black
	Retroreflective red
	Retroreflective yellow



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

TRAVELLER INFORMATION SIGN STATIC MESSAGE BOARD (Sign Face) (Three destinations - single contact)

APPROVED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering)

21/02/17
Date

TC1774_2

Page 2 of 10

A B C D



Notes:

1. This sign is to be used to inform travellers of the road conditions between a town and a number of destinations. For less than four destinations see TC1774_1 or TC1774_2.
2. For situations where travel may take the traveller into another state and information may be required from that state. See TC1774_4 to TC1774_6.
3. # Default "OPEN" message on main sign face to be overlayed with changeable message plates as required (see TC1774_7 for message plates border and pointer details).
4. ## Insert appropriate town name, e.g. Torrens Ck (black legend).
5. * Appropriate phone number to be confirmed prior to manufacture.
6. For superceded contact number overlay plate refer to plate A details in TC1774_10.
7. ** Road name plate to be attached to top of the main sign if required (see TC1774_8 for details).
8. The static message boards used with this sign should indicate the conditions or limits of the specified road. These boards are defined as:-
 - CLOSED** Means the road is impassable.
 - XXt MAX** Indicates maximum vehicle load permitted.
 - 80% AXL** Means 80% Legal Axle Mass on all axles (except steer) for all vehicles over 4.5t
 - CAUTION** Indicates the road is open but may have debris or shallow water over the road or minor pavement damage.
 - 4WD ONLY** Indicates road is accessible by 4WD vehicles.
9. For VMS option, refer to TC2250.

Colour Legend

	Retroreflective white
	Black
	Retroreflective red
	Retroreflective yellow



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

TRAVELLER INFORMATION SIGN STATIC MESSAGE BOARD (Sign Face) (Four destinations - single contact)

APPROVED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering)

21/02/17
Date

TC1774_3

Page 3 of 10

☐ A ☐ B ☒ C ☐ D



Notes:

1. This sign is to be used to inform travellers of the road conditions between a town and a number of destinations across state borders. For more than two destinations see TC1774_5 or TC1774_6.
2. For situations where travel is not across state borders and only one information source is available. See TC1774_1 to TC1774_3.
3. # Default "OPEN" message on main sign face to be overlayed with changeable message plates as required (see TC1774_7 for message plates border and pointer details).
4. ## Insert appropriate town name, e.g. Springsure (black legend).
5. * Appropriate phone numbers to be confirmed prior to manufacture.
6. For superceded contact number overlay plate refer to plate B details in TC1774_10.
7. ** Road name plate to be attached to top of the main sign if required (see TC1774_8 for details).
8. The static message boards used with this sign should indicate the conditions or limits of the specified road. These boards are defined as:-
 - CLOSED** Means the road is impassable.
 - XXt MAX** Indicates maximum vehicle load permitted.
 - 80% AXL** Means 80% Legal Axle Mass on all axles (except steer) for all vehicles over 4.5t
 - CAUTION** Indicates the road is open but may have debris or shallow water over the road or minor pavement damage.
 - 4WD ONLY** Indicates road is accessible by 4WD vehicles.
9. For VMS option, refer to TC2250.

Colour Legend

	Retroreflective white
	Black
	Retroreflective red



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

TRAVELLER INFORMATION SIGN STATIC MESSAGE BOARD (Sign Face) (Two destinations - dual contacts)

APPROVED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering)

21/02/17
Date

TC1774_4

Page 4 of 10

A	B	C	D
---	---	---	---



Notes:

1. This sign is to be used to inform travellers of the road conditions between a town and a number of destinations across state borders. For less than four destinations see TC1774_4 or TC1774_5.
2. For situations where travel is not across state borders and only one information source is available. See TC1774_1 to TC1774_3.
3. # Default "OPEN" message on main sign face to be overlayed with changeable message plates as required (see TC1774_7 for message plates border and pointer details).
4. ## Insert appropriate town name, e.g. Torrens Ck (black legend).
5. * Appropriate phone numbers to be confirmed prior to manufacture.
6. For superceded contact number overlay plate refer to plate B details in TC1774_10.
7. ** Road name plate to be attached to top of the main sign if required (see TC1774_8 for details).
8. The static message boards used with this sign should indicate the conditions or limits of the specified road. These boards are defined as:-
 - CLOSED** Means the road is impassable.
 - XXt MAX** Indicates maximum vehicle load permitted.
 - 80% AXL** Means 80% Legal Axle Mass on all axles (except steer) for all vehicles over 4.5t
 - CAUTION** Indicates the road is open but may have debris or shallow water over the road or minor pavement damage.
 - 4WD ONLY** Indicates road is accessible by 4WD vehicles.
9. For VMS option, refer to TC2250.

Colour Legend

	Retroreflective white
	Black
	Retroreflective red
	Retroreflective yellow



**Queensland
Government**

TRAVELLER INFORMATION SIGN STATIC MESSAGE BOARD (Sign Face) (Four destinations - dual contacts)

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

21/02/17
Date

PRINCIPAL ENGINEER
(Traffic Engineering)

TC1774_6


Page 6 of 10

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

A B C D



Sign

Means the road is impassable.
Indicates maximum vehicle load permitted.
Means 80% Legal Axle Mass on all axles (except steer) for all vehicles over 4.5t
Indicates the road is open but may have debris or shallow water over the road or minor pavement damage.
Indicates road is accessible by 4WD vehicles.



Queensland
Government

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

TRAVELLER INFORMATION SIGN

STATIC MESSAGE BOARD

(Display boards)

APPROVED AS OFFICIAL TRAFFIC SIGN

PRINCIPAL ENGINEER
(Traffic Engineering)

21/02/17
Date

TC1774 7

Page 7 of 10

A	B	C	D	
--------------	--------------	--------------	---	--



GREGORY DEVELOPMENTAL RD

Example

Colour Legend

- ☐ Retroreflective white
- ☐ Black (Legend)

Notes:

1. Road Name plate may be used with Traveller Information signs (TC1774_1 to TC1774_6).
2. * Insert appropriate road name, e.g. GREGORY DEVELOPMENTAL RD. (Adjust font styles as required to fit and balance on the road name plate.)



**Queensland
Government**

**TRAVELLER INFORMATION SIGN
STATIC MESSAGE BOARD
(Optional Road Name Plate)**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

21/02/17
Date

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1774_8


Page 8 of 10

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

☒ A ☒ B ☒ C ☒ D



Colour Legend

- Retroreflective white
- Black (Legend)

Notes:

1. This sign may be erected adjacent to a Traveller Information sign if it is believed there is a requirement to define the meaning of the installed message boards.
2. * Helvetica bold or equivalent.



**Queensland
Government**

TRAVELLER INFORMATION SIGN STATIC MESSAGE BOARD (Optional Definition Sign)

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

21/02/17
Date

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

TC1774_9

Page 9 of 10

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

A B C D




Overlay Plate A




Overlay Plate B

Overlay plate installed
over superseded original



Example with plate A



Example with plate B

Colour Legend

- Retroreflective white
- Black (Legend)

Notes

1. This overlay plate may be used to cover any superseded contact phone number on the main message board.
2. * Insert appropriate phone number. e.g. 13 19 40.
3. Overlay Plate A is to be used with TC1774_1, TC1774_2 and TC1774_3.
Note:- the overlay plate legend is Series D and may be required to cover a longer legend which may be Series C.
4. Overlay Plate B is to be used with TC1774_4, TC1774_5 and TC1774_6.



**Queensland
Government**

TRAVELLER INFORMATION SIGN OVERLAY PLATE "13 19 40"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
TV 07/09

Checked
DJ 07/09

Scale
Not to Scale

[Signature]
PRINCIPAL ENGINEER
(Traffic Engineering)

21/02/17
Date

TC1774_10

Page 10 of 10

A B C D