

Colour Legend



Yellow



Blue

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER -
M7 FOR TOLL ROADS (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale


R King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_1

Page 1 of 32





Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER -
M7 FOR TOLL ROADS (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_2

Page 2 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + RIGHT ARROW (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_3

Page 3 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + RIGHT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_4

Page 4 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + LEFT ARROW (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_5

Page 5 of 32


Designed
TV 5/12

Checked
DJ 5/12


Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + LEFT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_6

Page 6 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 32 for arrow details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + STRAIGHT ARROW (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_7

Page 7 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 32 for arrow details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + STRAIGHT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_8

Page 8 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend

White

Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING “ALPHA-NUMERIC ROUTE MARKER - M7 (≤ 80 km/h)”

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_9

Page 9 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend

White

Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING “ALPHA-NUMERIC ROUTE MARKER - M7 (> 80 km/h)”


APPROVED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_10
Page 10 of 32

E	F			
---	---	--	--	--



Colour Legend



White

Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING “ALPHA-NUMERIC ROUTE MARKER - M3 (≤ 80 km/h)”

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_11

Page 11 of 32

E F



Colour Legend

☐ White

Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING “ALPHA-NUMERIC ROUTE MARKER - M3 (> 80 km/h)”

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_12

Page 12 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

Rhine
PRINCIPAL ENGINEER
(Traffic Engineering)

☒ E ☐ F ☐ ☐ ☐



Colour Legend

☐ White

Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING "ALPHA-NUMERIC ROUTE MARKER - A3 (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale


R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_13

Page 13 of 32

E F



Colour Legend

☐ White

Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING "ALPHA-NUMERIC ROUTE MARKER - A3 (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_14

Page 14 of 32



Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

Rhine
PRINCIPAL ENGINEER
(Traffic Engineering)

☒ E ☐ F ☐ ☐ ☐



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER STRAIGHT AHEAD (≤ 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN



R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_15

Page 15 of 32

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER STRAIGHT AHEAD (> 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN



R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_16

Page 16 of 32

E F



Colour Legend



White



Blue

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER RIGHT (≤ 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN



R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_17

Page 17 of 32

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER RIGHT (> 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN



R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_18

Page 18 of 32

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

PAVEMENT MARKING "AIRPORT ROUTE MARKER LEFT (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_19

Page 19 of 32



Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

PAVEMENT MARKING "AIRPORT ROUTE MARKER LEFT (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_20

Page 20 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend

White

Notes:

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. Insert appropriate route marker number.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING "STATE ROUTE MARKER (≤ 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN


R King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_21

Page 21 of 32

☒ E ☐ F ☐ ☐ ☐



Colour Legend

White

Notes:

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. Insert appropriate route marker number.



**Queensland
Government**

PAVEMENT MARKING "STATE ROUTE MARKER (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_22

Page 22 of 32


Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

R King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend

☐ White

Note

1. All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING "CITY ROUTE MARKER (≤ 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN


R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_23

Page 23 of 32

E F



Colour Legend

White

Note

1. All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING "CITY ROUTE MARKER (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_24

Page 24 of 32


Designed
TV 5/12

Checked
DJ 5/12


Scale
Not to Scale

R King
PRINCIPAL ENGINEER
(Traffic Engineering)

☒ E ☐ F ☐ ☐ ☐



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 15 for symbol details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT (≤ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_25

Page 25 of 32


Designed
TV 2/15

Checked
DJ 2/15


Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 16 for symbol details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_26

Page 26 of 32


Designed
TV 2/15

Checked
DJ 2/15

Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend

- Yellow
- Blue
- White

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 17 for symbol details.
5. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 2/15

Checked
DJ 2/15

Scale
Not to Scale

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + RIGHT ARROW (≤ 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN


R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date


TC1963_27

Page 27 of 32

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 18 for symbol details.
5. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + RIGHT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_28

Page 28 of 32


Designed
TV 2/15

Checked
DJ 2/15


Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 19 for symbol details.
5. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 2/15

Checked
DJ 2/15

Scale
Not to Scale

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + LEFT ARROW (≤ 80 km/h)"

APPROVED AS OFFICIAL TRAFFIC SIGN


R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date


TC1963_29

Page 29 of 32

E F



Colour Legend



Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 20 for symbol details.
5. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + LEFT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

APPROVED AS OFFICIAL TRAFFIC SIGN

25/05/17
Date

TC1963_30

Page 30 of 32


Designed
TV 2/15

Checked
DJ 2/15


Scale
Not to Scale

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

E F



**ARROW DETAILS
(LOW SPEED
SPEED LIMIT \leq 80 km/h)**



**ARROW DETAILS
(HIGH SPEED
SPEED LIMIT $>$ 80 km/h)**



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING ANGLED ARROW DETAILS (LOW AND HIGH SPEED)

APPROVED AS OFFICIAL TRAFFIC SIGN


R King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date


TC1963_31

Page 31 of 32

E	F			
---	---	--	--	--



**ARROW DETAILS
(LOW SPEED
SPEED LIMIT \leq 80 km/h)**



**ARROW DETAILS
(HIGH SPEED
SPEED LIMIT $>$ 80 km/h)**



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
DJ 5/12

Scale
Not to Scale

PAVEMENT MARKING STRAIGHT ARROW DETAILS (LOW AND HIGH SPEED)

APPROVED AS OFFICIAL TRAFFIC SIGN

R. King
PRINCIPAL ENGINEER
(Traffic Engineering)

25/05/17
Date

TC1963_32

Page 32 of 32

E F