




Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER -
M7 FOR TOLL ROADS (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_1

Page 1 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER -
M7 FOR TOLL ROADS (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_2

Page 2 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + RIGHT ARROW (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_3

Page 3 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + RIGHT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_4

Page 4 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + LEFT ARROW (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_5

Page 5 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + LEFT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_6

Page 6 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 32 for arrow details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + STRAIGHT ARROW (£ 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_7

Page 7 of 32

E	F	G		
---	---	---	--	--



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 32 for arrow details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + STRAIGHT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_8

Page 8 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING
“ALPHA-NUMERIC ROUTE
MARKER - M7 (£ 80 km/h)”

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_9

Page 9 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING
“ALPHA-NUMERIC ROUTE
MARKER - M7 (> 80 km/h)”

Department of Transport and Main Roads
 Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
 Date

TC1963_10
 Page 10 of 32


Designed
 TV 5/12

Checked
 RS 08/26

Scale
 Not to Scale


 PRINCIPAL ENGINEER
 (Traffic Engineering Practice)

E	F	G		
---	---	---	--	--



Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

**PAVEMENT MARKING
“ALPHA-NUMERIC ROUTE
MARKER - M3 (£ 80 km/h)”**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_11
Page 11 of 32

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

**PAVEMENT MARKING
“ALPHA-NUMERIC ROUTE
MARKER - M3 (> 80 km/h)”**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_12
Page 12 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale


PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E	F	G		
---	---	---	--	--



Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

**PAVEMENT MARKING
“ALPHA-NUMERIC ROUTE
MARKER - A3 (£ 80 km/h)”**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_13

Page 13 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Note

All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

**PAVEMENT MARKING
"ALPHA-NUMERIC ROUTE
MARKER - A3 (> 80 km/h)"**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_14
Page 14 of 32



Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale


PRINCIPAL ENGINEER
(Traffic Engineering Practice)

☒ ☒ ☒ ☐ ☐



Colour Legend



White N14



Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER STRAIGHT AHEAD (£ 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN



PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_15

Page 15 of 32

E F G



Colour Legend



White N14



Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER STRAIGHT AHEAD (> 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN



PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_16

Page 16 of 32

E F G



Colour Legend



White N14



Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER RIGHT (£ 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN



PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_17

Page 17 of 32

E F G



Colour Legend



White N14



Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER RIGHT (> 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN



PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_18

Page 18 of 32

E F G



Colour Legend



White N14



Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



Queensland
Government

PAVEMENT MARKING "AIRPORT ROUTE MARKER LEFT (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_19



Page 19 of 32

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

E F G



Colour Legend



White N14



Blue B21 Ultramarine

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be white.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "AIRPORT ROUTE MARKER LEFT (> 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_20

Page 20 of 32

E F G



Colour Legend

☐ White N14

Notes:

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. Insert appropriate route marker number.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "STATE ROUTE MARKER (E 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN

[Signature]


PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_21

Page 21 of 32

E F G



Colour Legend

White N14

Notes:

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. Insert appropriate route marker number.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "STATE ROUTE MARKER (> 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN




PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_22

Page 22 of 32

☒ ☒ ☒ ☐ ☐



Colour Legend

White N14

Note

1. All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING "CITY ROUTE MARKER (£ 80 km/h)"

ISSUED AS OFFICIAL TRAFFIC SIGN



PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_23

Page 23 of 32

E	F	G		
---	---	---	--	--



Colour Legend



White N14

Note

1. All pavement marking colours are to be in accordance with those specified in AS2700.



**Queensland
Government**

PAVEMENT MARKING "CITY ROUTE MARKER (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_24

Page 24 of 32


Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine
- White N14

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 15 for symbol details.
4. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_25

Page 25 of 32


Designed
TV 2/15

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine
- White N14

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 16 for symbol details.
4. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_26

Page 26 of 32


Designed
TV 2/15

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine
- White N14

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 17 for symbol details.
5. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + RIGHT ARROW (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_27

Page 27 of 32


Designed
TV 2/15

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E ☒ F ☒ G ☐ ☐



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine
- White N14

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 18 for symbol details.
5. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + RIGHT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_28

Page 28 of 32


Designed
TV 2/15

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine
- White N14

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 19 for symbol details.
5. Refer to pages 9,11 and 13 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + LEFT ARROW (£ 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_29

Page 29 of 32


Designed
TV 2/15

Checked
RS 08/26

Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



Colour Legend

- Yellow Y11 Canary or Y14 Golden Yellow
- Blue B21 Ultramarine
- White N14

Notes

1. All pavement marking colours are to be in accordance with those specified in AS2700.
2. All borders to be yellow.
3. Refer to page 31 for arrow details.
4. Refer to page 20 for symbol details.
5. Refer to pages 10,12 and 14 for varying toll road alpha-numeric names and details.



**Queensland
Government**

PAVEMENT MARKING

"ALPHA-NUMERIC ROUTE MARKER - M7 FOR
TOLL ROADS + AIRPORT + LEFT ARROW (> 80 km/h)"

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

ISSUED AS OFFICIAL TRAFFIC SIGN

28/08/26
Date

TC1963_30

Page 30 of 32


Designed
TV 2/15

Checked
RS 08/26


Scale
Not to Scale

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

E F G



**ARROW DETAILS
(LOW SPEED
SPEED LIMIT ≤ 80 km/h)**



**ARROW DETAILS
(HIGH SPEED
SPEED LIMIT > 80 km/h)**



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING ANGLED ARROW DETAILS (LOW AND HIGH SPEED)

ISSUED AS OFFICIAL TRAFFIC SIGN


PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date


TC1963_31

Page 31 of 32

E	F	G		
---	---	---	--	--



**ARROW DETAILS
(LOW SPEED
SPEED LIMIT ≤ 80 km/h)**



**ARROW DETAILS
(HIGH SPEED
SPEED LIMIT > 80 km/h)**



**Queensland
Government**

Department of Transport and Main Roads
Infrastructure Management & Delivery Division

Designed
TV 5/12

Checked
RS 08/26

Scale
Not to Scale

PAVEMENT MARKING STRAIGHT ARROW DETAILS (LOW AND HIGH SPEED)

ISSUED AS OFFICIAL TRAFFIC SIGN

PRINCIPAL ENGINEER
(Traffic Engineering Practice)

28/08/26
Date

TC1963_32

Page 32 of 32

E	F	G		
---	---	---	--	--